

## **DATA PACKAGE**

**GENERAL CHEMISTRY** 

**PROJECT NAME: FINISHED PRODUCT** 

VERMONT'S ORIGINAL, LLC
135 Allen Brook Lane
Suite 101

Williston, VT - 05495

Phone No: 802-626-3610

**ORDER ID: P5195** 

**ATTENTION: Mark Perkins** 







## Table Of Contents for P5195

1) Signature Page	3
2) Case Narrative	4
2.1) Genchem- Case Narrative	4
3) Qualifier Page	5
4) QA Checklist	6
5) Genchem Data	7
6) Shipping Document	10
6.1) CHAIN OF CUSTODY	11
6.2) Lab Certificate	12

P5195 **2 of 12** 



## **Cover Page**

Order ID:	P5195
-----------	-------

**Project ID:** Finished Product

Client: Vermont's Original, LLC

Lab Sample Number Client Sample Number

P5195-01 LOT-120-34

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : Date: 12/20/2024	
------------------------------	--

NYDOH CERTIFICATION NO - 11376 NJDEP CERTIFICATION NO - 20012

P5195 **3 of 12** 



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## CASE NARRATIVE

Vermont's Original, LLC

**Project Name: Finished Product** 

Project # N/A

**Chemtech Project # P5195** 

**Test Name: 8-Hydroxyquinoline sulfate** 

#### A. Number of Samples and Date of Receipt:

1 Solid sample was received on 12/06/2024.

#### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: 8-Hydroxyquinoline sulfate. This data package contains results for 8-Hydroxyquinoline sulfate.

## C. Analytical Techniques:

The analysis of 8-Hydroxyquinoline sulfate was based on method Chemtech -SOP.

## D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

#### E. Additional Comments:

The time of sampling was not listed in the COC.

The temperature of the samples at the time of receipt was 15.1°C.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

P5195 **4 of 12** 



## DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following "Results Qualifiers" are used:

- J Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
- U Indicates the analyte was analyzed for, but not detected.
- ND Indicates the analyte was analyzed for, but not detected
- E Indicates the reported value is estimated because of the presence of interference
- M Indicates Duplicate injection precision not met.
- N Indicates the spiked sample recovery is not within control limits.
- S Indicates the reported value was determined by the Method of Standard Addition (MSA).
- \* Indicates that the duplicate analysis is not within control limits.
- + Indicates the correlation coefficient for the MSA is less than 0.995.
- D Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
- M Method qualifiers
  - **"P"** for ICP instrument
  - "PM" for ICP when Microwave Digestion is used
  - "CV" for Manual Cold Vapor AA
  - "AV" for automated Cold Vapor AA
  - "CA" for MIDI-Distillation Spectrophotometric "AS" for Semi –Automated Spectrophotometric
  - "C" for Manual Spectrophotometric
  - **"T"** for Titrimetric
  - "NR" for analyte not required to be analyzed
- OR Indicates the analyte's concentration exceeds the calibrated range of the
  - instrument for that specific analysis.
- Q Indicates the LCS did not meet the control limits requirements
- H Sample Analysis Out Of Hold Time



APPENDIX A

## **QA REVIEW GENERAL DOCUMENTATION**

Project #: P5195

	Completed
For thorough review, the report must have the following:	
GENERAL:	
Are all original paperwork present (chain of custody, record of communication, airbill, sample management lab chronicle, login page)	<u> </u>
Check chain-of-custody for proper relinquish/return of samples	✓
Is the chain of custody signed and complete	✓
Check internal chain-of-custody for proper relinquish/return of samples /sample extracts	<del>'</del> <del>'</del> <u>*</u>
Collect information for each project id from server. Were all requirements followed	✓
COVER PAGE:	
Do numbers of samples correspond to the number of samples in the Chain of Custody on login page	✓
Do lab numbers and client Ids on cover page agree with the Chain of Custody	<u>✓</u>
CHAIN OF CUSTODY:	_
Do requested analyses on Chain of Custody agree with form I results	✓
Do requested analyses on Chain of Custody agree with the log-in page	✓
Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody	<u> </u>
Were the samples received within hold time	✓
Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle	<u> </u>
ANALYTICAL:	
Was method requirement followed?	✓
Was client requirement followed?	<u></u>
Does the case narrative summarize all QC failure?	<del>'</del> <del>'</del> <del>'</del> <del>'</del> <del>'</del> <del>'</del> <del>'</del>
All runlogs and manual integration are reviewed for requirements	<u></u>
All manual calculations and /or hand notations verified	<u></u>

QA Review Signature: SOHIL JODHANI Date: 12/20/2024

P5195 **6 of 12** 



# SAMPLE DATA

5





P5195 **7 of 12** 





P5195-01

Lab Sample ID:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Matrix:

SOIL

## **Report of Analysis**

Client: Vermont's Original, LLC Date Collected: 12/03/24 12:00

Project: Finished Product Date Received: 12/06/24

Client Sample ID: LOT-120-34 SDG No.: P5195

% Solid: 100

Parameter	Conc. Qua.	DF MDL	LOQ / CRQL	Units(Dry Weight) Prep Date	Date Ana.	Ana Met.
8-Hydroxyquinoline	0.31	1 0	0	mg/Kg	12/20/24 11:25	Chemtech -SOP
sulfate						

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

P5195



## LAB CHRONICLE

OrderID: P5195

Client: Vermont's Original, LLC

Contact: Mark Perkins

OrderDate: 12/6/2024 4:15:00 PM

Project: Finished Product

Location: M11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5195-01	LOT-120-34	SOIL			12/03/24			12/06/24
			8-Hydroxyquinoline sulfate	Chemtech	12:00		12/20/24	
			, , ,	-SOP			11:25	

P5195 **9 of 12** 



# SHIPPING DOCUMENTS

P5195 **10 of 12** 



December 03, 2024

CHEMTECH LABORATORIES

284 Sheffield Street

Mountainside, NJ 07092

One (1) can of Bag Balm ointment with the following Lot #: 120/34 Enclosed:

Required: Test to determine the amount of

8-Hydroxyquinoline Sulfate.

Sincerely,

Vermont's Original, LLC

Mark Perkins

Director, Manufacturing Operations and Plant Manager

802-626-5327

mperkins@bagbalm.com

ap@bagbalm.com

12-6-23

P5195

11 of 12



## Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
5/10 21/1021 GS/110301	001.2.1.1.200011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

QA Control Code: A2070148