

DATA PACKAGE

SUB - DATA

PROJECT NAME : FT MEADE TIPTON AIRFIELD PARCEL RI - PO 0111169

WESTON SOLUTIONS

1400 Weston Way

PO Box 2653

West Chester, PA - 19380

Phone No: 610-701-7400

ORDER ID : P5215

ATTENTION : Nathan Fretz



Cover Page

Order ID : P5215

Project ID : Ft Meade Tipton Airfield Parcel RI - PO 0111169

Client : Weston Solutions

Lab Sample Number

P5215-01

Client Sample Number

TAPIAL3-SB03I-15-120624-00-T1

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 3:49 pm, Dec 16, 2024

Date: 12/15/2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



GEOLAB

• NEW JERSEY
1017 GREELEY AVE SOUTH
UNION, NJ 07083
908.964.0786

• SOUTH CAROLINA
49 BROWNS COVE ROAD SUITE 6
RIDGELAND, SC 29936
848.316.9950

Letter of Transmittal

Date: 12-13-24

Job No.: 889

Lab Log: 24-3934

Attention: Yazmeen
Alliance Technical Group
284 Sheffield Street
Mountainside, NJ 07092

CC: Jordan Hedvat, projectmanagers@chemtech.net

Re: P5215 – Ft Meade Tipton Airfield Parcel RI – PO 0111169

Sample(s) ID: **TAPIAL3-SB03I-15-120624-00-T1**

Dear Yazmeen,

Please find attached results for the samples referenced above. The following lab testing was performed:

- ASTM D7263 Density
- ASTM D4318 Atterberg Limits (verify NP)

Regards,
RSA Geolab, LLC

Remarks: If you have any questions, please call 908-964-0786.

Signed: _____

Dr. Raza S. Ahmed
President RSA Geolab, LLC

<https://www.rsageolab.com/>
email: rsa@rsageolab.com

RSA's Geolab's Geotechnical Laboratory testing was performed and results reported in accordance with ASTM standards and accepted industry standards. No other representations or warranties either express or implied are given. RSA Geolab, LLC neither accepts responsibility for nor makes claim to the final use and purpose of the material tested.

RSA Geolab, LLC owns all rights, title and interest of the work product. This report is intended for client's sole and exclusive use and not for the benefit of others and may not be used or relied upon by others. These documents must be considered proprietary information and should not be reproduced without the written approval of RSA Geolab, LLC.



1017 Greeley Ave N
Union, NJ 07083
908-964-0786
www.RSAGeolab.com

DENSITY TEST
ASTM D7263

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169
Order ID: P5215
Client: Alliance Technical Group

L#24-3934
Project #: 889
Date: 12/13/2024

Sample	Height (in)	Dry Weight (gms)	Unit Weight at S-1 (pcf)
TAPIAL3-SB03I-15-120624-00-T1	2.84	344.06	118.01


Remarks: 1. Jar samples. Unable to take exact measurements. Data may not be representative of the in-situ conditions.
2. S-1 = Assumed 100% Saturation.
3. Specific Gravity Assumed.

Tested by: VS

Entered by: KH

Checked by: KP

LIQUID AND PLASTIC LIMITS TEST REPORT



	MATERIAL DESCRIPTION	LL	PL	PI	%<#40	%<#200	USCS
●	Reddish Yellow cmf Sand, trace Clay & Silt (visual)	NV	NP	NP			

Project No. 889 **Client:** Alliance Technical Group

Project: P5215 - Ft Meade Tipton Airfield Parcel RI - PO 0111169

● **Location:** TAPIAL3-SB03I-15-120624-00-T1

Remarks:

● 12-13-24

RSA Geolab

Union, New Jersey

Figure

Tested By: EE **Checked By:** KP

P5215



Weston COC ID
Weston_20241206_1614_R

Chain of Custody Record/Lab Work Request

Client:	Weston Solutions, Inc.		
Project Manager:	David Sembrot		
Street Address:	1400 Weston Way	City:	West Chester
Phone:	610-314-5456	ST, ZIP:	PA, 19038
e-mail:	david.sembrot@westonsolutions.com		
Sampled By:	Cheyenne Harrington		

Lab Use Only		
Temperature of cooler when received (°C)		
COC Tape was present and unbroken on outer package?	Y	N
Samples received in good condition?	Y	N
Labels indicate properly preserved?	Y	N
Received within holding times?	Y	N
Discrepancies between sample labels and COC record?	Y	N

Project Name:	Fort Meade RI		Project POC:	Nathan Fretz	
PO Number	0111169		Phone:	484-524-5665	
W.O. #:			POC e-mail:	nathan.fretz@westonsolutions.com	
Lab:	CHEMTECH-RSA Geolab		Lab POC:	Jordan Hedvat	
TAT (days):	21		Lab Phone:	908-728-3144	
Lab Address:	284 Sheffield Street Mountainside, NJ 07092				
Analyses Requested:	Atterberg & plasticity by ASTM D4318	Bulk density by ASTM D6863			
Container Type:	Glass	Glass			
Container Size:	8 oz	8 oz			
Preservative:	Ice to 0-6	Ice to 0-6			

Matrix Codes
SB- Soil
SE - Sediment
SO - Solid
SL - Sludge
GW - Groundwater
W - Water
O - Oil
A - Air
DS - Drum Solids
DL - Drum Liquids
L - EP/TCLP Leachate
WI - Wipe
X - Other
F - Fish

#	Sample ID	G/C	Matrix	# Cont	MS/MSD	Date Collected	Time Collected	Special Instructions/Comments									
1	TAPIAL3-SB031-15-120624-00-T1	g	SB	4	no	12/6/2024	11:40	X	X								
2																	
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	
11																	
12																	

Shipping Airbill Number(s):						Cooler Number: 1 of 1	
Relinquished By	Date	Time	Received By	Date	Time	Additional Comments	
1.) <i>[Signature]</i>	12/6/24	18:00	<i>[Signature]</i>	12/7/24		SAMPLES TO BE ANALYZED BY RSA GEOLAB QSM 6.0 Compliant	
2.)				9:55	2:3	Deliverable Requirements: DoD Level IV report, EnviroData EDD, and ERIS-compatible EDD	
3.)							