

DATA PACKAGE

GC SEMI-VOLATILES

PROJECT NAME : P.S. 9 BROOKLYN - 2092SCA

ATC GROUP SERVICES LLC

104 East 25th Street

New York, NY - 10010

Phone No: 212-353-8280

ORDER ID : P5225

ATTENTION : Olga Seldinas



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) PCB Group1- Case Narrative	4
3) Qualifier Page	6
4) QA Checklist	7
5) PCB Group1 Data	8
6) Shipping Document	17
6.1) CHAIN OF CUSTODY	18
6.2) Lab Certificate	21

1
2
3
4
5
6

Cover Page

Order ID : P5225

Project ID : P.S. 9 Brooklyn - 2092SCA

Client : ATC Group Services LLC

Lab Sample Number

P5225-01
P5225-02
P5225-03
P5225-04

Client Sample Number

1A-1B-1C-MB
2A-2B-2C-MB
3A-3B-3C-AB
4A-4B-4C-BASIC

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 12/16/2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

ATC Group Services LLC

Project Name: P.S. 9 Brooklyn - 2092SCA

Project # N/A

Chemtech Project # P5225

Test Name: PCB Group1

A. Number of Samples and Date of Receipt:

4 Solid samples were received on 12/10/2024.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: PCB Group1. This data package contains results for PCB Group1.

C. Analytical Techniques:

The analyses were performed on instrument GCECD_O. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 µm; Catalogue # 7HM-G017-11. The analysis of PCB Group1s was based on method 8082A and extraction was done based on method 3541.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria except for 2A-2B-2C-MB [Decachlorobiphenyl(2) - 181%], AS per method one surrogate allowed to fail to meet the criteria per column. No further corrective action was taken while, 3A-3B-3C-ABDL [Decachlorobiphenyl(1) - 0%, Decachlorobiphenyl(2) - 0%, Tetrachloro-m-xylene(1) - 0%, Tetrachloro-m-xylene(2) - 0%], Surrogates were diluted out due to the high dilution. No further corrective action was taken while, 4A-4B-4C-BASIC [Decachlorobiphenyl(1) - 346%, Decachlorobiphenyl(2) - 393%], 4A-4B-4C-BASICDL [Decachlorobiphenyl(1) - 370% and Decachlorobiphenyl(2) - 391%] Due to high concentration sample required dilution. Therefore, sample was reanalyzed with dilution and reported.

The Retention Times were acceptable for all samples.

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .

Samples 3A-3B-3C-AB, 4A-4B-4C-BASIC were diluted due to high concentrations.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

2
2.1

E. Additional Comments:

The temperature of the samples at the time of receipt was 13.5°C.

All samples received as Caulk matrix, therefore less volume was taken at the time of extraction.

No MSMSD performed as samples are caulk matrix.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: P5225

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 12/16/2024

Hit Summary Sheet SW-846

SDG No.: P5225

Order ID: P5225

Client: ATC Group Services LLC

Project ID: P.S. 9 Brooklyn - 2092SCA

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : 1A-1B-1C-MB								
P5225-01	1A-1B-1C-MB	CAULK	Aroclor-1254	479		41.4	258	ug/kg
Total Concentration:				479.000				
Client ID : 3A-3B-3C-AB								
P5225-03	3A-3B-3C-AB	CAULK	Aroclor-1254	170000	E	63.0	392	ug/kg
Total Concentration:				170,000.000				
Client ID : 3A-3B-3C-ABDL								
P5225-03DL	3A-3B-3C-ABDL	CAULK	Aroclor-1254	210000	D	1900	12000	ug/kg
Total Concentration:				210,000.000				
Client ID : 4A-4B-4C-BASIC								
P5225-04	4A-4B-4C-BASIC	CAULK	Aroclor-1254	40000	EP	27.9	173	ug/kg
Total Concentration:				40,000.000				
Client ID : 4A-4B-4C-BASICDL								
P5225-04DL	4A-4B-4C-BASICDL	CAULK	Aroclor-1254	44000	D	557	3500	ug/kg
Total Concentration:				44,000.000				



SAMPLE DATA

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	12/10/24	
Project:	P.S. 9 Brooklyn - 2092SCA		Date Received:	12/10/24	
Client Sample ID:	1A-1B-1C-MB		SDG No.:	P5225	
Lab Sample ID:	P5225-01		Matrix:	CAULK	
Analytical Method:	SW8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	1.98	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO108511.D	1	12/11/24 08:51	12/11/24 19:14	PB165544

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	51.4	U	51.4	258	ug/kg
11104-28-2	Aroclor-1221	97.1	U	97.1	258	ug/kg
11141-16-5	Aroclor-1232	51.5	U	51.5	258	ug/kg
53469-21-9	Aroclor-1242	51.4	U	51.4	258	ug/kg
12672-29-6	Aroclor-1248	120	U	120	258	ug/kg
11097-69-1	Aroclor-1254	479		41.4	258	ug/kg
37324-23-5	Aroclor-1262	69.2	U	69.2	258	ug/kg
11100-14-4	Aroclor-1268	52.0	U	52.0	258	ug/kg
11096-82-5	Aroclor-1260	44.1	U	44.1	258	ug/kg
Total PCBs	Total PCBs	479		41.4	258	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	21.2		32 - 144	106%	SPK: 20
2051-24-3	Decachlorobiphenyl	32.3		32 - 175	161%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	12/10/24	
Project:	P.S. 9 Brooklyn - 2092SCA		Date Received:	12/10/24	
Client Sample ID:	2A-2B-2C-MB		SDG No.:	P5225	
Lab Sample ID:	P5225-02		Matrix:	CAULK	
Analytical Method:	SW8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	5.51	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO108512.D	1	12/11/24 08:51	12/11/24 19:32	PB165544

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	18.5	U	18.5	92.6	ug/kg
11104-28-2	Aroclor-1221	34.9	U	34.9	92.6	ug/kg
11141-16-5	Aroclor-1232	18.5	U	18.5	92.6	ug/kg
53469-21-9	Aroclor-1242	18.5	U	18.5	92.6	ug/kg
12672-29-6	Aroclor-1248	43.0	U	43.0	92.6	ug/kg
11097-69-1	Aroclor-1254	14.9	U	14.9	92.6	ug/kg
37324-23-5	Aroclor-1262	24.9	U	24.9	92.6	ug/kg
11100-14-4	Aroclor-1268	18.7	U	18.7	92.6	ug/kg
11096-82-5	Aroclor-1260	15.8	U	15.8	92.6	ug/kg
Total PCBs	Total PCBs	43.0	U	43.0	92.6	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	15.7		32 - 144	79%	SPK: 20
2051-24-3	Decachlorobiphenyl	36.1	*	32 - 175	181%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	12/10/24	
Project:	P.S. 9 Brooklyn - 2092SCA		Date Received:	12/10/24	
Client Sample ID:	3A-3B-3C-AB		SDG No.:	P5225	
Lab Sample ID:	P5225-03		Matrix:	CAULK	
Analytical Method:	SW8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	1.3	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO108513.D	1	12/11/24 08:51	12/11/24 19:51	PB165544

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	78.2	U	78.2	392	ug/kg
11104-28-2	Aroclor-1221	148	U	148	392	ug/kg
11141-16-5	Aroclor-1232	78.5	U	78.5	392	ug/kg
53469-21-9	Aroclor-1242	78.2	U	78.2	392	ug/kg
12672-29-6	Aroclor-1248	182	U	182	392	ug/kg
11097-69-1	Aroclor-1254	170000	E	63.0	392	ug/kg
37324-23-5	Aroclor-1262	105	U	105	392	ug/kg
11100-14-4	Aroclor-1268	79.2	U	79.2	392	ug/kg
11096-82-5	Aroclor-1260	67.2	U	67.2	392	ug/kg
Total PCBs	Total PCBs	170000	E	63.0	392	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	21.0		32 - 144	105%	SPK: 20
2051-24-3	Decachlorobiphenyl	25.6		32 - 175	128%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	12/10/24	
Project:	P.S. 9 Brooklyn - 2092SCA		Date Received:	12/10/24	
Client Sample ID:	3A-3B-3C-ABDL		SDG No.:	P5225	
Lab Sample ID:	P5225-03DL		Matrix:	CAULK	
Analytical Method:	SW8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	1.3	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO108523.D	30	12/11/24 08:51	12/12/24 09:56	PB165544

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	2300	UD	2300	12000	ug/kg
11104-28-2	Aroclor-1221	4400	UD	4400	12000	ug/kg
11141-16-5	Aroclor-1232	2400	UD	2400	12000	ug/kg
53469-21-9	Aroclor-1242	2300	UD	2300	12000	ug/kg
12672-29-6	Aroclor-1248	5500	UD	5500	12000	ug/kg
11097-69-1	Aroclor-1254	210000	D	1900	12000	ug/kg
37324-23-5	Aroclor-1262	3200	UD	3200	12000	ug/kg
11100-14-4	Aroclor-1268	2400	UD	2400	12000	ug/kg
11096-82-5	Aroclor-1260	2000	UD	2000	12000	ug/kg
Total PCBs	Total PCBs	210000	D	1900	12000	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	0	*	32 - 144	0%	SPK: 20
2051-24-3	Decachlorobiphenyl	0	*	32 - 175	0%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	12/10/24	
Project:	P.S. 9 Brooklyn - 2092SCA		Date Received:	12/10/24	
Client Sample ID:	4A-4B-4C-BASIC		SDG No.:	P5225	
Lab Sample ID:	P5225-04		Matrix:	CAULK	
Analytical Method:	SW8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	2.94	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO108514.D	1	12/11/24 08:51	12/11/24 20:09	PB165544

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	34.6	U	34.6	173	ug/kg
11104-28-2	Aroclor-1221	65.4	U	65.4	173	ug/kg
11141-16-5	Aroclor-1232	34.7	U	34.7	173	ug/kg
53469-21-9	Aroclor-1242	34.6	U	34.6	173	ug/kg
12672-29-6	Aroclor-1248	80.5	U	80.5	173	ug/kg
11097-69-1	Aroclor-1254	40000	EP	27.9	173	ug/kg
37324-23-5	Aroclor-1262	46.6	U	46.6	173	ug/kg
11100-14-4	Aroclor-1268	35.0	U	35.0	173	ug/kg
11096-82-5	Aroclor-1260	29.7	U	29.7	173	ug/kg
Total PCBs	Total PCBs	40000	EP	27.9	173	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	17.2		32 - 144	86%	SPK: 20
2051-24-3	Decachlorobiphenyl	78.7	*	32 - 175	393%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	12/10/24	
Project:	P.S. 9 Brooklyn - 2092SCA		Date Received:	12/10/24	
Client Sample ID:	4A-4B-4C-BASICDL		SDG No.:	P5225	
Lab Sample ID:	P5225-04DL		Matrix:	CAULK	
Analytical Method:	SW8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	2.94	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO108524.D	20	12/11/24 08:51	12/12/24 10:14	PB165544

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	692	UD	692	3500	ug/kg
11104-28-2	Aroclor-1221	1300	UD	1300	3500	ug/kg
11141-16-5	Aroclor-1232	694	UD	694	3500	ug/kg
53469-21-9	Aroclor-1242	692	UD	692	3500	ug/kg
12672-29-6	Aroclor-1248	1600	UD	1600	3500	ug/kg
11097-69-1	Aroclor-1254	44000	D	557	3500	ug/kg
37324-23-5	Aroclor-1262	933	UD	933	3500	ug/kg
11100-14-4	Aroclor-1268	700	UD	700	3500	ug/kg
11096-82-5	Aroclor-1260	594	UD	594	3500	ug/kg
Total PCBs	Total PCBs	44000	D	557	3500	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	18.0		32 - 144	90%	SPK: 20
2051-24-3	Decachlorobiphenyl	78.2	*	32 - 175	391%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	P5225	OrderDate:	12/10/2024 10:46:00 AM
Client:	ATC Group Services LLC	Project:	P.S. 9 Brooklyn - 2092SCA
Contact:	Olga Seldinas	Location:	M11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5225-01	1A-1B-1C-MB	CAULK	PCB Group1	8082A	12/10/24	12/11/24	12/11/24	12/10/24
P5225-02	2A-2B-2C-MB	CAULK	PCB Group1	8082A	12/10/24	12/11/24	12/11/24	12/10/24
P5225-03	3A-3B-3C-AB	CAULK	PCB Group1	8082A	12/10/24	12/11/24	12/11/24	12/10/24
P5225-03DL	3A-3B-3C-ABDL	CAULK	PCB Group1	8082A	12/10/24	12/11/24	12/12/24	12/10/24
P5225-04	4A-4B-4C-BASIC	CAULK	PCB Group1	8082A	12/10/24	12/11/24	12/11/24	12/10/24
P5225-04DL	4A-4B-4C-BASICDL	CAULK	PCB Group1	8082A	12/10/24	12/11/24	12/12/24	12/10/24



SHIPPING DOCUMENTS



CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 Fax (908) 789-8922
www.chemtech.net

Chemtech Project Number	P5225
COC Number	

CLIENT INFORMATION			PROJECT INFORMATION				BILLING INFORMATION												
Report to be sent to:			PROJECT NAME:		BILL TO:		PO#												
COMPANY: ATC 6500 Services			PROJECT #:		ADDRESS:														
ADDRESS: 104 E 25th Street			PROJECT MANAGER:		CITY:		STATE: ZIP:												
CITY: NY STATE: NY ZIP: 10010			E-MAIL:		ATTENTION:														
ATTENTION: Olga Seldin			PHONE:		PHONE:														
PHONE: 212-284-0614 FAX:																			
DATA TURNAROUND INFORMATION			DATA DELIVERABLE INFORMATION				ANALYSIS												
FAX (RUSH) 3/24/02 DAYS*			<input type="checkbox"/> Level 1 (Results Only)		<input type="checkbox"/> Level 4 (QC + Full Raw Data)		<div>TOTAL PEP</div> <table><tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td></tr></table>				1	2	3	4	5	6	7	8	9
1	2	3	4	5	6	7					8	9							
HARDCOPY (DATA PACKAGE) DAYS*			<input type="checkbox"/> Level 2 (Results + QC)		<input type="checkbox"/> NJ Reduced <input type="checkbox"/> US EPA CLP														
EDD: DAYS*			<input type="checkbox"/> Level 3 (Results + QC + Raw Data)		<input type="checkbox"/> NYS ASP A <input type="checkbox"/> NYS ASP B														
TO BE APPROVED BY CHEMTECH			<input type="checkbox"/> EDD FORMAT		<input type="checkbox"/> Other														
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS																			
CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles	PRESERVATIVES									COMMENTS		
			COMP	GPAB	DATE	TIME		1	2	3	4	5	6	7	8	9	<—Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER		
1.	1A1BHC Mark factory, Extra	CAULK	✓		12/9/01	1:20pm													
2.	2A2B3C Mark factory, Extra	CAULK	✓		12/9/01	2:00pm													
3.	3A3B3C Mark factory, Extra	CAULK	✓		12/9/01	2:30pm													
4.	4A4B4C Mark factory, Extra	CAULK	✓		12/9/01	2:50pm													
5.																			
6.																			
7.																			
8.																			
9.																			
10.																			
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY																			
RELINQUISHED BY SAMPLER		DATE/TIME		RECEIVED BY		Conditions of bottles or collars at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP 13.5°C													
1. Olga Seldin		12-9-24		1.		Comments:													
RELINQUISHED BY		DATE/TIME		RECEIVED BY															
2. FedEx		12-10-24		2.															
RELINQUISHED BY		DATE/TIME		RECEIVED FOR LAB BY		Page _____ of _____				CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Other: _____				Shipment Complete					
3.				3.						CHEMTECH: <input type="checkbox"/> Picked Up				<input type="checkbox"/> YES <input type="checkbox"/> NO					

10/2021

WHITE - CHEMTECH COPY FOR RETURN TO CLIENT

YELLOW - CHEMTECH COPY

PINK - SAMPLER COPY

Laboratory Composite Sample log

Chemtech Project number: P5225Date: 12-10-24Client Name: ATCClient Project Name: P.S. 9 BrooklynInstructions: Composite all samples 3:1Sample Custodian: AS

Client Sample ID	Weigh /Volume used	New ID	Sample Description	Sample Composite time	Comments
1A	0.67	1A-1B-1C-MB	"CAULK"	1230	Total weigh - 1.97g
1B	0.64				
1C	0.66				
2A	1.87	2A-2B-2C-MB		1232	Total weigh - 5.61g
2B	1.88				
2C	1.86				
3A	0.39	3A-3B-3C-AB		1234	Total weigh - 1.17g
3B	0.37				
3C	0.41				
4A	0.83	4A-4B-4C-BBIC		1235	Total weigh - 2.95g
4B	0.85				

Chemtech Project number: P 5225 Date: 12-10-74

Client Name: ATC Client Project Name: PS.9 Broadway

Instructions: Composite all samples 3:1

Sample Custodian: _____

[illegible]

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488