

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

LAB CHRONICLE

OrderID:	P5240	OrderDate:	12/10/2024 1:09:00 PM
Client:	ATC Group Services LLC	Project:	Queens PDC Wilmington VMF - 142-02 #
Contact:	David Gustafson	Location:	M24-000384 #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5240-01	OF-1	Water			12/09/24 13:40			12/10/24
			COD	SM5220 D				
			Oil and Grease	1664A				
P5240-04	OF-2	Water			12/09/24 14:30			12/10/24
			COD	SM5220 D				
			Oil and Grease	1664A				
P5240-05	OF-3	Water			12/09/24 15:30			12/10/24
			COD	SM5220 D				
			Oil and Grease	1664A				



SAMPLE DATA

Report of Analysis

Client:	ATC Group Services LLC	Date Collected:	12/09/24 13:40
Project:	Queens PDC Wilmington VMF - 142-02 # M242660384	Date Received:	12/10/24
Client Sample ID:	OF-1	SDG No.:	P5240
Lab Sample ID:	P5240-01	Matrix:	Water
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
COD	143		1	2.35	10.0	mg/L		12/13/24 13:02	SM 5220 D-11
Oil and Grease	3.30	J	1	0.40	5.00	mg/L		12/13/24 11:10	1664A

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATC Group Services LLC	Date Collected:	12/09/24 14:30
Project:	Queens PDC Wilmington VMF - 142-02 # M242660384	Date Received:	12/10/24
Client Sample ID:	OF-2	SDG No.:	P5240
Lab Sample ID:	P5240-04	Matrix:	Water
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
COD	98.6		1	2.35	10.0	mg/L		12/13/24 13:03	SM 5220 D-11
Oil and Grease	1.90	J	1	0.40	5.00	mg/L		12/13/24 11:10	1664A

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATC Group Services LLC	Date Collected:	12/09/24 15:30
Project:	Queens PDC Wilmington VMF - 142-02 # M242660384	Date Received:	12/10/24
Client Sample ID:	OF-3	SDG No.:	P5240
Lab Sample ID:	P5240-05	Matrix:	Water
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
COD	83.5		1	2.35	10.0	mg/L		12/13/24 13:03	SM 5220 D-11
Oil and Grease	15.2		1	0.40	5.00	mg/L		12/13/24 11:10	1664A

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



QC RESULT SUMMARY



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Initial and Continuing Calibration Verification

Client: ATC Group Services LLC

SDG No.: P5240

Project: Queens PDC Wilmington VMF - 142-02 # M242660384

RunNo.: LB133940

Analyte		Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: COD	ICV	mg/L	51.341	50	103	95-105	10/14/2024
Sample ID: COD	CCV1	mg/L	51.341	50	103	95-105	12/13/2024
Sample ID: COD	CCV2	mg/L	51.341	50	103	95-105	12/13/2024

Initial and Continuing Calibration Verification

Client: ATC Group Services LLC

SDG No.: P5240

Project: Queens PDC Wilmington VMF - 142-02 # M242660384

RunNo.: LB133940

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
---------	-------	--------	------------	---------------	---------------------------	------------------

Initial and Continuing Calibration Blank Summary

Client: ATC Group Services LLC

SDG No.: P5240

Project: Queens PDC Wilmington VMF - 142-02 # M242660384

RunNo.: LB133940

Analyte		Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID:	ICB							
COD		mg/L	< 5.0000	5.0000	U	2.35	10	10/14/2024
Sample ID:	CCB1							
COD		mg/L	< 5.0000	5.0000	U	2.35	10	12/13/2024
Sample ID:	CCB2							
COD		mg/L	< 5.0000	5.0000	U	2.35	10	12/13/2024

Preparation Blank Summary

Client: ATC Group Services LLC

SDG No.: P5240

Project: Queens PDC Wilmington VMF - 142-02 # M242660384

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: LB133935BL							
Oil and Grease	mg/L	< 2.5000	2.5000	U	0.4	5.0	12/13/2024
Sample ID: LB133940BL							
COD	mg/L	< 5.0000	5.0000	U	2.35	10.0	12/13/2024

Matrix Spike Summary

Client:	ATC Group Services LLC	SDG No.:	P5240
Project:	Queens PDC Wilmington VMF - 142-02 # M24266038	Sample ID:	P5240-05
Client ID:	OF-3MS	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
COD	mg/L	75-125	129		83.5		50.0	1	91		12/13/2024

Matrix Spike Summary

Client:	ATC Group Services LLC	SDG No.:	P5240
Project:	Queens PDC Wilmington VMF - 142-02 # M24266038	Sample ID:	P5240-05
Client ID:	OF-3MSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
COD	mg/L	75-125	126		83.5		50.0	1	85		12/13/2024

Duplicate Sample Summary

Client:	ATC Group Services LLC	SDG No.:	P5240
Project:	Queens PDC Wilmington VMF - 142-02 # M242660384	Sample ID:	LB133935BS
Client ID:	LB133935BSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Oil and Grease	mg/L	+/-18	16.7		17.1		1	2.37		12/13/2024

Duplicate Sample Summary

Client:	ATC Group Services LLC	SDG No.:	P5240
Project:	Queens PDC Wilmington VMF - 142-02 # M242660384	Sample ID:	P5240-05
Client ID:	OF-3DUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
COD	mg/L	+/-20	83.5		87.5		1	4.68		12/13/2024

Duplicate Sample Summary

Client:	ATC Group Services LLC	SDG No.:	P5240
Project:	Queens PDC Wilmington VMF - 142-02 # M242660384	Sample ID:	P5240-05
Client ID:	OF-3MSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
COD	mg/L	+/-20	129		126		1	2.35		12/13/2024

Laboratory Control Sample Summary

Client:	ATC Group Services LLC	SDG No.:	P5240
Project:	Queens PDC Wilmington VMF - 142-02 # M242660384	Run No.:	LB133935

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB133935BS							
Oil and Grease	mg/L	20.0	16.7		84	1	78-114	12/13/2024

Laboratory Control Sample Summary

Client:	ATC Group Services LLC	SDG No.:	P5240
Project:	Queens PDC Wilmington VMF - 142-02 # M242660384	Run No.:	LB133935

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB133935BSD							
Oil and Grease	mg/L	20.0	17.1		86	1	78-114	12/13/2024

Laboratory Control Sample Summary

Client:	ATC Group Services LLC	SDG No.:	P5240
Project:	Queens PDC Wilmington VMF - 142-02 # M242660384	Run No.:	LB133940

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB133940BS							
COD	mg/L	50	49.3		99	1	90-110	12/13/2024



RAW DATA

Extraction and Analytical Summary Report

Analysis Method: 1664A
Test: Oil and Grease
Run Number: LB133935
Analysis Date: 12/13/2024
BalanceID: WC SC-6
OvenID: EXT OVEN-3

ANALYST: jignesh
REVIEWED BY: Iwona
Extraction Date: 12/13/2024
Extraction IN Time: 09:50
Extraction OUT Time: 10:35
Thermometer ID: EXT OVEN#3

Dish #	Lab ID	Client ID	Matrix	pH	Sample Vol (ml)	Final Volume (ml)	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Silica Gel Weight (g)	Weight After Drying (g)	Final Weight After Drying (g)	Change Weight (g)	Result in ppm
1	LB133935BL	LB133935BL	WATER	1.3	1000	100	3.5963	3.5963	0	3.5964	3.5964	0.0001	0.1
2	LB133935BS	LB133935BS	WATER	1.3	1000	100	3.1741	3.1741	0	3.1908	3.1908	0.0167	16.7
3	LB133935BSD	LB133935BSD	WATER	1.3	1000	100	2.8563	2.8563	0	2.8734	2.8734	0.0171	17.1
4	P5240-01	OF-1	WATER	1.3	1000	100	3.0257	3.0257	0	3.0290	3.0290	0.0033	3.3
5	P5240-04	OF-2	WATER	1.6	1000	100	3.0364	3.0364	0	3.0383	3.0383	0.0019	1.9
6	P5240-05	OF-3	WATER	1.6	1000	100	3.0122	3.0122	0	3.0274	3.0274	0.0152	15.2



Alliance
TECHNICAL GROUP

Test: Oil and Grease

Analysis Date: 12/13/2024

Chemicals Used:

Chemical Name	Chemical Lot #
HEXANE	W3153
pH Paper 0-14	M6069
Sodium Sulfate	EP2571
1:1 HCL	WP110826
Silica Gel	NA
Sand	NA

Standards Used:

Standard Name	Amount Used	Standard Lot #
LCSW	2.5 ML	WP100827
LCSWD	2.5 ML	WP100828
MS/MSD	NA	NA

BALANCE CALIBRATION / OVEN Dessicator Data

Analytical Balance ID # : WC SC-6

Before Analysis

0.0020 gram Balance: 0.0018 (0.0018-0.0022) In OVEN TEMP1 : 70 °C Dessicator Time In1 : 12:05

1.0000 gram Balance: 1.0004 (0.9950-1.0050) In Time1: 11:10

Bal Check Time: 10:10 Out OVEN TEMP1: 70 °C Dessicator Time Out1: 12:35

Out Time1: 12:00

After Analysis

0.0020 gram Balance: 0.0019 (0.0018-0.0022) In OVEN TEMP2 : 71 °C Dessicator Time In2 : 13:51

1.0000 gram Balance: 1.0003 (0.9950-1.0050) In Time2: 13:10

Bal Check Time: 14:30 Out OVEN TEMP2: 71 °C Dessicator Time Out2: 14:25

Out Time2: 13:50

WORKLIST(Hardcopy Internal Chain)

VB133935

WorkList Name : oil & grease p5240

WorkList ID : 186311

Department : Wet-Chemistry

Date : 12-13-2024 09:37:40

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5240-01	OF-1	Water	Oil and Grease	Conc H2SO4 to pH < 2	ATCE02	M11	12/09/2024	1664A
P5240-04	OF-2	Water	Oil and Grease	Conc H2SO4 to pH < 2	ATCE02	M11	12/09/2024	1664A
P5240-05	OF-3	Water	Oil and Grease	Conc H2SO4 to pH < 2	ATCE02	M11	12/09/2024	1664A

Date/Time 12-13-24 09:45

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]

Date/Time 12-13-24 13:30

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]

Analytical Summary Report

Analysis Method: SM5220 D

Parameter: COD

Run Number: LB133940

ANALYST: Niha

SUPERVISOR REVIEW BY: Iwona

Reagent/Standard	Lot/Log #
COD calibration std. 10 ppm	WP110197
COD calibration std. 150 ppm	WP110200
COD calibration std. 50 ppm	WP110198
COD calibration std. 0 ppm	WP110196
COD ICV-LCS std, 50ppm	WP110658
COD calibration std. 100 ppm	WP110199
COD Digestion Vials Low Level 0-150Mg/L	W3125
COD ICV-LCS std, 50ppm	WP111084
COD CCV std, 50ppm	WP111083

Temp In (C): <u>148</u>	Date In: <u>12/13/2024</u>	Time In: <u>09:00</u>
Temp Out (C): <u>150</u>	Date Out: <u>12/13/2024</u>	Time Out: <u>11:00</u>

Intercept: -0.0642

Slope: 0.9946

Regression: 0.9998

Seq	Lab ID	TrueValue (mg/l)	DF	MATRIX	Reading	Result (mg/l)	%D	Anal Date	Anal Time
1	CAL1	0	1	Water	0.000	0.065		10/14/2024	13:10
2	CAL2	10	1	Water	9.000	9.113	-8.9	10/14/2024	13:10
3	CAL3	50	1	Water	50.000	50.336	0.7	10/14/2024	13:11
4	CAL4	100	1	Water	101.000	101.613	1.6	10/14/2024	13:11
5	CAL5	150	1	Water	148.000	148.868	-0.8	10/14/2024	13:12

Analytical Summary Report

Analysis Method: SM5220 D

ANALYST: Niha

Parameter: COD

SUPERVISOR REVIEW BY: Iwona

Run Number: LB133940

Seq	Lab ID	True Value (mg/l)	Initial Weight (g)	Final Vol (ml)	DF	MATRIX	Reading	Result	AnalDate	AnalTime
1	ICV	50	NA	NA	1	Water	51.000	51.341	10/14/2024	13:12
2	ICB		NA	NA	1	Water	0.000	0.065	10/14/2024	13:13
3	CCV1	50	NA	NA	1	Water	51.000	51.341	12/13/2024	13:00
4	CCB1		NA	NA	1	Water	0.000	0.065	12/13/2024	13:00
5	LB133940BL		NA	NA	1	Water	0.000	0.065	12/13/2024	13:01
6	LB133940BS	50	NA	NA	1	Water	49.000	49.331	12/13/2024	13:01
7	P5220-03		NA	NA	10	Water	61.000	61.396	12/13/2024	13:02
8	P5240-01		NA	NA	1	Water	142.000	142.836	12/13/2024	13:02
9	P5240-04		NA	NA	1	Water	98.000	98.597	12/13/2024	13:03
10	P5240-05		NA	NA	1	Water	83.000	83.515	12/13/2024	13:03
11	P5240-05DUP		NA	NA	1	Water	87.000	87.537	12/13/2024	13:04
12	P5240-05MS	50	NA	NA	1	Water	128.000	128.760	12/13/2024	13:04
13	P5240-05MSD	50	NA	NA	1	Water	125.000	125.743	12/13/2024	13:05
14	CCV2	50	NA	NA	1	Water	51.000	51.341	12/13/2024	13:05
15	CCB2		NA	NA	1	Water	0.000	0.065	12/13/2024	13:06

LB 133940

WORKLIST(Hardcopy Internal Chain)

WorkList Name : COD-12102024

WorkList ID : 186172

Department : Wet-Chemistry

Date : 12-10-2024 09:00:36

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5240-01	OF-1	Water	COD	Conc H2SO4 to pH < 2	ATCE02	M11	12/09/2024	SM5220 D
P5240-04	OF-2	Water	COD	Conc H2SO4 to pH < 2	ATCE02	M11	12/09/2024	SM5220 D
P5240-05	OF-3	Water	COD	Conc H2SO4 to pH < 2	ATCE02	M11	12/09/2024	SM5220 D
P5220-03	GAS-AUD-1610-1611-1612	Water	COD	Conc H2SO4 to pH < 2	PSEG03	L41	12/09/2024	SM5220 D

Date/Time 12.13.2024, 08:35
Raw Sample Received by: NFW ()
Raw Sample Relinquished by: JH GEC,

Date/Time 12.13.2024, 10:00
Raw Sample Received by: JH GEC,
Raw Sample Relinquished by: NFW

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB133935

Review By	jignesh	Review On	12/13/2024 9:49:47 AM
Supervise By	Iwona	Supervise On	12/13/2024 10:06:06 AM
SubDirectory	LB133935	Test	Oil and Grease
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3153,M6069,EP2571,WP110826,NA,NA,WP100827,WP100828,NA		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB133935BL	LB133935BL	MB	12/13/24 11:10		jignesh	OK
2	LB133935BS	LB133935BS	LCS	12/13/24 11:10		jignesh	OK
3	LB133935BSD	LB133935BSD	LCSD	12/13/24 11:10		jignesh	OK
4	P5240-01	OF-1	SAM	12/13/24 11:10		jignesh	OK
5	P5240-04	OF-2	SAM	12/13/24 11:10		jignesh	OK
6	P5240-05	OF-3	SAM	12/13/24 11:10		jignesh	OK

Instrument ID: SPECTROPHOTOMETER-2

Daily Analysis Runlog For Sequence/QC Batch ID # LB133940

Review By	Niha	Review On	12/13/2024 3:30:24 PM
Supervise By	Iwona	Supervise On	12/13/2024 3:37:23 PM
SubDirectory	LB133940	Test	COD
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP110197,WP110200,WP110198,WP110196,WP110658,WP110199,W3125,WP111084,WP111083		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	CAL1	CAL1	CAL	10/14/24 13:10		Niha	OK
2	CAL2	CAL2	CAL	10/14/24 13:10		Niha	OK
3	CAL3	CAL3	CAL	10/14/24 13:11		Niha	OK
4	CAL4	CAL4	CAL	10/14/24 13:11		Niha	OK
5	CAL5	CAL5	CAL	10/14/24 13:12		Niha	OK
6	ICV	ICV	ICV	10/14/24 13:12		Niha	OK
7	ICB	ICB	ICB	10/14/24 13:13		Niha	OK
8	CCV1	CCV1	CCV	12/13/24 13:00		Niha	OK
9	CCB1	CCB1	CCB	12/13/24 13:00		Niha	OK
10	LB133940BL	LB133940BL	MB	12/13/24 13:01		Niha	OK
11	LB133940BS	LB133940BS	LCS	12/13/24 13:01		Niha	OK
12	P5220-03	GAS-AUD-1610-1611	SAM	12/13/24 13:02		Niha	OK
13	P5240-01	OF-1	SAM	12/13/24 13:02		Niha	OK
14	P5240-04	OF-2	SAM	12/13/24 13:03		Niha	OK
15	P5240-05	OF-3	SAM	12/13/24 13:03		Niha	OK
16	P5240-05DUP	OF-3DUP	DUP	12/13/24 13:04		Niha	OK
17	P5240-05MS	OF-3MS	MS	12/13/24 13:04	0.5ml WP111081+ 9.5ml Sample	Niha	OK
18	P5240-05MSD	OF-3MSD	MSD	12/13/24 13:05	0.5ml WP111081+ 9.5ml Sample	Niha	OK

Instrument ID: SPECTROPHOTOMETER-2

Daily Analysis Runlog For Sequence/QC Batch ID # LB133940

Review By	Niha	Review On	12/13/2024 3:30:24 PM
Supervise By	Iwona	Supervise On	12/13/2024 3:37:23 PM
SubDirectory	LB133940	Test	COD

STD. NAME	STD REF.#
ICAL Standard	N/A
ICV Standard	N/A
CCV Standard	N/A
ICSA Standard	N/A
CRI Standard	N/A
LCS Standard	N/A
Chk Standard	WP110197,WP110200,WP110198,WP110196,WP110658,WP110199,W3125,WP111084,WP111083

19	CCV2	CCV2	CCV	12/13/24 13:05		Niha	OK
20	CCB2	CCB2	CCB	12/13/24 13:06		Niha	OK



SHIPPING DOCUMENTS



284 Sheffield Street, Mountainside, NJ 07092

(908) 789-8900 Fax: (908) 788-9222

www.chemtech.net

CHAIN OF CUSTODY RECORD

Alliance Project Number: **P2929 P5240**

COC Number:

CLIENT INFORMATION		PROJECT INFORMATION				BILLING INFORMATION																																					
COMPANY: Atlas Technical Consultants		PROJECT NAME: Queens PDC Wilmington VM				BILL TO: SAME PO#																																					
ADDRESS: 104 E 25th Street		PROJECT #: M242660384 LOCATION: 142-02				ADDRESS: SAME																																					
CITY: New York STATE: NY ZIP: 10001		PROJECT MANAGER: David Gustafson 12th Ave, Flushing NY				CITY: SAME STATE: NY ZIP: 11355																																					
ATTENTION:		E-MAIL: David.Gustafson@atlas.com				ATTENTION:																																					
PHONE:		PHONE: 651-635-9050 FAX: atlas.com				PHONE:																																					
FAX:																																											
DATA TURNAROUND INFORMATION		DATA DELIVERABLE INFORMATION				ANALYSIS																																					
FAX: _____ DAYS*		☐ RESULTS ONLY ☐ USEPA CLP				oil + grease COD VOC-BTEX <table border="1"><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td></td><td></td><td></td><td></td><td></td></tr></table>																								1	2	3	4	5	6	7	8	9					
1	2	3	4	5	6											7	8	9																									
HARD COPY: _____ DAYS*		☐ RESULTS + QC ☐ New York State ASP "B"																																									
EDD _____ DAYS*		☐ New Jersey REDUCED ☐ New York State ASP "A"																																									
* TO BE APPROVED BY ALLIANCE		☐ New Jersey CLP ☐ Other _____																																									
STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS		☐ EDD Format _____																																									
CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles	PRESERVATIVES									COMMENTS ← Specify Preservatives A-HCl B-HNO3 C-H2SO4 D-NaOH E-ICE F-Other																										
			COMP	ORAG	DATE	TIME		C	C	A																																	
1.	OF-1	WW		X	12/9/24	13:40	5	X	X	X																																	
2.	OF-2	↓		↓		14:30	↓	X	X	X																																	
3.	OF-3	↓		↓		15:30	↓	X	X	X																																	
4.																																											
5.																																											
6.																																											
7.																																											
8.																																											
9.																																											
10.																																											
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY																																											
RELINQUISHED BY SAMPLER		DATE/TIME		RECEIVED BY		Conditions of bottles or coolers at receipt: ☐ Compliant ☐ Non Compliant ☐ Cooler Temp 3.3C MeOH extraction requires an additional 4oz. Jar for percent solid ☐ Ice in Cooler?: _____																																					
1. Albert Tan		12/9/24 18:00		1. [Signature] 0953 12-10-24		Comments:																																					
RELINQUISHED BY		DATE/TIME		RECEIVED BY																																							
2. [Signature]		12-10-24 15:00		2. [Signature]																																							
RELINQUISHED BY		DATE/TIME		RECEIVED FOR LAB BY		SHIPPED VIA: CLIENT: ☐ Hand Delivered ☐ Overnight ALLIANCE: ☐ Picked Up ☐ Overnight																																					
3. [Signature]		12-10-24		3. [Signature]		Shipment Complete ☐ YES ☐ NO																																					
Page _____ of _____																																											
WHITE - ALLIANCE COPY FOR RETURN TO CLIENT YELLOW - ALLIANCE COPY PINK - SAMPLER COPY																																											



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

LOGIN REPORT/SAMPLE TRANSFER

Order ID : P5240	ATCE02	Order Date : 12/10/2024 1:09:00 PM	Project Mgr :
Client Name : ATC Group Services LLC		Project Name : Queens PDC Wilmington V	Report Type : Results Only
Client Contact : David Gustafson		Receive DateTime : 12/10/2024 12:00:00 AM	EDD Type : Excel NY
Invoice Name : ATC Group Services LLC		Purchase Order : 15:00	Hard Copy Date :
Invoice Contact : David Gustafson			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
P5240-01	OF-1	Water	12/09/2024	13:40	VOC-BTEX		8260-Low	10 Bus. Days	
P5240-04	OF-2	Water	12/09/2024	14:30	VOC-BTEX		8260-Low	10 Bus. Days	
P5240-05	OF-3	Water	12/09/2024	15:30	VOC-BTEX		8260-Low	10 Bus. Days	

Relinquished By :

Date / Time : 12-10-24 1520

Received By :

Date / Time :

Storage Area : VOA Refridgerator Room