

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	12/09/24	
Project:	Queens PDC Wilmington VMF - 142-02 # M242660384		Date Received:	12/10/24	
Client Sample ID:	OF-1		SDG No.:	P5240	
Lab Sample ID:	P5240-01		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-BTEX	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085169.D	1		12/10/24 16:28	VN121024

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
71-43-2	Benzene	0.16	U	0.16	1.00	ug/L
108-88-3	Toluene	0.18	U	0.18	1.00	ug/L
100-41-4	Ethyl Benzene	0.16	U	0.16	1.00	ug/L
179601-23-1	m/p-Xylenes	0.31	U	0.31	2.00	ug/L
95-47-6	o-Xylene	0.14	U	0.14	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	54.2		74 - 125	108%	SPK: 50
1868-53-7	Dibromofluoromethane	50.1		75 - 124	100%	SPK: 50
2037-26-5	Toluene-d8	49.4		86 - 113	99%	SPK: 50
460-00-4	4-Bromofluorobenzene	43.2		77 - 121	86%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	129000	8.224			
540-36-3	1,4-Difluorobenzene	238000	9.1			
3114-55-4	Chlorobenzene-d5	204000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	82700	13.788			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products