

ANALYTICAL RESULTS SUMMARY

METALS

PROJECT NAME : FT MEADE TIPTON AIRFIELD PARCEL RI - PO 0111169

WESTON SOLUTIONS

1400 Weston Way

PO Box 2653

West Chester, PA - 19380

Phone No: 610-701-7400

ORDER ID : P5241

ATTENTION : Nathan Fretz



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) Metals-MS- Case Narrative	4
3) Qualifier Page	6
4) QA Checklist	7
5) Metals-MS Data	8
6) Shipping Document	12
6.1) CHAIN OF CUSTODY	13
6.2) Lab Certificate	14

1
2
3
4
5
6

Cover Page

Order ID : P5241

Project ID : Ft Meade Tipton Airfield Parcel RI - PO 0111169

Client : Weston Solutions

Lab Sample Number

P5241-01

Client Sample Number

TAPIAL2-SB02D-13-112424-00-T1

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Sohil Jodhani, QA/QC Director at 11:05 am, Dec 23, 2024

Date: 12/20/2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

Weston Solutions

Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Project # N/A

Chemtech Project # P5241

Test Name: Metals ICP-TAL

A. Number of Samples and Date of Receipt:

1 Solid sample was received on 11/27/2024.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Mercury, Metals ICP-TAL and METALS-TAL. This data package contains results for Metals ICP-TAL.

C. Analytical Techniques:

The analysis of Metals ICP-TAL was based on method 6020B and digestion based on method 3050 (soils).

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate (TAPIAL2-SB02D-13-112424-00-T1DUP) analysis met criteria for all samples except for Zinc due to sample matrix interference.

The Matrix Spike (TAPIAL2-SB02D-13-112424-00-T1MS) analysis met criteria for all samples except for Arsenic, Beryllium, Cadmium, Cobalt, Selenium, Silver and Vanadium due to Chemical Interference during digestion process.

The Matrix Spike Duplicate (TAPIAL2-SB02D-13-112424-00-T1MSD) analysis met criteria for all samples except for Arsenic, Beryllium, Cadmium, Cobalt, Selenium, Silver and Vanadium due to Chemical Interference during digestion process.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution (TAPIAL2-SB02D-13-112424-00-T1L) met criteria for all samples except for Nickel due to sample matrix interference.

E. Additional Comments:

P5241-01 sample analyzed Straight X5 dilution because of high interferent samples.

Collision cell is being used to remove potential interferences. The analytes Na, Mg, Al, K, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As are being analyzed with collision cell and analytes Be, B, Ca, Ti, Se, Sr, Zr, Mo, Ag, Cd, Sn, Sb, Ba, Tl, Pb, U are being analyzed with Non-Collision Cell. Helium gas is used for the Collision Cell analysis.

Calculation for ICP-MS Soil Sample:

Conversion of Results from $\mu\text{g/L}$ or ppb to mg/kg :

$$\text{Concentration (mg/kg)} = \frac{C \times V_f}{W \times S} \times \text{DF} / 1000$$

Where,

C = Instrument value in ppb (The average of all replicate integrations)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature

APPROVED

By Sohil Jodhani, QA/QC Director at 11:06 am, Dec 23, 2024

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: P5241

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 12/20/2024

Hit Summary Sheet SW-846

SDG No.:	P5241	Order ID:	P5241
Client:	Weston Solutions	Project ID:	Ft Meade Tipton Airfield Parcel RI - PO 01

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : TAPIAL2-SB02D-13-112424-00-T1									
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Aluminum	3970	D	2.25	4.02	8.03	mg/Kg
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Antimony	0.044	JD	0.040	0.30	0.80	mg/Kg
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Arsenic	1.80	D	0.036	0.10	0.40	mg/Kg
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Barium	21.9	D	0.15	0.50	4.02	mg/Kg
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Beryllium	0.34	JD	0.10	0.30	0.40	mg/Kg
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Calcium	240	D	27.1	76.3	201	mg/Kg
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Chromium	7.98	D	0.096	0.20	0.80	mg/Kg
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Cobalt	5.10	D	0.032	0.10	0.40	mg/Kg
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Copper	6.75	D	0.23	0.40	0.80	mg/Kg
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Iron	7670	D	4.46	5.02	20.1	mg/Kg
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Lead	3.74	D	0.060	0.30	0.40	mg/Kg
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Magnesium	496	D	10.8	76.3	201	mg/Kg
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Manganese	79.7	D	0.14	0.20	0.40	mg/Kg
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Nickel	11.0	D	0.064	0.10	0.40	mg/Kg
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Potassium	334	D	16.0	76.3	201	mg/Kg
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Sodium	39.6	JD	24.5	100	201	mg/Kg
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Thallium	0.076	JD	0.040	0.20	0.40	mg/Kg
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Vanadium	12.5	D	0.032	0.10	2.01	mg/Kg
P5241-01	TAPIAL2-SB02D-13-112424-00-	SOIL	Zinc	14.4	D	0.52	0.60	2.01	mg/Kg



SAMPLE DATA

Report of Analysis

Client:	Weston Solutions	Date Collected:	11/24/24
Project:	Ft Meade Tipton Airfield Parcel RI - PO 0111169	Date Received:	11/27/24
Client Sample ID:	TAPIAL2-SB02D-13-112424-00-T1	SDG No.:	P5241
Lab Sample ID:	P5241-01	Matrix:	SOIL
Level (low/med):	low	% Solid:	92.9

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	3970	D	5	2.25	4.02	8.03	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7440-36-0	Antimony	0.044	JD	5	0.040	0.30	0.80	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7440-38-2	Arsenic	1.80	DN	5	0.036	0.10	0.40	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7440-39-3	Barium	21.9	D	5	0.15	0.50	4.02	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7440-41-7	Beryllium	0.34	JDN	5	0.10	0.30	0.40	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7440-43-9	Cadmium	0.30	UDN	5	0.11	0.30	0.40	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7440-70-2	Calcium	240	D	5	27.1	76.3	201	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7440-47-3	Chromium	7.98	D	5	0.096	0.20	0.80	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7440-48-4	Cobalt	5.10	DN	5	0.032	0.10	0.40	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7440-50-8	Copper	6.75	D	5	0.23	0.40	0.80	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7439-89-6	Iron	7670	D	5	4.46	5.02	20.1	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7439-92-1	Lead	3.74	D	5	0.060	0.30	0.40	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7439-95-4	Magnesium	496	D	5	10.8	76.3	201	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7439-96-5	Manganese	79.7	D	5	0.14	0.20	0.40	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7440-02-0	Nickel	11.0	D	5	0.064	0.10	0.40	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7440-09-7	Potassium	334	D	5	16.0	76.3	201	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7782-49-2	Selenium	1.81	UDN	5	0.48	1.81	2.01	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7440-22-4	Silver	0.20	UDN	5	0.10	0.20	0.40	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7440-23-5	Sodium	39.6	JD	5	24.5	100	201	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7440-28-0	Thallium	0.076	JD	5	0.040	0.20	0.40	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7440-62-2	Vanadium	12.5	DN	5	0.032	0.10	2.01	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050
7440-66-6	Zinc	14.4	D*	5	0.52	0.60	2.01	mg/Kg	12/11/24 14:45	12/11/24 19:30	SW6020	SW3050

Color Before:	Brown	Clarity Before:	Texture:	Medium
Color After:	Yellow	Clarity After:	Artifacts:	
Comments:	METALS-TAL			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	P5241	OrderDate:	12/10/2024 1:14:00 PM
Client:	Weston Solutions	Project:	Ft Meade Tipton Airfield Parcel RI - PO 0111169
Contact:	Nathan Fretz	Location:	L51,L61

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5241-01	TAPIAL2-SB02D-13-1 12424-00-T1	SOIL	Metals ICP-TAL	6020B	11/24/24	12/11/24	12/11/24	11/27/24



SHIPPING DOCUMENTS



Weston COC ID
Weston_20241126_1529

Chain of Custody Record/Lab Work Request

Page 1 of 1

Client:	Weston Solutions, Inc.		
Project Manager:	David Sembrot		
Street Address:	1400 Weston Way	City:	West Chester
Phone:	610-314-5456	ST, ZIP:	PA, 19038
e-mail:	david.sembrot@westonsolutions.com		
Sampled By:	Cheyenne Harrington		

Lab Use Only		
Temperature of cooler when received (°C)		
COC Tape was present and unbroken on outer package?	Y	N
Samples received in good condition?	Y	N
Labels indicate properly preserved?	Y	N
Received within holding times?	Y	N
Discrepancies between sample labels and COC record?	Y	N

Project Name:	Fort Meade RI	Project POC:	Nathan Fretz
PO Number	0111169	Phone:	484-524-5665
W.O. #:		POC e-mail:	nathan.fretz@westonsolutions.com
Lab:	Chemtech	Lab POC:	Jordan Hedvat
TAT (days):	21	Lab Phone:	908-728-3148
Lab Address:	284 Sheffield Street Mountainside, NJ 07092		

Analyses Requested:	TAL Metals by EPA 6020B/7471B	pH by EPA 9045D	Anions by EPA 9056A	TOC by EPA 9060A														
	Container Type:	Glass	Glass	Glass	Glass													
Container Size:	8 oz	8 oz	8 oz	8 oz														
Preservative:	Ice to 0-6	Ice to 0-6	Ice to 0-6	Ice to 0-6														

Matrix Codes
SB - Soil
SE - Sediment
SO - Solid
SL - Sludge
GW - Groundwater
W - Water
O - Oil
A - Air
DS - Drum Solids
DL - Drum Liquids
L - EP/TCLP Leachate
WI - Wipe
X - Other
F - Fish

#	Sample ID	G/C	Matrix	# Cont	MS/MSD	Date Collected	Time Collected												Special Instructions/Comments
1	TAPIAL2-SB02D-13-112424-00-T1	g	SB	3	no	11/24/2024	16:30	X	X	X	X								
2																			
3																			
4																			
5																			
6																			
7																			
8																			
9																			
10																			
11																			
12																			

Shipping Airbill Number:		77026101180				Cooler Number:		1	of	1
Relinquished By	Date	Time	Received By	Date	Time	Additional Comments				
1.) <i>Chyen H</i>	11/26/24	1600	<i>R</i>	11-27-24	1005	QSM 6.0 Compliant				
2.)						Deliverable Requirements: DoD Level IV report, EnviroData EDD, and ERIS-compatible EDD				
3.)										

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488