

Report of Analysis

Client:	PARSONS Main of New York, Inc.		Date Collected:	
Project:	Con Edison Non-MGP - Atlantic Avenue		Date Received:	
Client Sample ID:	VX1210WBSD01		SDG No.:	P5246
Lab Sample ID:	VX1210WBSD01		Matrix:	Water
Analytical Method:	SW8260		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044202.D	1		12/10/24 12:52	VX121024

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	17.0		0.21	1.00	ug/L
74-87-3	Chloromethane	17.1		0.35	1.00	ug/L
75-01-4	Vinyl Chloride	18.5		0.34	1.00	ug/L
74-83-9	Bromomethane	21.9		1.40	5.00	ug/L
75-00-3	Chloroethane	22.5		0.56	1.00	ug/L
75-69-4	Trichlorofluoromethane	23.0		0.34	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	20.4		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	19.1		0.26	1.00	ug/L
67-64-1	Acetone	110		1.40	5.00	ug/L
75-15-0	Carbon Disulfide	13.8		0.32	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	21.9		0.16	1.00	ug/L
79-20-9	Methyl Acetate	22.9		0.60	1.00	ug/L
75-09-2	Methylene Chloride	19.4		0.32	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	20.2		0.25	1.00	ug/L
75-34-3	1,1-Dichloroethane	20.5		0.23	1.00	ug/L
110-82-7	Cyclohexane	19.6		1.60	5.00	ug/L
78-93-3	2-Butanone	120		1.30	5.00	ug/L
56-23-5	Carbon Tetrachloride	20.4		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	20.2		0.25	1.00	ug/L
74-97-5	Bromochloromethane	17.6		0.18	1.00	ug/L
67-66-3	Chloroform	21.5		0.26	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	21.6		0.19	1.00	ug/L
108-87-2	Methylcyclohexane	20.1		0.19	1.00	ug/L
71-43-2	Benzene	21.0		0.16	1.00	ug/L
107-06-2	1,2-Dichloroethane	23.1		0.24	1.00	ug/L
79-01-6	Trichloroethene	18.8		0.32	1.00	ug/L
78-87-5	1,2-Dichloropropane	21.9		0.19	1.00	ug/L
75-27-4	Bromodichloromethane	21.6		0.24	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	120		0.75	5.00	ug/L
108-88-3	Toluene	22.2		0.18	1.00	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.		Date Collected:	
Project:	Con Edison Non-MGP - Atlantic Avenue		Date Received:	
Client Sample ID:	VX1210WBSD01		SDG No.:	P5246
Lab Sample ID:	VX1210WBSD01		Matrix:	Water
Analytical Method:	SW8260		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044202.D	1		12/10/24 12:52	VX121024

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	21.7		0.21	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	20.9		0.18	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	23.1		0.21	1.00	ug/L
591-78-6	2-Hexanone	130		1.10	5.00	ug/L
124-48-1	Dibromochloromethane	20.7		0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	22.8		0.16	1.00	ug/L
127-18-4	Tetrachloroethene	20.8		0.25	1.00	ug/L
108-90-7	Chlorobenzene	20.7		0.13	1.00	ug/L
100-41-4	Ethyl Benzene	21.5		0.16	1.00	ug/L
179601-23-1	m/p-Xylenes	42.8		0.31	2.00	ug/L
95-47-6	o-Xylene	21.7		0.14	1.00	ug/L
100-42-5	Styrene	21.5		0.16	1.00	ug/L
75-25-2	Bromoform	18.9		0.21	1.00	ug/L
98-82-8	Isopropylbenzene	21.8		0.13	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	22.3		0.27	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	21.3		0.24	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	21.1		0.27	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	21.5		0.19	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	20.5		0.46	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	20.3		0.42	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	21.0		0.51	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.3		74 - 125	103%	SPK: 50
1868-53-7	Dibromofluoromethane	51.1		75 - 124	102%	SPK: 50
2037-26-5	Toluene-d8	49.7		86 - 113	99%	SPK: 50
460-00-4	4-Bromofluorobenzene	53.8		77 - 121	108%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	116000	5.544			
540-36-3	1,4-Difluorobenzene	202000	6.757			
3114-55-4	Chlorobenzene-d5	181000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	84400	12.024			

Report of Analysis

Client:	PARSONS Main of New York, Inc.		Date Collected:	
Project:	Con Edison Non-MGP - Atlantic Avenue		Date Received:	
Client Sample ID:	VX1210WBSD01		SDG No.:	P5246
Lab Sample ID:	VX1210WBSD01		Matrix:	Water
Analytical Method:	SW8260		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044202.D	1		12/10/24 12:52	VX121024

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products