

metals
- 5a -
MATRIX SPIKE SUMMARY

client: Tully Construction Co., Inc. **level:** low **sdg no.:** P5279
contract: TULL02 **lab code:** CHEM **case no.:** P5279 **sas no.:** P5279
matrix: Water **sample id:** P5279-02 **client id:** ROCKAWAY-PARKMS
Percent Solids for Sample: NA **Spiked ID:** P5279-02MS **Percent Solids for Spike Sample:** NA

Analyte	Units	Acceptance Limit %R	Spiked Result	C	Sample Result	C	Spike Added	% Recovery	Qual	M
Mercury	ug/L	75 - 125	29.5		2.00	U	40.0	74	N	CV

metals
- 5a -
MATRIX SPIKE DUPLICATE SUMMARY

client: <u>Tully Construction Co., Inc.</u>	level: <u>low</u>	sdg no.: <u>P5279</u>
contract: <u>TULL02</u>	lab code: <u>CHEM</u>	case no.: <u>P5279</u> sas no.: <u>P5279</u>
matrix: <u>Water</u>	sample id: <u>P5279-02</u>	client id: <u>ROCKAWAY-PARKMSD</u>
Percent Solids for Sample: <u>NA</u>	Spiked ID: <u>P5279-02MSD</u>	Percent Solids for Spike Sample: <u>NA</u>

Analyte	Units	Acceptance Limit %R	MSD Result	C	Sample Result	C	Spike Added	% Recovery	Qual	M
Mercury	ug/L	75 - 125	26.0		2.00	U	40.0	65	N	CV

metals
- 5a -
MATRIX SPIKE SUMMARY

client: Tully Construction Co., Inc. **level:** low **sdg no.:** P5279
contract: TULL02 **lab code:** CHEM **case no.:** P5279 **sas no.:** P5279
matrix: Water **sample id:** P5291-13 **client id:** WC-20241213MS
Percent Solids for Sample: NA **Spiked ID:** P5291-13MS **Percent Solids for Spike Sample:** NA

Analyte	Units	Acceptance Limit %R	Spiked Result	C	Sample Result	C	Spike Added	% Recovery	Qual	M
Arsenic	ug/L	75 - 125	4040		100	U	4000	101		P
Barium	ug/L	75 - 125	1030		125	J	1000	91		P
Cadmium	ug/L	75 - 125	960		30.0	U	1000	96		P
Chromium	ug/L	75 - 125	2080		50.0	U	2000	104		P
Lead	ug/L	75 - 125	4800		60.0	U	5000	96		P
Selenium	ug/L	75 - 125	9410		100	U	10000	94		P
Silver	ug/L	75 - 125	216		50.0	U	380	57	N	P

metals
- 5a -
MATRIX SPIKE DUPLICATE SUMMARY

client: Tully Construction Co., Inc. **level:** low **sdg no.:** P5279
contract: TULL02 **lab code:** CHEM **case no.:** P5279 **sas no.:** P5279
matrix: Water **sample id:** P5291-13 **client id:** WC-20241213MSD
Percent Solids for Sample: NA **Spiked ID:** P5291-13MSD **Percent Solids for Spike Sample:** NA

Analyte	Units	Acceptance Limit %R	MSD Result	C	Sample Result	C	Spike Added	% Recovery	Qual	M
Arsenic	ug/L	75 - 125	3990		100	U	4000	100		P
Barium	ug/L	75 - 125	1030		125	J	1000	91		P
Cadmium	ug/L	75 - 125	955		30.0	U	1000	96		P
Chromium	ug/L	75 - 125	2070		50.0	U	2000	104		P
Lead	ug/L	75 - 125	4770		60.0	U	5000	95		P
Selenium	ug/L	75 - 125	9350		100	U	10000	94		P
Silver	ug/L	75 - 125	212		50.0	U	380	56	N	P