

# **DATA PACKAGE**

**GENERAL CHEMISTRY** 

#### PROJECT NAME: JOINT BASE MCGUIRE DIX LAKEHURST JBMDL - DOD

**WESTON SOLUTIONS** 

1400 Weston Way

**PO Box 2653** 

West Chester, PA - 19380

Phone No: 610-701-7400

**ORDER ID: P5290** 

**ATTENTION:** Kent Alexander







## Table Of Contents for P5290

1) Signature Page	3
2) Case Narrative	4
2.1) Genchem- Case Narrative	4
3) Qualifier Page	5
4) QA Checklist	6
5) Genchem Data	7
6) Shipping Document	25
6.1) CHAIN OF CUSTODY	26
6.2) Lab Certificate	27

P5290 **2 of 27** 



# **Cover Page**

Order ID: P5290

Project ID: Joint Base McGuire Dix Lakehurst JBMDL - DoD

**Client:** Weston Solutions

Lab Sample Number	Client Sample Number
P5290-01	AT054P-SD36-121224-00
P5290-02	AT054P-SD35-121224-00
P5290-03	AT054P-SD30-121224-00
P5290-04	SS050P-SD23-121224-00
P5290-05	SS050P-SD24-121224-00
P5290-06	SS050P-SD25-121224-00
P5290-07	SS055P-SD20-121224-00

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :		
Signature .	Date:	12/27/2024

NYDOH CERTIFICATION NO - 11376 NJDEP CERTIFICATION NO - 20012

P5290 3 of 27



#### **CASE NARRATIVE**

Weston Solutions

Project Name: Joint Base McGuire Dix Lakehurst JBMDL - DoD

Project # N/A

**Chemtech Project # P5290** 

**Test Name: TOC** 

#### A. Number of Samples and Date of Receipt:

7 Solid samples were received on 12/14/2024.

#### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: TOC. This data package contains results for TOC.

#### C. Analytical Techniques:

The analysis of TOC was based on method Lloyd Kahn.

#### D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

#### E. Additional Comments:

Lab has used least representable sample weight for the sample P5290-03, P5290-05, P5290-06, and P5290-07 for TOC analysis. Therefore Lab has reported the TOC result with "OR" qualifier.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

gnature					
	gnature	gnature	gnature	gnature	gnature

P5290 4 of 27



#### DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following "Results Qualifiers" are used:

- J Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
- U Indicates the analyte was analyzed for, but not detected.
- ND Indicates the analyte was analyzed for, but not detected
- E Indicates the reported value is estimated because of the presence of interference
- M Indicates Duplicate injection precision not met.
- N Indicates the spiked sample recovery is not within control limits.
- S Indicates the reported value was determined by the Method of Standard Addition (MSA).
- \* Indicates that the duplicate analysis is not within control limits.
- + Indicates the correlation coefficient for the MSA is less than 0.995.
- D Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
- M Method qualifiers
  - **"P"** for ICP instrument
  - "PM" for ICP when Microwave Digestion is used
  - "CV" for Manual Cold Vapor AA
  - "AV" for automated Cold Vapor AA
  - "CA" for MIDI-Distillation Spectrophotometric "AS" for Semi –Automated Spectrophotometric
  - "C" for Manual Spectrophotometric
  - **"T"** for Titrimetric
  - "NR" for analyte not required to be analyzed
- OR Indicates the analyte's concentration exceeds the calibrated range of the
  - instrument for that specific analysis.
- Q Indicates the LCS did not meet the control limits requirements
- H Sample Analysis Out Of Hold Time

Aliance

#### APPENDIX A

#### **QA REVIEW GENERAL DOCUMENTATION**

Project #: P5290

	Completed
For thorough review, the report must have the following:	
GENERAL:	
Are all original paperwork present (chain of custody, record of communication, airbill, sample management lab chronicle, login page)	<u> </u>
Check chain-of-custody for proper relinquish/return of samples	<u> </u>
Is the chain of custody signed and complete	<u> </u>
Check internal chain-of-custody for proper relinquish/return of samples /sample extracts	<del>'</del> <del>'</del> <del>'</del>
Collect information for each project id from server. Were all requirements followed	<u> </u>
COVER PAGE:	
Do numbers of samples correspond to the number of samples in the Chain of Custody on login page	✓
Do lab numbers and client Ids on cover page agree with the Chain of Custody	<u> </u>
CHAIN OF CUSTODY:	
Do requested analyses on Chain of Custody agree with form I results	<u> </u>
Do requested analyses on Chain of Custody agree with the log-in page	<u> </u>
Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody	<u> </u>
Were the samples received within hold time	<u> </u>
Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle	<u> </u>
ANALYTICAL:	
Was method requirement followed?	✓
Was client requirement followed?	<u></u>
Does the case narrative summarize all QC failure?	<del>'</del>
All runlogs and manual integration are reviewed for requirements	<u></u>
All manual calculations and /or hand notations verified	<u>_</u>

QA Review Signature: SOHIL JODHANI Date: 12/27/2024

P5290 **6 of 27** 



Contact:

LAB CHRONICLE

P5290 OrderID:

12/16/2024 10:45:00 AM OrderDate: Weston Solutions

Client: Joint Base McGuire Dix Lakehurst JBMDL - DoD Project: Kent Alexander

Location: L41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5290-01	AT054P-SD36-121224 -00	SOIL			12/12/24 09:00			12/14/24
			TOC	Lloyd Kahn			12/20/24 12:17	
P5290-02	AT054P-SD35-121224 -00	SOIL			12/12/24 09:15			12/14/24
			TOC	Lloyd Kahn			12/20/24 12:42	
P5290-03	AT054P-SD30-121224 -00	SOIL			12/12/24 09:45			12/14/24
			TOC	Lloyd Kahn			12/20/24 13:04	
P5290-04	SS050P-SD23-121224 -00	SOIL			12/12/24 10:20			12/14/24
			TOC	Lloyd Kahn			12/23/24 11:43	
P5290-05	SS050P-SD24-121224 -00	SOIL			12/12/24 10:45			12/14/24
			TOC	Lloyd Kahn			12/23/24 13:13	
P5290-06	SS050P-SD25-121224 -00	SOIL			12/12/24 11:00			12/14/24
			TOC	Lloyd Kahn			12/23/24 13:35	
P5290-07	SS055P-SD20-121224 -00	SOIL			12/12/24 11:45			12/14/24
			TOC	Lloyd Kahn			12/23/24 14:05	

P5290 7 of 27



# 5

A

C



P5290 **8 of 27** 



#### **Report of Analysis**

Client: Weston Solutions Date Collected: 12/12/24 09:00

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD Date Received: 12/14/24

Client Sample ID: AT054P-SD36-121224-00 SDG No.: P5290

Lab Sample ID: P5290-01 Matrix: SOIL

% Solid: 81.1

Parameter	Conc. Qua.	DF MDL	LOD	LOQ / CRQL	Units(Dry Weight) Prep Date	Date Ana.	Ana Met.
TOC	11000	1 8.00	50.0	250	mg/Kg	12/20/24 12:17	' Lloyd Kahn

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



#### **Report of Analysis**

Client: Weston Solutions Date Collected: 12/12/24 09:15

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD Date Received: 12/14/24

Client Sample ID: AT054P-SD35-121224-00 SDG No.: P5290

Lab Sample ID: P5290-02 Matrix: SOIL

% Solid: 82

Parameter	Conc. Qua.	DF MDL	LOD	LOQ / CRQL	Units(Dry Weight) Prep Date	Date Ana.	Ana Met.
TOC	4700	1 8.00	50.0	250	mg/Kg	12/20/24 12:42	Lloyd Kahn

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



#### **Report of Analysis**

Client: Weston Solutions Date Collected: 12/12/24 09:45

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD Date Received: 12/14/24

Client Sample ID: AT054P-SD30-121224-00 SDG No.: P5290

Lab Sample ID: P5290-03 Matrix: SOIL

% Solid: 82.2

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weight) Prep Date	Date Ana.	Ana Met.
TOC	26200	OR	1	8.00	50.0	250	mg/Kg	12/20/24 13:04	Lloyd Kahn

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

% Solid:

66.2



Fax: 908 789 8922

#### **Report of Analysis**

Client: Weston Solutions Date Collected: 12/12/24 10:20

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD Date Received: 12/14/24

Client Sample ID: SS050P-SD23-121224-00 SDG No.: P5290

Lab Sample ID: P5290-04 Matrix: SOIL

Parameter	Conc. Qua.	DF MDI	LOD	LOQ / CRQL	Units(Dry Weight) Prep Date	Date Ana.	Ana Met.
TOC	12700	1 8.00	50.0	250	mg/Kg	12/23/24 11:43	Lloyd Kahn

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

SOIL



P5290-05

Lab Sample ID:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Matrix:

#### **Report of Analysis**

Client: Weston Solutions Date Collected: 12/12/24 10:45

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD Date Received: 12/14/24

Client Sample ID: SS050P-SD24-121224-00 SDG No.: P5290

% Solid: 45.1

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weight) Prep Date	Date Ana.	Ana Met.
TOC	14600	OR	1	8.00	50.0	250	mg/Kg	12/23/24 13:13	Lloyd Kahn

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

SOIL



P5290-06

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900, Fax: 908 789 8922

Matrix:

### **Report of Analysis**

Client: Weston Solutions Date Collected: 12/12/24 11:00

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD Date Received: 12/14/24

Client Sample ID: SS050P-SD25-121224-00 SDG No.: P5290

Lab Sample ID: % Solid: 50.3

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weight) Prep Date	Date Ana.	Ana Met.
TOC	17800	OR	1	8.00	50.0	250	mg/Kg	12/23/24 13:35	Lloyd Kahn

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



#### **Report of Analysis**

Client: Weston Solutions Date Collected: 12/12/24 11:45

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD Date Received: 12/14/24

Client Sample ID: SS055P-SD20-121224-00 SDG No.: P5290

Lab Sample ID: P5290-07 Matrix: SOIL

% Solid: 67.9

Parameter	Conc.	Qua.	DF MDI	LOD	LOQ / CRQL	Units(Dry Weight) Prep Date	Date Ana.	Ana Met.
TOC	23400	OR	1 8.00	50.0	250	mg/Kg	12/23/24 14:05	Lloyd Kahn

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



# 5

Α



QC RESULT SUMMARY



### **Initial and Continuing Calibration Verification**

Client: Weston Solutions SDG No.: P5290

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD RunNo.: LB134031

Analyte		Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID:	ICV1	4-					
TOC		mg/L	934	1000	93	90-110	11/12/2024
Sample ID:	CCV1						
TOC		mg/L	968	1000	97	90-110	12/20/2024
Sample ID:	CCV2						
TOC		mg/L	1000	1000	100	90-110	12/20/2024
Sample ID:	CCV3						
TOC		mg/L	947	1000	95	90-110	12/23/2024
Sample ID:	CCV4						
TOC		mg/L	1020	1000	102	90-110	12/23/2024
Sample ID:	CCV5						
TOC		mg/L	999	1000	100	90-110	12/23/2024

P5290 17 of 27



В

C



# **Initial and Continuing Calibration Blank Summary**

Client:Weston SolutionsSDG No.:P5290Project:Joint Base McGuire Dix Lakehurst JBMDL - DoDRunNo.:LB134031

Analyte		Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID:	ICB1							
TOC		mg/L	< 125.0000	125.0000	U	32.1	250	11/12/2024
Sample ID:	CCB1							
TOC		mg/L	< 125.0000	125.0000	U	32.1	250	12/20/2024
Sample ID:	CCB2							_
TOC		mg/L	< 125.0000	125.0000	U	32.1	250	12/20/2024
Sample ID:	CCB3							
TOC		mg/L	< 125.0000	125.0000	U	32.1	250	12/23/2024
Sample ID:	CCB4							
TOC		mg/L	< 125.0000	125.0000	U	32.1	250	12/23/2024
Sample ID:	CCB5							
TOC		mg/L	< 125.0000	125.0000	U	32.1	250	12/23/2024

P5290 **18 of 27** 



В

С



## **Preparation Blank Summary**

Client: Weston Solutions SDG No.: P5290

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID:	LB134031BLS mg/Kg	11.3	125.0000	J	8	250	12/20/2024
Sample ID:	LB134031BLS2 mg/Kg	10	125.0000	J	8	250	12/23/2024

P5290 **19 of 27** 









## **Matrix Spike Summary**

Client: Weston Solutions SDG No.: P5290

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD Sample ID: P5290-04

Client ID: SS050P-SD23-121224-00MS Percent Solids for Spike Sample: 66.2

		Acceptance	Spiked	Conc.	Sample	Conc.	Spike	Dilution	%		Analysis
Analyte	Units	Limit %R	Result	Qualifier	Result	Qualifier	Added	Factor	Rec	Qual	Date
TOC	mg/Kg	75-125	13700	OR	12700		1000	1	100		12/23/2024

5



P5290 **20 of 27** 



# **Matrix Spike Summary**

Client: Weston Solutions SDG No.: P5290

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD Sample ID: P5290-04

Client ID: SS050P-SD23-121224-00MSD Percent Solids for Spike Sample: 66.2

		Acceptance	Spiked	Conc.	Sample	Conc.	Spike	Dilution	%		Analysis
Analyte	Units	Limit %R	Result	Qualifier	Result	Qualifier	Added	Factor	Rec	Qual	Date
TOC	mg/Kg	75-125	13700		12700		1000	1	100		12/23/2024

5

А

С



P5290 **21 of 27** 



# **Duplicate Sample Summary**

Client: Weston Solutions SDG No.: P5290

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD Sample ID: P5290-04

Client ID: SS050P-SD23-121224-00MSD Percent Solids for Spike Sample: 66.2

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date	
TOC	mg/Kg	+/-20	13700	OR	13700		1	0		12/23/2024	

5

А



יי

P5290 **22 of 27** 



## **Laboratory Control Sample Summary**

Client: Weston Solutions SDG No.: P5290

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD Run No.: LB134031

Analyte		Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB134031BSS								
TOC		mg/Kg	1000	978		98	1	90-110	12/20/2024

P5290 **23 of 27** 











# **Laboratory Control Sample Summary**

Client: Weston Solutions SDG No.: P5290

Project: Joint Base McGuire Dix Lakehurst JBMDL - DoD Run No.: LB134031

Analyte		Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB134031BSS2								_
TOC		mg/Kg	1000	965		96	1	90-110	12/23/2024

P5290 **24 of 27** 









# SHIPPING DOCUMENTS

P5290 **25 of 27** 

Weston COC ID
MG_Chemtech_20241213_0914

# Chain of Custody Record/Lab Work Request

Analyses Requested:

1 of 1



Matrix Codes

	Client:	Weston S	olutions, Inc	).
Project Ma	nager:	Bob N	McGlade	
Street Ac	dress:	1400 Weston Way	City:	West Cheste
	Phone:	610-701-3133	ST, ZIP:	PA, 19038
	e-mail:	r.mcglade@wes	stonsolutio	ons.com
Sampl	ed By:	Katie	Rembert	

ilade	
ity:	West Chester
T, ZIP:	PA, 19038
nsolutio	ns.com
nbert	

Joint Base McGuire-Dix-Lakehurst	Project P	OC:	Kent Alexander 720-474-4500 exander@westonsolutions.com			
0111638	Phone	:				
03886.555.001	POC e-mail:	kent.ale				
Chemtech	Lab PO	D:	Jordan Hedvat (908) 728-3144			
14	Lab Phor	ne:				
284 Sheffield S	t. Mountainside,	NJ 0709				
	0111638 03886.555.001 Chemtech 14	0111638         Phone           03886.555.001         POC e-mail:           Chemtech         Lab POO           14         Lab Phore	0111638         Phone:           03886.555.001         POC e-mail:         kent.ale:           Chemtech         Lab POC:			

TOC (Lloyd Kahn)

Container Type: Glass Jar

SB - Soil
SS - Soil
SE - Sediment
SO - Solid
SL - Sludge
GW · Groundwater
W - Water
A - Air
DS - Drum Solids
DL - Drum Liquids
L - EP/TCLP Leachate
WI - Wipe
X - Other
F - Fish

Lab Use Only		
Temperature of cooler when received (°C)		
COC Tape was present and unbroken on outer package?	Y	N
Samples received in good condition?	Y	N
Labels indicate properly preserved?	Y	N
Received within holding times?	Y	N
Discrepancies between sample labels and COC record?	Y	N

Disc	repancies between sample labels and COC record?		, N							-	+							vvi - vvipe
-50			N			C	ontainer Size:											X - Other
_							Preservative:	Ice to 6C										F - Fish
#	Sample ID G/C	Ma	rix MS/I	VISD	Date Collected	Tim	ne Collected	-		-		_						
	AT054P-SD36-121224-00 G	S	) ne	0	12/12/2024	c>	9:00	1		T	Т			-				Special Instructions/Commer
	AT054P-SD35-121224-00 G	S	) no	0	12/12/2024	4	9:15	1			-							
	AT054P-SD30-121224-00 G	s	) no	0	12/12/2024	-	9:45	1			-		-		_		_	
Ī	SS050P-SD23-121224-00 G	s	) no	5	12/12/2024		10:20	1			-							
Γ	SS050P-SD24-121224-00 G	s	) no	<b>D</b>	12/12/2024	67	10:45	1		-	-						-	<u> </u>
T	SS050P-SD25-121224-00 G	S	no	)	12/12/2024	e	11:00	1		-	-							
T	SS055P-SD20-121224-00 G	S	no		12/12/2024	_		1			_							
T		$\top$		_		-	11.10	-+	_	-	_		-		-			
T						-		-					-			-		
T		+						$\rightarrow$			_					_		
T		+											_					
2		+	_															

	Shipping Airbill Number:							Cooler Number:			-
	Relinquished By	Date	Time	Received By	Date	Time	T	Additional Co	of		
1)	1	1245	12/13/24	Dem	12/14/24		QSM 5.4 Compliant	t; Deliverable Requirements:		report Enviro	Data EDD
25	1		11901			(-,))	-			roport, Entrio	Data LDD
3.)					3,5		-				
_											



# Laboratory Certification

Certified By	License No.
octoffica by	Discuss No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
New Tork	11370
Pennsylvania	68-00548
· · · · · · · · · · · · · · · · · · ·	33 333 .6
Soil Permit	525-24-234-08441
Texas	T104704488

QA Control Code: A2070148