

## Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	WC-20241213	SDG No.:	P5291
Lab Sample ID:	P5291-13	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	34.8	U	1	34.8	100	ug/L	12/18/24 12:00	12/20/24 23:25	SW6010	SW3050
7440-39-3	Barium	125	J	1	62.8	500	ug/L	12/18/24 12:00	12/20/24 23:25	SW6010	SW3050
7440-43-9	Cadmium	0.94	U	1	0.94	30.0	ug/L	12/18/24 12:00	12/20/24 23:25	SW6010	SW3050
7440-47-3	Chromium	6.60	U	1	6.60	50.0	ug/L	12/18/24 12:00	12/20/24 23:25	SW6010	SW3050
7439-92-1	Lead	35.1	U	1	35.1	60.0	ug/L	12/18/24 12:00	12/20/24 23:25	SW6010	SW3050
7439-97-6	Mercury	0.81	UN	1	0.81	2.00	ug/L	12/19/24 07:59	12/19/24 13:08	SW7470A	
7782-49-2	Selenium	58.8	U	1	58.8	100	ug/L	12/18/24 12:00	12/20/24 23:25	SW6010	SW3050
7440-22-4	Silver	5.80	UN	1	5.80	50.0	ug/L	12/18/24 12:00	12/20/24 23:25	SW6010	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP METALS			

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N = Spiked sample recovery not within control limits