

Hit Summary Sheet SW-846

SDG No.: P5291

Client: PARSONS Main of New York, Inc.

Sample ID	Client ID		Parameter		Concentration	C	MDL		RDL	Units
Client ID : MW2-20241213										
P5291-05	MW2-20241213	WATER	2,4-Dimethylphenol		3.500	J	1.5		5.1	ug/L
P5291-05	MW2-20241213	WATER	Naphthalene		100.000	E	1		5.1	ug/L
P5291-05	MW2-20241213	WATER	2-Methylnaphthalene		30.500		1.2		5.1	ug/L
Total Svoc :					134.00					
P5291-05	MW2-20241213	WATER	Benzene, (1-methylpropyl)-	*	7.800	J	0		0	ug/L
P5291-05	MW2-20241213	WATER	Benzene, 1,2,3-trimethyl-	*	180.000	J	0		0	ug/L
P5291-05	MW2-20241213	WATER	Benzene, 1,3-diethyl-	*	34.400	J	0		0	ug/L
P5291-05	MW2-20241213	WATER	Benzene, 1,4-diethyl-	*	42.300	J	0		0	ug/L
P5291-05	MW2-20241213	WATER	Benzene, 1-ethyl-2-methyl-	*	55.500	J	0		0	ug/L
P5291-05	MW2-20241213	WATER	Benzene, 1-ethyl-3-methyl-	*	6.300	J	0		0	ug/L
P5291-05	MW2-20241213	WATER	Benzene, 1-ethyl-4-methyl-	*	76.600	J	0		0	ug/L
P5291-05	MW2-20241213	WATER	Benzene, 1-methyl-4-propyl-	*	18.300	J	0		0	ug/L
P5291-05	MW2-20241213	WATER	Benzene, 2-ethenyl-1,4-dimethyl-	*	9.000	J	0		0	ug/L
P5291-05	MW2-20241213	WATER	Benzene, propyl-	*	48.800	J	0		0	ug/L
P5291-05	MW2-20241213	WATER	Benzoic acid, 2,3-dimethyl-	*	8.700	J	0		0	ug/L
P5291-05	MW2-20241213	WATER	Indane	*	140.000	J	0		0	ug/L
P5291-05	MW2-20241213	WATER	Indane-5-carboxylic acid	*	16.600	J	0		0	ug/L
P5291-05	MW2-20241213	WATER	Mesitylene	*	58.900	J	0		0	ug/L
P5291-05	MW2-20241213	WATER	1,4-Pentadiene, 2,3,3-trimethyl-	*	11.700	J	0		0	ug/L
P5291-05	MW2-20241213	WATER	2,4-Heptadiene, (E,E)-	*	6.600	J	0		0	ug/L
P5291-05	MW2-20241213	WATER	2-Hexene, 3-methyl-, (Z)-	*	10.000	J	0		0	ug/L
P5291-05	MW2-20241213	WATER	o-Cymene	*	29.800	J	0		0	ug/L
P5291-05	MW2-20241213	WATER	1-Methylnaphthalene	*	19.500	J	0.88		5.1	ug/L
Total Tics :					780.80					
Total Concentration:					914.80					
Client ID : MW2-20241213DL										
P5291-05DL	MW2-20241213DL	WATER	Naphthalene		94.100	D	2.1		10.2	ug/L
P5291-05DL	MW2-20241213DL	WATER	2-Methylnaphthalene		29.800	D	2.3		10.2	ug/L
Total Svoc :					123.90					
Total Concentration:					123.90					
Client ID : MW3-20241213										
P5291-06	MW3-20241213	WATER	2,4-Dimethylphenol		5.500		1.5		5.1	ug/L
P5291-06	MW3-20241213	WATER	Naphthalene		160.000	E	1		5.1	ug/L
P5291-06	MW3-20241213	WATER	2-Methylnaphthalene		17.400		1.2		5.1	ug/L
P5291-06	MW3-20241213	WATER	Carbazole		2.100	J	1.2		5.1	ug/L
Total Svoc :					185.00					
P5291-06	MW3-20241213	WATER	n-Hexadecanoic acid	*	8.200	J	0		0	ug/L

Hit Summary Sheet SW-846

SDG No.: P5291
Client: PARSONS Main of New York, Inc.

Sample ID	Client ID		Parameter	Concentration	C	MDL	RDL	Units
P5291-06	MW3-20241213	WATER	p-Cymene	*	28.200	J 0	0	ug/L
P5291-06	MW3-20241213	WATER	unknown9.128	*	9.400	J 0	0	ug/L
P5291-06	MW3-20241213	WATER	Benzene, (1-ethyl-2-propenyl)-	*	27.000	J 0	0	ug/L
P5291-06	MW3-20241213	WATER	Benzene, 1,2,3-trimethyl-	*	570.000	J 0	0	ug/L
P5291-06	MW3-20241213	WATER	Benzene, 1,2-diethyl-	*	55.500	J 0	0	ug/L
P5291-06	MW3-20241213	WATER	Benzene, 1-ethyl-2-methyl-	*	150.000	J 0	0	ug/L
P5291-06	MW3-20241213	WATER	Benzene, 1-ethyl-3-methyl-	*	180.000	J 0	0	ug/L
P5291-06	MW3-20241213	WATER	Benzene, 1-ethyl-4-methyl-	*	74.000	J 0	0	ug/L
P5291-06	MW3-20241213	WATER	Benzene, 1-methyl-4-propyl-	*	22.300	J 0	0	ug/L
P5291-06	MW3-20241213	WATER	Benzene, 2-ethyl-1,4-dimethyl-	*	49.700	J 0	0	ug/L
P5291-06	MW3-20241213	WATER	Benzene, propyl-	*	39.700	J 0	0	ug/L
P5291-06	MW3-20241213	WATER	Benzoic acid, 3,4-dimethyl-	*	15.200	J 0	0	ug/L
P5291-06	MW3-20241213	WATER	Indane	*	190.000	J 0	0	ug/L
P5291-06	MW3-20241213	WATER	Indene	*	67.600	J 0	0	ug/L
P5291-06	MW3-20241213	WATER	Mesitylene	*	100.000	J 0	0	ug/L
P5291-06	MW3-20241213	WATER	1-Methylnaphthalene	*	21.600	J 0.88	5.1	ug/L
Total Tics :					1,608.40			
Total Concentration:					1,793.40			
Client ID : MW3-20241213DL								
P5291-06DL	MW3-20241213DL	WATER	Naphthalene		170.000	D 5.2	25.5	ug/L
P5291-06DL	MW3-20241213DL	WATER	2-Methylnaphthalene		13.400	JD 5.8	25.5	ug/L
Total Svoc :					183.40			
Total Concentration:					183.40			
Client ID : MW6-20241213								
P5291-07	MW6-20241213	WATER	Phenol		3.500	J 0.96	5.2	ug/L
P5291-07	MW6-20241213	WATER	2,4-Dimethylphenol		24.500	1.6	5.2	ug/L
P5291-07	MW6-20241213	WATER	Naphthalene		11.800	1.1	5.2	ug/L
Total Svoc :					39.80			
P5291-07	MW6-20241213	WATER	Benzene, 1,2,3-trimethyl-	*	62.200	J 0	0	ug/L
P5291-07	MW6-20241213	WATER	Benzene, 1,3-diethyl-	*	19.600	J 0	0	ug/L
P5291-07	MW6-20241213	WATER	Benzene, 1,4-diethyl-	*	10.500	J 0	0	ug/L
P5291-07	MW6-20241213	WATER	Benzene, 1-ethyl-2-methyl-	*	9.900	J 0	0	ug/L
P5291-07	MW6-20241213	WATER	Benzene, 1-ethyl-3-methyl-	*	14.300	J 0	0	ug/L
P5291-07	MW6-20241213	WATER	Benzene, 1-ethyl-4-methyl-	*	29.800	J 0	0	ug/L
P5291-07	MW6-20241213	WATER	Benzene, 2-ethenyl-1,4-dimethyl-	*	6.400	J 0	0	ug/L
P5291-07	MW6-20241213	WATER	Benzene, 2-ethyl-1,4-dimethyl-	*	8.900	J 0	0	ug/L
P5291-07	MW6-20241213	WATER	Benzoic acid, 2,4-dimethyl-	*	44.800	J 0	0	ug/L
P5291-07	MW6-20241213	WATER	Benzoic acid, 2-methyl-	*	14.900	J 0	0	ug/L
P5291-07	MW6-20241213	WATER	Benzoic acid, 3,4-dimethyl-	*	11.500	J 0	0	ug/L

Hit Summary Sheet SW-846

SDG No.: P5291
Client: PARSONS Main of New York, Inc.

Sample ID	Client ID	Parameter	Concentration	C	MDL	RDL	Units
P5291-07	MW6-20241213	WATER Benzoic acid, 3,5-dimethyl-	*	14.000	J 0	0	ug/L
P5291-07	MW6-20241213	WATER Benzoic acid, 3-methyl-	*	7.500	J 0	0	ug/L
P5291-07	MW6-20241213	WATER Indane	*	38.400	J 0	0	ug/L
P5291-07	MW6-20241213	WATER Mesitylene	*	12.400	J 0	0	ug/L
P5291-07	MW6-20241213	WATER n-Hexadecanoic acid	*	6.600	J 0	0	ug/L
P5291-07	MW6-20241213	WATER 1-Methylnaphthalene	*	2.800	J 0.89	5.2	ug/L
Total Tics :			314.50				
Total Concentration:			354.30				

Client ID : MW6-20241213-A

P5291-10	MW6-20241213-A	WATER Phenol		4.000	J 0.93	5	ug/L
P5291-10	MW6-20241213-A	WATER 2,4-Dimethylphenol		24.200	1.5	5	ug/L
P5291-10	MW6-20241213-A	WATER Naphthalene		12.200	1	5	ug/L

Total Svoc : 40.40

P5291-10	MW6-20241213-A	WATER o-Cymene	*	10.200	J 0	0	ug/L
P5291-10	MW6-20241213-A	WATER unknown3.869	*	5.900	J 0	0	ug/L
P5291-10	MW6-20241213-A	WATER Benzene, 1,2,3-trimethyl-	*	65.700	J 0	0	ug/L
P5291-10	MW6-20241213-A	WATER Benzene, 1,2-diethyl-	*	18.500	J 0	0	ug/L
P5291-10	MW6-20241213-A	WATER Benzene, 1,4-diethyl-	*	10.400	J 0	0	ug/L
P5291-10	MW6-20241213-A	WATER Benzene, 1-ethyl-2-methyl-	*	10.900	J 0	0	ug/L
P5291-10	MW6-20241213-A	WATER Benzene, 1-ethyl-3-methyl-	*	14.900	J 0	0	ug/L
P5291-10	MW6-20241213-A	WATER Benzene, 1-ethyl-4-methyl-	*	30.300	J 0	0	ug/L
P5291-10	MW6-20241213-A	WATER Benzene, 2-ethenyl-1,4-dimethyl-	*	6.300	J 0	0	ug/L
P5291-10	MW6-20241213-A	WATER Benzoic acid, 2,4,5-trimethyl-	*	6.200	J 0	0	ug/L
P5291-10	MW6-20241213-A	WATER Benzoic acid, 2,4-dimethyl-	*	49.500	J 0	0	ug/L
P5291-10	MW6-20241213-A	WATER Benzoic acid, 2-methyl-	*	15.000	J 0	0	ug/L
P5291-10	MW6-20241213-A	WATER Benzoic acid, 3,4-dimethyl-	*	12.500	J 0	0	ug/L
P5291-10	MW6-20241213-A	WATER Benzoic acid, 3,5-dimethyl-	*	16.000	J 0	0	ug/L
P5291-10	MW6-20241213-A	WATER Benzoic acid, 3-methyl-	*	7.700	J 0	0	ug/L
P5291-10	MW6-20241213-A	WATER Indane	*	38.400	J 0	0	ug/L
P5291-10	MW6-20241213-A	WATER Mesitylene	*	13.500	J 0	0	ug/L
P5291-10	MW6-20241213-A	WATER 1-Methylnaphthalene	*	3.000	J 0.86	5	ug/L

Total Tics : 334.90

Total Concentration: 375.30

Client ID : EQUIP-BLANK-20241213

P5291-11	EQUIP-BLANK-20241213	WATER 2-Pentanone, 4-hydroxy-4-methyl	*	2.200	A 0	0	ug/L
----------	----------------------	---------------------------------------	---	-------	-----	---	------

Total Tics : 2.20

Total Concentration: 2.20



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	PARSONS Main of New York, Inc.		Date Collected:	12/13/24	
Project:	Con Edison Non-MGP - Atlantic Avenue		Date Received:	12/16/24	
Client Sample ID:	MW2-20241213		SDG No.:	P5291	
Lab Sample ID:	P5291-05		Matrix:	Water	
Analytical Method:	SW8270		% Solid:	0	
Sample Wt/Vol:	980	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	SVOCMS Group1	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140928.D	1	12/17/24 08:56	12/19/24 16:05	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	4.10	U	4.10	10.2	ug/L
108-95-2	Phenol	0.95	U	0.95	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	1.20	UQ	1.20	5.10	ug/L
95-57-8	2-Chlorophenol	0.72	U	0.72	5.10	ug/L
95-48-7	2-Methylphenol	1.20	UQ	1.20	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.40	UQ	1.40	5.10	ug/L
98-86-2	Acetophenone	1.10	UQ	1.10	5.10	ug/L
65794-96-9	3+4-Methylphenols	1.20	UQ	1.20	10.2	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.50	UQ	1.50	2.60	ug/L
67-72-1	Hexachloroethane	1.00	U	1.00	5.10	ug/L
98-95-3	Nitrobenzene	1.30	U	1.30	5.10	ug/L
78-59-1	Isophorone	1.20	UQ	1.20	5.10	ug/L
88-75-5	2-Nitrophenol	2.00	U	2.00	5.10	ug/L
105-67-9	2,4-Dimethylphenol	3.50	J	1.50	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	1.00	UQ	1.00	5.10	ug/L
120-83-2	2,4-Dichlorophenol	0.90	U	0.90	5.10	ug/L
91-20-3	Naphthalene	100	E	1.00	5.10	ug/L
106-47-8	4-Chloroaniline	1.30	U	1.30	5.10	ug/L
87-68-3	Hexachlorobutadiene	1.30	U	1.30	5.10	ug/L
105-60-2	Caprolactam	1.70	U	1.70	10.2	ug/L
59-50-7	4-Chloro-3-methylphenol	0.86	U	0.86	5.10	ug/L
91-57-6	2-Methylnaphthalene	30.5		1.20	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	5.10	U	5.10	10.2	ug/L
88-06-2	2,4,6-Trichlorophenol	0.91	U	0.91	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	1.00	U	1.00	5.10	ug/L
92-52-4	1,1-Biphenyl	0.93	UQ	0.93	5.10	ug/L
91-58-7	2-Chloronaphthalene	0.99	U	0.99	5.10	ug/L
88-74-4	2-Nitroaniline	1.40	U	1.40	5.10	ug/L
131-11-3	Dimethylphthalate	0.95	UQ	0.95	5.10	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.		Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue		Date Received:	12/16/24
Client Sample ID:	MW2-20241213		SDG No.:	P5291
Lab Sample ID:	P5291-05		Matrix:	Water
Analytical Method:	SW8270		% Solid:	0
Sample Wt/Vol:	980	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SVOCMS Group1
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140928.D	1	12/17/24 08:56	12/19/24 16:05	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	1.10	UQ	1.10	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	1.30	U	1.30	5.10	ug/L
99-09-2	3-Nitroaniline	1.40	U	1.40	5.10	ug/L
83-32-9	Acenaphthene	0.83	U	0.83	5.10	ug/L
51-28-5	2,4-Dinitrophenol	6.60	U	6.60	10.2	ug/L
100-02-7	4-Nitrophenol	2.00	U	2.00	10.2	ug/L
132-64-9	Dibenzofuran	0.95	U	0.95	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	1.60	U	1.60	5.10	ug/L
84-66-2	Diethylphthalate	1.10	U	1.10	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	1.00	U	1.00	5.10	ug/L
86-73-7	Fluorene	0.98	U	0.98	5.10	ug/L
100-01-6	4-Nitroaniline	2.10	U	2.10	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	3.10	U	3.10	10.2	ug/L
86-30-6	n-Nitrosodiphenylamine	0.91	UQ	0.91	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	0.97	UQ	0.97	5.10	ug/L
118-74-1	Hexachlorobenzene	1.20	U	1.20	5.10	ug/L
1912-24-9	Atrazine	1.30	UQ	1.30	5.10	ug/L
87-86-5	Pentachlorophenol	1.90	U	1.90	10.2	ug/L
85-01-8	Phenanthrene	0.91	U	0.91	5.10	ug/L
120-12-7	Anthracene	1.10	UQ	1.10	5.10	ug/L
86-74-8	Carbazole	1.20	U	1.20	5.10	ug/L
84-74-2	Di-n-butylphthalate	1.50	UQ	1.50	5.10	ug/L
206-44-0	Fluoranthene	1.30	U	1.30	5.10	ug/L
129-00-0	Pyrene	1.10	UQ	1.10	5.10	ug/L
85-68-7	Butylbenzylphthalate	2.10	UQ	2.10	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	1.30	U	1.30	10.2	ug/L
56-55-3	Benzo(a)anthracene	0.96	UQ	0.96	5.10	ug/L
218-01-9	Chrysene	0.88	U	0.88	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.90	UQ	1.90	5.10	ug/L
117-84-0	Di-n-octyl phthalate	2.60	U	2.60	10.2	ug/L
205-99-2	Benzo(b)fluoranthene	1.20	U	1.20	5.10	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	MW2-20241213	SDG No.:	P5291
Lab Sample ID:	P5291-05	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140928.D	1	12/17/24 08:56	12/19/24 16:05	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	1.20	UQ	1.20	5.10	ug/L
50-32-8	Benzo(a)pyrene	1.70	U	1.70	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	1.00	UQ	1.00	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	1.20	UQ	1.20	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	1.20	U	1.20	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	1.10	U	1.10	5.10	ug/L
123-91-1	1,4-Dioxane	1.30	U	1.30	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.81	U	0.81	5.10	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	65.0		10 - 139	43%	SPK: 150
13127-88-3	Phenol-d6	40.0		10 - 134	27%	SPK: 150
4165-60-0	Nitrobenzene-d5	102		49 - 133	102%	SPK: 100
321-60-8	2-Fluorobiphenyl	110		52 - 132	110%	SPK: 100
118-79-6	2,4,6-Tribromophenol	164		44 - 137	110%	SPK: 150
1718-51-0	Terphenyl-d14	108		48 - 125	108%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	57800	6.851			
1146-65-2	Naphthalene-d8	195000	8.128			
15067-26-2	Acenaphthene-d10	97800	9.88			
1517-22-2	Phenanthrene-d10	192000	11.374			
1719-03-5	Chrysene-d12	120000	14.027			
1520-96-3	Perylene-d12	149000	15.515			
TENTATIVE IDENTIFIED COMPOUNDS						
010574-36-4	2-Hexene, 3-methyl-, (Z)-	10.0	J		2.49	ug/L
002384-94-3	2,4-Heptadiene, (E,E)-	6.60	J		3.59	ug/L
000756-02-5	1,4-Pentadiene, 2,3,3-trimethyl-	11.7	J		4.60	ug/L
000103-65-1	Benzene, propyl-	48.8	J		6.30	ug/L
000620-14-4	Benzene, 1-ethyl-3-methyl-	6.30	J		6.37	ug/L
000611-14-3	Benzene, 1-ethyl-2-methyl-	55.5	J		6.40	ug/L
000108-67-8	Mesitylene	58.9	J		6.45	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	MW2-20241213	SDG No.:	P5291
Lab Sample ID:	P5291-05	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140928.D	1	12/17/24 08:56	12/19/24 16:05	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
000526-73-8	Benzene, 1,2,3-trimethyl-	180	J		6.67	ug/L
000135-98-8	Benzene, (1-methylpropyl)-	7.80	J		6.79	ug/L
000622-96-8	Benzene, 1-ethyl-4-methyl-	76.6	J		6.90	ug/L
000496-11-7	Indane	140	J		7.03	ug/L
000141-93-5	Benzene, 1,3-diethyl-	34.4	J		7.09	ug/L
000105-05-5	Benzene, 1,4-diethyl-	42.3	J		7.16	ug/L
001074-55-1	Benzene, 1-methyl-4-propyl-	18.3	J		7.23	ug/L
000527-84-4	o-Cymene	29.8	J		7.31	ug/L
002039-89-6	Benzene, 2-ethenyl-1,4-dimethyl-	9.00	J		7.86	ug/L
90-12-0	1-Methylnaphthalene	19.5	J		8.94	ug/L
000603-79-2	Benzoic acid, 2,3-dimethyl-	8.70	J		9.03	ug/L
065898-38-6	Indane-5-carboxylic acid	16.6	J		10.2	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	MW2-20241213DL	SDG No.:	P5291
Lab Sample ID:	P5291-05DL	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140966.D	2	12/17/24 08:56	12/23/24 15:01	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	8.20	UD	8.20	20.4	ug/L
108-95-2	Phenol	1.90	UD	1.90	10.2	ug/L
111-44-4	bis(2-Chloroethyl)ether	2.40	UDQ	2.40	10.2	ug/L
95-57-8	2-Chlorophenol	1.40	UD	1.40	10.2	ug/L
95-48-7	2-Methylphenol	2.30	UDQ	2.30	10.2	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	2.80	UDQ	2.80	10.2	ug/L
98-86-2	Acetophenone	2.20	UDQ	2.20	10.2	ug/L
65794-96-9	3+4-Methylphenols	2.30	UDQ	2.30	20.4	ug/L
621-64-7	n-Nitroso-di-n-propylamine	3.00	UDQ	3.00	5.10	ug/L
67-72-1	Hexachloroethane	2.10	UD	2.10	10.2	ug/L
98-95-3	Nitrobenzene	2.60	UD	2.60	10.2	ug/L
78-59-1	Isophorone	2.30	UDQ	2.30	10.2	ug/L
88-75-5	2-Nitrophenol	4.00	UD	4.00	10.2	ug/L
105-67-9	2,4-Dimethylphenol	3.10	UD	3.10	10.2	ug/L
111-91-1	bis(2-Chloroethoxy)methane	2.10	UDQ	2.10	10.2	ug/L
120-83-2	2,4-Dichlorophenol	1.80	UD	1.80	10.2	ug/L
91-20-3	Naphthalene	94.1	D	2.10	10.2	ug/L
106-47-8	4-Chloroaniline	2.70	UD	2.70	10.2	ug/L
87-68-3	Hexachlorobutadiene	2.60	UD	2.60	10.2	ug/L
105-60-2	Caprolactam	3.40	UD	3.40	20.4	ug/L
59-50-7	4-Chloro-3-methylphenol	1.70	UD	1.70	10.2	ug/L
91-57-6	2-Methylnaphthalene	29.8	D	2.30	10.2	ug/L
77-47-4	Hexachlorocyclopentadiene	10.2	UD	10.2	20.4	ug/L
88-06-2	2,4,6-Trichlorophenol	1.80	UD	1.80	10.2	ug/L
95-95-4	2,4,5-Trichlorophenol	2.10	UD	2.10	10.2	ug/L
92-52-4	1,1-Biphenyl	1.90	UDQ	1.90	10.2	ug/L
91-58-7	2-Chloronaphthalene	2.00	UD	2.00	10.2	ug/L
88-74-4	2-Nitroaniline	2.90	UD	2.90	10.2	ug/L
131-11-3	Dimethylphthalate	1.90	UDQ	1.90	10.2	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	MW2-20241213DL	SDG No.:	P5291
Lab Sample ID:	P5291-05DL	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140966.D	2	12/17/24 08:56	12/23/24 15:01	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	2.10	UDQ	2.10	10.2	ug/L
606-20-2	2,6-Dinitrotoluene	2.50	UD	2.50	10.2	ug/L
99-09-2	3-Nitroaniline	2.80	UD	2.80	10.2	ug/L
83-32-9	Acenaphthene	1.70	UD	1.70	10.2	ug/L
51-28-5	2,4-Dinitrophenol	13.1	UD	13.1	20.4	ug/L
100-02-7	4-Nitrophenol	4.10	UD	4.10	20.4	ug/L
132-64-9	Dibenzofuran	1.90	UD	1.90	10.2	ug/L
121-14-2	2,4-Dinitrotoluene	3.10	UD	3.10	10.2	ug/L
84-66-2	Diethylphthalate	2.10	UD	2.10	10.2	ug/L
7005-72-3	4-Chlorophenyl-phenylether	2.00	UD	2.00	10.2	ug/L
86-73-7	Fluorene	2.00	UD	2.00	10.2	ug/L
100-01-6	4-Nitroaniline	4.20	UD	4.20	10.2	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	6.30	UD	6.30	20.4	ug/L
86-30-6	n-Nitrosodiphenylamine	1.80	UDQ	1.80	10.2	ug/L
101-55-3	4-Bromophenyl-phenylether	1.90	UDQ	1.90	10.2	ug/L
118-74-1	Hexachlorobenzene	2.30	UD	2.30	10.2	ug/L
1912-24-9	Atrazine	2.60	UDQ	2.60	10.2	ug/L
87-86-5	Pentachlorophenol	3.80	UD	3.80	20.4	ug/L
85-01-8	Phenanthrene	1.80	UD	1.80	10.2	ug/L
120-12-7	Anthracene	2.20	UDQ	2.20	10.2	ug/L
86-74-8	Carbazole	2.30	UD	2.30	10.2	ug/L
84-74-2	Di-n-butylphthalate	3.00	UDQ	3.00	10.2	ug/L
206-44-0	Fluoranthene	2.60	UD	2.60	10.2	ug/L
129-00-0	Pyrene	2.20	UDQ	2.20	10.2	ug/L
85-68-7	Butylbenzylphthalate	4.30	UDQ	4.30	10.2	ug/L
91-94-1	3,3-Dichlorobenzidine	2.60	UD	2.60	20.4	ug/L
56-55-3	Benzo(a)anthracene	1.90	UDQ	1.90	10.2	ug/L
218-01-9	Chrysene	1.80	UD	1.80	10.2	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	3.90	UDQ	3.90	10.2	ug/L
117-84-0	Di-n-octyl phthalate	5.10	UD	5.10	20.4	ug/L
205-99-2	Benzo(b)fluoranthene	2.30	UD	2.30	10.2	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	MW2-20241213DL	SDG No.:	P5291
Lab Sample ID:	P5291-05DL	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140966.D	2	12/17/24 08:56	12/23/24 15:01	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	2.40	UDQ	2.40	10.2	ug/L
50-32-8	Benzo(a)pyrene	3.40	UD	3.40	10.2	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	2.10	UDQ	2.10	10.2	ug/L
53-70-3	Dibenzo(a,h)anthracene	2.30	UDQ	2.30	10.2	ug/L
191-24-2	Benzo(g,h,i)perylene	2.40	UD	2.40	10.2	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	2.20	UD	2.20	10.2	ug/L
123-91-1	1,4-Dioxane	2.60	UD	2.60	10.2	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	1.60	UD	1.60	10.2	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	65.0		10 - 139	43%	SPK: 150
13127-88-3	Phenol-d6	38.5		10 - 134	26%	SPK: 150
4165-60-0	Nitrobenzene-d5	96.6		49 - 133	97%	SPK: 100
321-60-8	2-Fluorobiphenyl	101		52 - 132	101%	SPK: 100
118-79-6	2,4,6-Tribromophenol	140		44 - 137	93%	SPK: 150
1718-51-0	Terphenyl-d14	107		48 - 125	107%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	58600	6.845			
1146-65-2	Naphthalene-d8	226000	8.128			
15067-26-2	Acenaphthene-d10	132000	9.881			
1517-22-2	Phenanthrene-d10	225000	11.375			
1719-03-5	Chrysene-d12	137000	14.051			
1520-96-3	Perylene-d12	130000	15.586			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	MW3-20241213	SDG No.:	P5291
Lab Sample ID:	P5291-06	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140911.D	1	12/17/24 08:56	12/18/24 17:38	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	4.10	U	4.10	10.2	ug/L
108-95-2	Phenol	0.95	U	0.95	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	1.20	UQ	1.20	5.10	ug/L
95-57-8	2-Chlorophenol	0.72	U	0.72	5.10	ug/L
95-48-7	2-Methylphenol	1.20	UQ	1.20	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.40	UQ	1.40	5.10	ug/L
98-86-2	Acetophenone	1.10	UQ	1.10	5.10	ug/L
65794-96-9	3+4-Methylphenols	1.20	UQ	1.20	10.2	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.50	UQ	1.50	2.60	ug/L
67-72-1	Hexachloroethane	1.00	U	1.00	5.10	ug/L
98-95-3	Nitrobenzene	1.30	U	1.30	5.10	ug/L
78-59-1	Isophorone	1.20	UQ	1.20	5.10	ug/L
88-75-5	2-Nitrophenol	2.00	U	2.00	5.10	ug/L
105-67-9	2,4-Dimethylphenol	5.50		1.50	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	1.00	UQ	1.00	5.10	ug/L
120-83-2	2,4-Dichlorophenol	0.90	U	0.90	5.10	ug/L
91-20-3	Naphthalene	160	E	1.00	5.10	ug/L
106-47-8	4-Chloroaniline	1.30	U	1.30	5.10	ug/L
87-68-3	Hexachlorobutadiene	1.30	U	1.30	5.10	ug/L
105-60-2	Caprolactam	1.70	U	1.70	10.2	ug/L
59-50-7	4-Chloro-3-methylphenol	0.86	U	0.86	5.10	ug/L
91-57-6	2-Methylnaphthalene	17.4		1.20	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	5.10	U	5.10	10.2	ug/L
88-06-2	2,4,6-Trichlorophenol	0.91	U	0.91	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	1.00	U	1.00	5.10	ug/L
92-52-4	1,1-Biphenyl	0.93	UQ	0.93	5.10	ug/L
91-58-7	2-Chloronaphthalene	0.99	U	0.99	5.10	ug/L
88-74-4	2-Nitroaniline	1.40	U	1.40	5.10	ug/L
131-11-3	Dimethylphthalate	0.95	UQ	0.95	5.10	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.		Date Collected:	12/13/24	
Project:	Con Edison Non-MGP - Atlantic Avenue		Date Received:	12/16/24	
Client Sample ID:	MW3-20241213		SDG No.:	P5291	
Lab Sample ID:	P5291-06		Matrix:	Water	
Analytical Method:	SW8270		% Solid:	0	
Sample Wt/Vol:	980	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	SVOCMS Group1	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140911.D	1	12/17/24 08:56	12/18/24 17:38	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	1.10	UQ	1.10	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	1.30	U	1.30	5.10	ug/L
99-09-2	3-Nitroaniline	1.40	U	1.40	5.10	ug/L
83-32-9	Acenaphthene	0.83	U	0.83	5.10	ug/L
51-28-5	2,4-Dinitrophenol	6.60	U	6.60	10.2	ug/L
100-02-7	4-Nitrophenol	2.00	U	2.00	10.2	ug/L
132-64-9	Dibenzofuran	0.95	U	0.95	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	1.60	U	1.60	5.10	ug/L
84-66-2	Diethylphthalate	1.10	U	1.10	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	1.00	U	1.00	5.10	ug/L
86-73-7	Fluorene	0.98	U	0.98	5.10	ug/L
100-01-6	4-Nitroaniline	2.10	U	2.10	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	3.10	U	3.10	10.2	ug/L
86-30-6	n-Nitrosodiphenylamine	0.91	UQ	0.91	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	0.97	UQ	0.97	5.10	ug/L
118-74-1	Hexachlorobenzene	1.20	U	1.20	5.10	ug/L
1912-24-9	Atrazine	1.30	UQ	1.30	5.10	ug/L
87-86-5	Pentachlorophenol	1.90	U	1.90	10.2	ug/L
85-01-8	Phenanthrene	0.91	U	0.91	5.10	ug/L
120-12-7	Anthracene	1.10	UQ	1.10	5.10	ug/L
86-74-8	Carbazole	2.10	J	1.20	5.10	ug/L
84-74-2	Di-n-butylphthalate	1.50	UQ	1.50	5.10	ug/L
206-44-0	Fluoranthene	1.30	U	1.30	5.10	ug/L
129-00-0	Pyrene	1.10	UQ	1.10	5.10	ug/L
85-68-7	Butylbenzylphthalate	2.10	UQ	2.10	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	1.30	U	1.30	10.2	ug/L
56-55-3	Benzo(a)anthracene	0.96	UQ	0.96	5.10	ug/L
218-01-9	Chrysene	0.88	U	0.88	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.90	UQ	1.90	5.10	ug/L
117-84-0	Di-n-octyl phthalate	2.60	U	2.60	10.2	ug/L
205-99-2	Benzo(b)fluoranthene	1.20	U	1.20	5.10	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	MW3-20241213	SDG No.:	P5291
Lab Sample ID:	P5291-06	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140911.D	1	12/17/24 08:56	12/18/24 17:38	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	1.20	UQ	1.20	5.10	ug/L
50-32-8	Benzo(a)pyrene	1.70	U	1.70	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	1.00	UQ	1.00	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	1.20	UQ	1.20	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	1.20	U	1.20	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	1.10	U	1.10	5.10	ug/L
123-91-1	1,4-Dioxane	1.30	U	1.30	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.81	U	0.81	5.10	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	63.9		10 - 139	43%	SPK: 150
13127-88-3	Phenol-d6	39.1		10 - 134	26%	SPK: 150
4165-60-0	Nitrobenzene-d5	99.5		49 - 133	99%	SPK: 100
321-60-8	2-Fluorobiphenyl	94.7		52 - 132	95%	SPK: 100
118-79-6	2,4,6-Tribromophenol	153		44 - 137	102%	SPK: 150
1718-51-0	Terphenyl-d14	97.0		48 - 125	97%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	56600	6.851			
1146-65-2	Naphthalene-d8	228000	8.134			
15067-26-2	Acenaphthene-d10	145000	9.88			
1517-22-2	Phenanthrene-d10	255000	11.375			
1719-03-5	Chrysene-d12	165000	14.027			
1520-96-3	Perylene-d12	166000	15.515			
TENTATIVE IDENTIFIED COMPOUNDS						
000103-65-1	Benzene, propyl-	39.7	J		6.30	ug/L
000611-14-3	Benzene, 1-ethyl-2-methyl-	150	J		6.38	ug/L
000622-96-8	Benzene, 1-ethyl-4-methyl-	74.0	J		6.40	ug/L
000108-67-8	Mesitylene	100	J		6.45	ug/L
000526-73-8	Benzene, 1,2,3-trimethyl-	570	J		6.68	ug/L
000620-14-4	Benzene, 1-ethyl-3-methyl-	180	J		6.90	ug/L
000496-11-7	Indane	190	J		7.03	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	MW3-20241213	SDG No.:	P5291
Lab Sample ID:	P5291-06	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140911.D	1	12/17/24 08:56	12/18/24 17:38	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
000095-13-6	Indene	67.6	J		7.10	ug/L
000135-01-3	Benzene, 1,2-diethyl-	55.5	J		7.16	ug/L
001074-55-1	Benzene, 1-methyl-4-propyl-	22.3	J		7.23	ug/L
001758-88-9	Benzene, 2-ethyl-1,4-dimethyl-	49.7	J		7.31	ug/L
000099-87-6	p-Cymene	28.2	J		7.33	ug/L
90-12-0	1-Methylnaphthalene	21.6	J		8.94	ug/L
	unknown9.128	9.40	J		9.13	ug/L
000619-04-5	Benzoic acid, 3,4-dimethyl-	15.2	J		9.33	ug/L
019947-22-9	Benzene, (1-ethyl-2-propenyl)-	27.0	J		9.47	ug/L
000057-10-3	n-Hexadecanoic acid	8.20	J		11.9	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	MW3-20241213DL	SDG No.:	P5291
Lab Sample ID:	P5291-06DL	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140924.D	5	12/17/24 08:56	12/19/24 14:21	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	20.4	UD	20.4	51.0	ug/L
108-95-2	Phenol	4.70	UD	4.70	25.5	ug/L
111-44-4	bis(2-Chloroethyl)ether	6.10	UDQ	6.10	25.5	ug/L
95-57-8	2-Chlorophenol	3.60	UD	3.60	25.5	ug/L
95-48-7	2-Methylphenol	5.80	UDQ	5.80	25.5	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	6.90	UDQ	6.90	25.5	ug/L
98-86-2	Acetophenone	5.60	UDQ	5.60	25.5	ug/L
65794-96-9	3+4-Methylphenols	5.90	UDQ	5.90	51.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	7.60	UDQ	7.60	12.8	ug/L
67-72-1	Hexachloroethane	5.20	UD	5.20	25.5	ug/L
98-95-3	Nitrobenzene	6.50	UD	6.50	25.5	ug/L
78-59-1	Isophorone	5.80	UDQ	5.80	25.5	ug/L
88-75-5	2-Nitrophenol	10.0	UD	10.0	25.5	ug/L
105-67-9	2,4-Dimethylphenol	7.70	UD	7.70	25.5	ug/L
111-91-1	bis(2-Chloroethoxy)methane	5.20	UDQ	5.20	25.5	ug/L
120-83-2	2,4-Dichlorophenol	4.50	UD	4.50	25.5	ug/L
91-20-3	Naphthalene	170	D	5.20	25.5	ug/L
106-47-8	4-Chloroaniline	6.60	UD	6.60	25.5	ug/L
87-68-3	Hexachlorobutadiene	6.50	UD	6.50	25.5	ug/L
105-60-2	Caprolactam	8.40	UD	8.40	51.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.30	UD	4.30	25.5	ug/L
91-57-6	2-Methylnaphthalene	13.4	JD	5.80	25.5	ug/L
77-47-4	Hexachlorocyclopentadiene	25.6	UD	25.6	51.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.50	UD	4.50	25.5	ug/L
95-95-4	2,4,5-Trichlorophenol	5.20	UD	5.20	25.5	ug/L
92-52-4	1,1-Biphenyl	4.60	UDQ	4.60	25.5	ug/L
91-58-7	2-Chloronaphthalene	4.90	UD	4.90	25.5	ug/L
88-74-4	2-Nitroaniline	7.20	UD	7.20	25.5	ug/L
131-11-3	Dimethylphthalate	4.70	UDQ	4.70	25.5	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	MW3-20241213DL	SDG No.:	P5291
Lab Sample ID:	P5291-06DL	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140924.D	5	12/17/24 08:56	12/19/24 14:21	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	5.30	UDQ	5.30	25.5	ug/L
606-20-2	2,6-Dinitrotoluene	6.30	UD	6.30	25.5	ug/L
99-09-2	3-Nitroaniline	7.00	UD	7.00	25.5	ug/L
83-32-9	Acenaphthene	4.10	UD	4.10	25.5	ug/L
51-28-5	2,4-Dinitrophenol	32.8	UD	32.8	51.0	ug/L
100-02-7	4-Nitrophenol	10.2	UD	10.2	51.0	ug/L
132-64-9	Dibenzofuran	4.70	UD	4.70	25.5	ug/L
121-14-2	2,4-Dinitrotoluene	7.80	UD	7.80	25.5	ug/L
84-66-2	Diethylphthalate	5.30	UD	5.30	25.5	ug/L
7005-72-3	4-Chlorophenyl-phenylether	5.00	UD	5.00	25.5	ug/L
86-73-7	Fluorene	4.90	UD	4.90	25.5	ug/L
100-01-6	4-Nitroaniline	10.4	UD	10.4	25.5	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	15.7	UD	15.7	51.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.50	UDQ	4.50	25.5	ug/L
101-55-3	4-Bromophenyl-phenylether	4.80	UDQ	4.80	25.5	ug/L
118-74-1	Hexachlorobenzene	5.80	UD	5.80	25.5	ug/L
1912-24-9	Atrazine	6.40	UDQ	6.40	25.5	ug/L
87-86-5	Pentachlorophenol	9.40	UD	9.40	51.0	ug/L
85-01-8	Phenanthrene	4.50	UD	4.50	25.5	ug/L
120-12-7	Anthracene	5.50	UDQ	5.50	25.5	ug/L
86-74-8	Carbazole	5.90	UD	5.90	25.5	ug/L
84-74-2	Di-n-butylphthalate	7.50	UDQ	7.50	25.5	ug/L
206-44-0	Fluoranthene	6.60	UD	6.60	25.5	ug/L
129-00-0	Pyrene	5.40	UDQ	5.40	25.5	ug/L
85-68-7	Butylbenzylphthalate	10.7	UDQ	10.7	25.5	ug/L
91-94-1	3,3-Dichlorobenzidine	6.50	UD	6.50	51.0	ug/L
56-55-3	Benzo(a)anthracene	4.80	UDQ	4.80	25.5	ug/L
218-01-9	Chrysene	4.40	UD	4.40	25.5	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	9.60	UDQ	9.60	25.5	ug/L
117-84-0	Di-n-octyl phthalate	12.8	UD	12.8	51.0	ug/L
205-99-2	Benzo(b)fluoranthene	5.80	UD	5.80	25.5	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	MW3-20241213DL	SDG No.:	P5291
Lab Sample ID:	P5291-06DL	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140924.D	5	12/17/24 08:56	12/19/24 14:21	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	6.10	UDQ	6.10	25.5	ug/L
50-32-8	Benzo(a)pyrene	8.50	UD	8.50	25.5	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	5.20	UDQ	5.20	25.5	ug/L
53-70-3	Dibenzo(a,h)anthracene	5.90	UDQ	5.90	25.5	ug/L
191-24-2	Benzo(g,h,i)perylene	6.00	UD	6.00	25.5	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	5.60	UD	5.60	25.5	ug/L
123-91-1	1,4-Dioxane	6.40	UD	6.40	25.5	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	UD	4.00	25.5	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	54.8		10 - 139	37%	SPK: 150
13127-88-3	Phenol-d6	33.2		10 - 134	22%	SPK: 150
4165-60-0	Nitrobenzene-d5	94.6		49 - 133	95%	SPK: 100
321-60-8	2-Fluorobiphenyl	104		52 - 132	104%	SPK: 100
118-79-6	2,4,6-Tribromophenol	136		44 - 137	90%	SPK: 150
1718-51-0	Terphenyl-d14	107		48 - 125	107%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	62500	6.851			
1146-65-2	Naphthalene-d8	247000	8.128			
15067-26-2	Acenaphthene-d10	131000	9.88			
1517-22-2	Phenanthrene-d10	225000	11.374			
1719-03-5	Chrysene-d12	137000	14.027			
1520-96-3	Perylene-d12	141000	15.533			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	PARSONS Main of New York, Inc.		Date Collected:	12/13/24	
Project:	Con Edison Non-MGP - Atlantic Avenue		Date Received:	12/16/24	
Client Sample ID:	MW6-20241213		SDG No.:	P5291	
Lab Sample ID:	P5291-07		Matrix:	Water	
Analytical Method:	SW8270		% Solid:	0	
Sample Wt/Vol:	970	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	SVOCMS Group1	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140914.D	1	12/17/24 08:56	12/18/24 18:56	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	4.10	U	4.10	10.3	ug/L
108-95-2	Phenol	3.50	J	0.96	5.20	ug/L
111-44-4	bis(2-Chloroethyl)ether	1.20	UQ	1.20	5.20	ug/L
95-57-8	2-Chlorophenol	0.73	U	0.73	5.20	ug/L
95-48-7	2-Methylphenol	1.20	UQ	1.20	5.20	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.40	UQ	1.40	5.20	ug/L
98-86-2	Acetophenone	1.10	UQ	1.10	5.20	ug/L
65794-96-9	3+4-Methylphenols	1.20	UQ	1.20	10.3	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.50	UQ	1.50	2.60	ug/L
67-72-1	Hexachloroethane	1.00	U	1.00	5.20	ug/L
98-95-3	Nitrobenzene	1.30	U	1.30	5.20	ug/L
78-59-1	Isophorone	1.20	UQ	1.20	5.20	ug/L
88-75-5	2-Nitrophenol	2.00	U	2.00	5.20	ug/L
105-67-9	2,4-Dimethylphenol	24.5		1.60	5.20	ug/L
111-91-1	bis(2-Chloroethoxy)methane	1.10	UQ	1.10	5.20	ug/L
120-83-2	2,4-Dichlorophenol	0.91	U	0.91	5.20	ug/L
91-20-3	Naphthalene	11.8		1.10	5.20	ug/L
106-47-8	4-Chloroaniline	1.30	U	1.30	5.20	ug/L
87-68-3	Hexachlorobutadiene	1.30	U	1.30	5.20	ug/L
105-60-2	Caprolactam	1.70	U	1.70	10.3	ug/L
59-50-7	4-Chloro-3-methylphenol	0.87	U	0.87	5.20	ug/L
91-57-6	2-Methylnaphthalene	1.20	U	1.20	5.20	ug/L
77-47-4	Hexachlorocyclopentadiene	5.20	U	5.20	10.3	ug/L
88-06-2	2,4,6-Trichlorophenol	0.92	U	0.92	5.20	ug/L
95-95-4	2,4,5-Trichlorophenol	1.00	U	1.00	5.20	ug/L
92-52-4	1,1-Biphenyl	0.94	UQ	0.94	5.20	ug/L
91-58-7	2-Chloronaphthalene	1.00	U	1.00	5.20	ug/L
88-74-4	2-Nitroaniline	1.50	U	1.50	5.20	ug/L
131-11-3	Dimethylphthalate	0.96	UQ	0.96	5.20	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	MW6-20241213	SDG No.:	P5291
Lab Sample ID:	P5291-07	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	970 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140914.D	1	12/17/24 08:56	12/18/24 18:56	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	1.10	UQ	1.10	5.20	ug/L
606-20-2	2,6-Dinitrotoluene	1.30	U	1.30	5.20	ug/L
99-09-2	3-Nitroaniline	1.40	U	1.40	5.20	ug/L
83-32-9	Acenaphthene	0.84	U	0.84	5.20	ug/L
51-28-5	2,4-Dinitrophenol	6.60	U	6.60	10.3	ug/L
100-02-7	4-Nitrophenol	2.10	U	2.10	10.3	ug/L
132-64-9	Dibenzofuran	0.96	U	0.96	5.20	ug/L
121-14-2	2,4-Dinitrotoluene	1.60	U	1.60	5.20	ug/L
84-66-2	Diethylphthalate	1.10	U	1.10	5.20	ug/L
7005-72-3	4-Chlorophenyl-phenylether	1.00	U	1.00	5.20	ug/L
86-73-7	Fluorene	0.99	U	0.99	5.20	ug/L
100-01-6	4-Nitroaniline	2.10	U	2.10	5.20	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	3.20	U	3.20	10.3	ug/L
86-30-6	n-Nitrosodiphenylamine	0.92	UQ	0.92	5.20	ug/L
101-55-3	4-Bromophenyl-phenylether	0.98	UQ	0.98	5.20	ug/L
118-74-1	Hexachlorobenzene	1.20	U	1.20	5.20	ug/L
1912-24-9	Atrazine	1.30	UQ	1.30	5.20	ug/L
87-86-5	Pentachlorophenol	1.90	U	1.90	10.3	ug/L
85-01-8	Phenanthrene	0.92	U	0.92	5.20	ug/L
120-12-7	Anthracene	1.10	UQ	1.10	5.20	ug/L
86-74-8	Carbazole	1.20	U	1.20	5.20	ug/L
84-74-2	Di-n-butylphthalate	1.50	UQ	1.50	5.20	ug/L
206-44-0	Fluoranthene	1.30	U	1.30	5.20	ug/L
129-00-0	Pyrene	1.10	UQ	1.10	5.20	ug/L
85-68-7	Butylbenzylphthalate	2.20	UQ	2.20	5.20	ug/L
91-94-1	3,3-Dichlorobenzidine	1.30	U	1.30	10.3	ug/L
56-55-3	Benzo(a)anthracene	0.97	UQ	0.97	5.20	ug/L
218-01-9	Chrysene	0.89	U	0.89	5.20	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.90	UQ	1.90	5.20	ug/L
117-84-0	Di-n-octyl phthalate	2.60	U	2.60	10.3	ug/L
205-99-2	Benzo(b)fluoranthene	1.20	U	1.20	5.20	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	MW6-20241213	SDG No.:	P5291
Lab Sample ID:	P5291-07	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	970 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140914.D	1	12/17/24 08:56	12/18/24 18:56	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	1.20	UQ	1.20	5.20	ug/L
50-32-8	Benzo(a)pyrene	1.70	U	1.70	5.20	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	1.10	UQ	1.10	5.20	ug/L
53-70-3	Dibenzo(a,h)anthracene	1.20	UQ	1.20	5.20	ug/L
191-24-2	Benzo(g,h,i)perylene	1.20	U	1.20	5.20	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	1.10	U	1.10	5.20	ug/L
123-91-1	1,4-Dioxane	1.30	U	1.30	5.20	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.81	U	0.81	5.20	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	70.2		10 - 139	47%	SPK: 150
13127-88-3	Phenol-d6	39.4		10 - 134	26%	SPK: 150
4165-60-0	Nitrobenzene-d5	103		49 - 133	103%	SPK: 100
321-60-8	2-Fluorobiphenyl	89.9		52 - 132	90%	SPK: 100
118-79-6	2,4,6-Tribromophenol	154		44 - 137	103%	SPK: 150
1718-51-0	Terphenyl-d14	119		48 - 125	119%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	62900	6.845			
1146-65-2	Naphthalene-d8	214000	8.128			
15067-26-2	Acenaphthene-d10	146000	9.88			
1517-22-2	Phenanthrene-d10	265000	11.374			
1719-03-5	Chrysene-d12	139000	14.021			
1520-96-3	Perylene-d12	153000	15.51			
TENTATIVE IDENTIFIED COMPOUNDS						
000620-14-4	Benzene, 1-ethyl-3-methyl-	14.3	J		6.37	ug/L
000611-14-3	Benzene, 1-ethyl-2-methyl-	9.90	J		6.40	ug/L
000108-67-8	Mesitylene	12.4	J		6.45	ug/L
000526-73-8	Benzene, 1,2,3-trimethyl-	62.2	J		6.67	ug/L
000622-96-8	Benzene, 1-ethyl-4-methyl-	29.8	J		6.90	ug/L
000496-11-7	Indane	38.4	J		7.02	ug/L
000105-05-5	Benzene, 1,4-diethyl-	10.5	J		7.09	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	MW6-20241213	SDG No.:	P5291
Lab Sample ID:	P5291-07	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	970 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140914.D	1	12/17/24 08:56	12/18/24 18:56	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
000141-93-5	Benzene, 1,3-diethyl-	19.6	J		7.16	ug/L
001758-88-9	Benzene, 2-ethyl-1,4-dimethyl-	8.90	J		7.30	ug/L
002039-89-6	Benzene, 2-ethenyl-1,4-dimethyl-	6.40	J		7.86	ug/L
000118-90-1	Benzoic acid, 2-methyl-	14.9	J		8.43	ug/L
000099-04-7	Benzoic acid, 3-methyl-	7.50	J		8.56	ug/L
90-12-0	1-Methylnaphthalene	2.80	J		8.94	ug/L
000611-01-8	Benzoic acid, 2,4-dimethyl-	44.8	J		9.06	ug/L
000619-04-5	Benzoic acid, 3,4-dimethyl-	11.5	J		9.12	ug/L
000499-06-9	Benzoic acid, 3,5-dimethyl-	14.0	J		9.33	ug/L
000057-10-3	n-Hexadecanoic acid	6.60	J		11.9	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	MW6-20241213-A	SDG No.:	P5291
Lab Sample ID:	P5291-10	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140915.D	1	12/17/24 08:56	12/18/24 19:23	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	4.00	U	4.00	10.0	ug/L
108-95-2	Phenol	4.00	J	0.93	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	1.20	UQ	1.20	5.00	ug/L
95-57-8	2-Chlorophenol	0.71	U	0.71	5.00	ug/L
95-48-7	2-Methylphenol	1.10	UQ	1.10	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.40	UQ	1.40	5.00	ug/L
98-86-2	Acetophenone	1.10	UQ	1.10	5.00	ug/L
65794-96-9	3+4-Methylphenols	1.20	UQ	1.20	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.50	UQ	1.50	2.50	ug/L
67-72-1	Hexachloroethane	1.00	U	1.00	5.00	ug/L
98-95-3	Nitrobenzene	1.30	U	1.30	5.00	ug/L
78-59-1	Isophorone	1.10	UQ	1.10	5.00	ug/L
88-75-5	2-Nitrophenol	2.00	U	2.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	24.2		1.50	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	1.00	UQ	1.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	0.88	U	0.88	5.00	ug/L
91-20-3	Naphthalene	12.2		1.00	5.00	ug/L
106-47-8	4-Chloroaniline	1.30	U	1.30	5.00	ug/L
87-68-3	Hexachlorobutadiene	1.30	U	1.30	5.00	ug/L
105-60-2	Caprolactam	1.70	U	1.70	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	0.84	U	0.84	5.00	ug/L
91-57-6	2-Methylnaphthalene	1.10	U	1.10	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	5.00	U	5.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	0.89	U	0.89	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	1.00	U	1.00	5.00	ug/L
92-52-4	1,1-Biphenyl	0.91	UQ	0.91	5.00	ug/L
91-58-7	2-Chloronaphthalene	0.97	U	0.97	5.00	ug/L
88-74-4	2-Nitroaniline	1.40	U	1.40	5.00	ug/L
131-11-3	Dimethylphthalate	0.93	UQ	0.93	5.00	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.		Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue		Date Received:	12/16/24
Client Sample ID:	MW6-20241213-A		SDG No.:	P5291
Lab Sample ID:	P5291-10		Matrix:	Water
Analytical Method:	SW8270		% Solid:	0
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SVOCMS Group1
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140915.D	1	12/17/24 08:56	12/18/24 19:23	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	1.00	UQ	1.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	1.20	U	1.20	5.00	ug/L
99-09-2	3-Nitroaniline	1.40	U	1.40	5.00	ug/L
83-32-9	Acenaphthene	0.81	U	0.81	5.00	ug/L
51-28-5	2,4-Dinitrophenol	6.40	U	6.40	10.0	ug/L
100-02-7	4-Nitrophenol	2.00	U	2.00	10.0	ug/L
132-64-9	Dibenzofuran	0.93	U	0.93	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	1.50	U	1.50	5.00	ug/L
84-66-2	Diethylphthalate	1.00	U	1.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	0.98	U	0.98	5.00	ug/L
86-73-7	Fluorene	0.96	U	0.96	5.00	ug/L
100-01-6	4-Nitroaniline	2.00	U	2.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	3.10	U	3.10	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	0.89	UQ	0.89	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	0.95	UQ	0.95	5.00	ug/L
118-74-1	Hexachlorobenzene	1.10	U	1.10	5.00	ug/L
1912-24-9	Atrazine	1.30	UQ	1.30	5.00	ug/L
87-86-5	Pentachlorophenol	1.90	U	1.90	10.0	ug/L
85-01-8	Phenanthrene	0.89	U	0.89	5.00	ug/L
120-12-7	Anthracene	1.10	UQ	1.10	5.00	ug/L
86-74-8	Carbazole	1.20	U	1.20	5.00	ug/L
84-74-2	Di-n-butylphthalate	1.50	UQ	1.50	5.00	ug/L
206-44-0	Fluoranthene	1.30	U	1.30	5.00	ug/L
129-00-0	Pyrene	1.10	UQ	1.10	5.00	ug/L
85-68-7	Butylbenzylphthalate	2.10	UQ	2.10	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	1.30	U	1.30	10.0	ug/L
56-55-3	Benzo(a)anthracene	0.94	UQ	0.94	5.00	ug/L
218-01-9	Chrysene	0.86	U	0.86	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.90	UQ	1.90	5.00	ug/L
117-84-0	Di-n-octyl phthalate	2.50	U	2.50	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	1.10	U	1.10	5.00	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	MW6-20241213-A	SDG No.:	P5291
Lab Sample ID:	P5291-10	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140915.D	1	12/17/24 08:56	12/18/24 19:23	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	1.20	UQ	1.20	5.00	ug/L
50-32-8	Benzo(a)pyrene	1.70	U	1.70	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	1.00	UQ	1.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	1.20	UQ	1.20	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	1.20	U	1.20	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	1.10	U	1.10	5.00	ug/L
123-91-1	1,4-Dioxane	1.30	U	1.30	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.79	U	0.79	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	66.6		10 - 139	44%	SPK: 150
13127-88-3	Phenol-d6	43.0		10 - 134	29%	SPK: 150
4165-60-0	Nitrobenzene-d5	105		49 - 133	105%	SPK: 100
321-60-8	2-Fluorobiphenyl	96.8		52 - 132	97%	SPK: 100
118-79-6	2,4,6-Tribromophenol	154		44 - 137	103%	SPK: 150
1718-51-0	Terphenyl-d14	106		48 - 125	106%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	55500	6.845			
1146-65-2	Naphthalene-d8	235000	8.128			
15067-26-2	Acenaphthene-d10	146000	9.88			
1517-22-2	Phenanthrene-d10	253000	11.375			
1719-03-5	Chrysene-d12	157000	14.021			
1520-96-3	Perylene-d12	150000	15.51			
TENTATIVE IDENTIFIED COMPOUNDS						
	unknown3.869	5.90	J		3.87	ug/L
000620-14-4	Benzene, 1-ethyl-3-methyl-	14.9	J		6.37	ug/L
000611-14-3	Benzene, 1-ethyl-2-methyl-	10.9	J		6.40	ug/L
000108-67-8	Mesitylene	13.5	J		6.45	ug/L
000526-73-8	Benzene, 1,2,3-trimethyl-	65.7	J		6.67	ug/L
000622-96-8	Benzene, 1-ethyl-4-methyl-	30.3	J		6.90	ug/L
000496-11-7	Indane	38.4	J		7.02	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	MW6-20241213-A	SDG No.:	P5291
Lab Sample ID:	P5291-10	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140915.D	1	12/17/24 08:56	12/18/24 19:23	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
000105-05-5	Benzene, 1,4-diethyl-	10.4	J		7.09	ug/L
000135-01-3	Benzene, 1,2-diethyl-	18.5	J		7.16	ug/L
000527-84-4	o-Cymene	10.2	J		7.30	ug/L
002039-89-6	Benzene, 2-ethenyl-1,4-dimethyl-	6.30	J		7.86	ug/L
000118-90-1	Benzoic acid, 2-methyl-	15.0	J		8.43	ug/L
000099-04-7	Benzoic acid, 3-methyl-	7.70	J		8.56	ug/L
90-12-0	1-Methylnaphthalene	3.00	J		8.94	ug/L
000611-01-8	Benzoic acid, 2,4-dimethyl-	49.5	J		9.06	ug/L
000619-04-5	Benzoic acid, 3,4-dimethyl-	12.5	J		9.12	ug/L
000499-06-9	Benzoic acid, 3,5-dimethyl-	16.0	J		9.33	ug/L
000528-90-5	Benzoic acid, 2,4,5-trimethyl-	6.20	J		9.53	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	EQUIP-BLANK-20241213	SDG No.:	P5291
Lab Sample ID:	P5291-11	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	970 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140907.D	1	12/17/24 08:56	12/18/24 15:54	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	4.10	U	4.10	10.3	ug/L
108-95-2	Phenol	0.96	U	0.96	5.20	ug/L
111-44-4	bis(2-Chloroethyl)ether	1.20	UQ	1.20	5.20	ug/L
95-57-8	2-Chlorophenol	0.73	U	0.73	5.20	ug/L
95-48-7	2-Methylphenol	1.20	UQ	1.20	5.20	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.40	UQ	1.40	5.20	ug/L
98-86-2	Acetophenone	1.10	UQ	1.10	5.20	ug/L
65794-96-9	3+4-Methylphenols	1.20	UQ	1.20	10.3	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.50	UQ	1.50	2.60	ug/L
67-72-1	Hexachloroethane	1.00	U	1.00	5.20	ug/L
98-95-3	Nitrobenzene	1.30	U	1.30	5.20	ug/L
78-59-1	Isophorone	1.20	UQ	1.20	5.20	ug/L
88-75-5	2-Nitrophenol	2.00	U	2.00	5.20	ug/L
105-67-9	2,4-Dimethylphenol	1.60	U	1.60	5.20	ug/L
111-91-1	bis(2-Chloroethoxy)methane	1.10	UQ	1.10	5.20	ug/L
120-83-2	2,4-Dichlorophenol	0.91	U	0.91	5.20	ug/L
91-20-3	Naphthalene	1.10	U	1.10	5.20	ug/L
106-47-8	4-Chloroaniline	1.30	U	1.30	5.20	ug/L
87-68-3	Hexachlorobutadiene	1.30	U	1.30	5.20	ug/L
105-60-2	Caprolactam	1.70	U	1.70	10.3	ug/L
59-50-7	4-Chloro-3-methylphenol	0.87	U	0.87	5.20	ug/L
91-57-6	2-Methylnaphthalene	1.20	U	1.20	5.20	ug/L
77-47-4	Hexachlorocyclopentadiene	5.20	U	5.20	10.3	ug/L
88-06-2	2,4,6-Trichlorophenol	0.92	U	0.92	5.20	ug/L
95-95-4	2,4,5-Trichlorophenol	1.00	U	1.00	5.20	ug/L
92-52-4	1,1-Biphenyl	0.94	UQ	0.94	5.20	ug/L
91-58-7	2-Chloronaphthalene	1.00	U	1.00	5.20	ug/L
88-74-4	2-Nitroaniline	1.50	U	1.50	5.20	ug/L
131-11-3	Dimethylphthalate	0.96	UQ	0.96	5.20	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	EQUIP-BLANK-20241213	SDG No.:	P5291
Lab Sample ID:	P5291-11	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	970 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140907.D	1	12/17/24 08:56	12/18/24 15:54	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	1.10	UQ	1.10	5.20	ug/L
606-20-2	2,6-Dinitrotoluene	1.30	U	1.30	5.20	ug/L
99-09-2	3-Nitroaniline	1.40	U	1.40	5.20	ug/L
83-32-9	Acenaphthene	0.84	U	0.84	5.20	ug/L
51-28-5	2,4-Dinitrophenol	6.60	U	6.60	10.3	ug/L
100-02-7	4-Nitrophenol	2.10	U	2.10	10.3	ug/L
132-64-9	Dibenzofuran	0.96	U	0.96	5.20	ug/L
121-14-2	2,4-Dinitrotoluene	1.60	U	1.60	5.20	ug/L
84-66-2	Diethylphthalate	1.10	U	1.10	5.20	ug/L
7005-72-3	4-Chlorophenyl-phenylether	1.00	U	1.00	5.20	ug/L
86-73-7	Fluorene	0.99	U	0.99	5.20	ug/L
100-01-6	4-Nitroaniline	2.10	U	2.10	5.20	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	3.20	U	3.20	10.3	ug/L
86-30-6	n-Nitrosodiphenylamine	0.92	UQ	0.92	5.20	ug/L
101-55-3	4-Bromophenyl-phenylether	0.98	UQ	0.98	5.20	ug/L
118-74-1	Hexachlorobenzene	1.20	U	1.20	5.20	ug/L
1912-24-9	Atrazine	1.30	UQ	1.30	5.20	ug/L
87-86-5	Pentachlorophenol	1.90	U	1.90	10.3	ug/L
85-01-8	Phenanthrene	0.92	U	0.92	5.20	ug/L
120-12-7	Anthracene	1.10	UQ	1.10	5.20	ug/L
86-74-8	Carbazole	1.20	U	1.20	5.20	ug/L
84-74-2	Di-n-butylphthalate	1.50	UQ	1.50	5.20	ug/L
206-44-0	Fluoranthene	1.30	U	1.30	5.20	ug/L
129-00-0	Pyrene	1.10	UQ	1.10	5.20	ug/L
85-68-7	Butylbenzylphthalate	2.20	UQ	2.20	5.20	ug/L
91-94-1	3,3-Dichlorobenzidine	1.30	U	1.30	10.3	ug/L
56-55-3	Benzo(a)anthracene	0.97	UQ	0.97	5.20	ug/L
218-01-9	Chrysene	0.89	U	0.89	5.20	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.90	UQ	1.90	5.20	ug/L
117-84-0	Di-n-octyl phthalate	2.60	U	2.60	10.3	ug/L
205-99-2	Benzo(b)fluoranthene	1.20	U	1.20	5.20	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	EQUIP-BLANK-20241213	SDG No.:	P5291
Lab Sample ID:	P5291-11	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	970 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140907.D	1	12/17/24 08:56	12/18/24 15:54	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	1.20	UQ	1.20	5.20	ug/L
50-32-8	Benzo(a)pyrene	1.70	U	1.70	5.20	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	1.10	UQ	1.10	5.20	ug/L
53-70-3	Dibenzo(a,h)anthracene	1.20	UQ	1.20	5.20	ug/L
191-24-2	Benzo(g,h,i)perylene	1.20	U	1.20	5.20	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	1.10	U	1.10	5.20	ug/L
123-91-1	1,4-Dioxane	1.30	U	1.30	5.20	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.81	U	0.81	5.20	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	64.0		10 - 139	43%	SPK: 150
13127-88-3	Phenol-d6	35.0		10 - 134	23%	SPK: 150
4165-60-0	Nitrobenzene-d5	92.7		49 - 133	93%	SPK: 100
321-60-8	2-Fluorobiphenyl	90.8		52 - 132	91%	SPK: 100
118-79-6	2,4,6-Tribromophenol	136		44 - 137	91%	SPK: 150
1718-51-0	Terphenyl-d14	110		48 - 125	110%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	68600		6.845		
1146-65-2	Naphthalene-d8	271000		8.128		
15067-26-2	Acenaphthene-d10	167000		9.88		
1517-22-2	Phenanthrene-d10	332000		11.374		
1719-03-5	Chrysene-d12	167000		14.027		
1520-96-3	Perylene-d12	153000		15.51		
TENTATIVE IDENTIFIED COMPOUNDS						
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	2.20	A		5.07	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.		Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue		Date Received:	12/16/24
Client Sample ID:	EQUIP-BLANK-20241213		SDG No.:	P5291
Lab Sample ID:	P5291-11		Matrix:	Water
Analytical Method:	SW8270		% Solid:	0
Sample Wt/Vol:	970	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SVOCMS Group1
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140907.D	1	12/17/24 08:56	12/18/24 15:54	PB165682

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	P5291	OrderDate:	12/16/2024 10:45:00 AM
Client:	PARSONS Main of New York, Inc.	Project:	Con Edison Non-MGP - Atlantic Avenue
Contact:	Stephen Liberatore	Location:	L51,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5291-05	MW2-20241213	Water			12/13/24			12/16/24
			SVOCMS Group1	8270E		12/17/24	12/19/24	
P5291-05DL	MW2-20241213DL	Water			12/13/24			12/16/24
			SVOCMS Group1	8270E		12/17/24	12/23/24	
P5291-06	MW3-20241213	Water			12/13/24			12/16/24
			SVOCMS Group1	8270E		12/17/24	12/18/24	
P5291-06DL	MW3-20241213DL	Water			12/13/24			12/16/24
			SVOCMS Group1	8270E		12/17/24	12/19/24	
P5291-07	MW6-20241213	Water			12/13/24			12/16/24
			SVOCMS Group1	8270E		12/17/24	12/18/24	
P5291-10	MW6-20241213-A	Water			12/13/24			12/16/24
			SVOCMS Group1	8270E		12/17/24	12/18/24	
P5291-11	EQUIP-BLANK-20241213	Water			12/13/24			12/16/24
			SVOCMS Group1	8270E		12/17/24	12/18/24	
P5291-13	WC-20241213	TCLP			12/13/24			12/16/24
			TCLP BNA	8270E		12/18/24	12/19/24	