



TCLP EXTRACTION LOGPAGE

PB165680

SOP ID:

M1311-TCLP-15

SDG No:

N/A

Weigh By:

N/A

Balance ID:

N/A

pH Meter ID: **Extraction By:** WC PH METER-1

Filter By:

JP

Pippete ID: Tumbler ID:

N/A N/A

TCLP Filter ID: 114771

Start Prep Date: N/A

Time: N/A

End Prep Date : N/A

Time: N/A

Combination Ratio: N/A

ZHE Cleaning Batch: N/A

Initial Room Temperature: N/A

Final Room Temperature: N/A

TCLP Technician Signature:

Supervisor By:

Standared Name	MLS USED	STD REF. # FROM LOG	
N/A		SID KEP. # PROM LOG	
	N/A	N/A	_
N/A	N/A	N/A	
N/A	N/A	N/A	
N/A	N/A		
N/A		N/A	
	N/A	N/A	_

Chemical Used	ML/SAMPLE U	Lot Number
N/A	N/A	
N/A		N/A
	N/A	N/A
HNO3-TCLP,1N	N/A	WP110804
H Strips	N/A	
oH Strips		W1931,W1934,W2350,W2755
	N/A	W1937,W1938,W1939,W1940,W1941,W1942
Liter Amber	N/A	90424-08
20ml Plastic bottle	N/A	
:1 HNO3		405130101
1111103	N/A	MP83122

Extraction Conformance/Non-Conformance Comments:

Matrix spikes are added after fiftration and before preservation. p5291-13 is used for MS-MSD.

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
2118124 09130	70 ITCIP BUOM	5149. OL /FXL
	Preparation Group	Analysis Group



TCLP EXTRACTION LOGPAGE

PB165680

Sample 1D	ClientID	TCLP Vessel ID	Sample Wt (g)	Volume Extraction Fluid #1 (mL)	Multi phasic	Phase Miscible	Phases Combined	Final Leachate PH	Metals Leachate Adj. PH	Prep Pos
P5291-13	WC-20241213	N/A	N/A	N/A	N/A	N/A	N/A	6.6	1.5	N/A
PB165680TB	LEB680	N/A	N/A	N/A	N/A	N/A	N/A	4.94	1.0	N/A





SampleID	ClientID	Sample Weight (g)	Filter Weight (g)	Filtrate (mL)	Filter + Solid (After 100°C)	% solids	% Dry Solids
P5291-13	WC-20241213	N/A	N/A	N/A	N/A	<0.5	N/A
PB165680TB	LEB680	N/A	N/A	N/A	N/A		
			14/11	1 1V/A	I IV/A	N/A	N/A