

Report of Analysis

Client:	PARSONS Main of New York, Inc.		Date Collected:	12/13/24	
Project:	Con Edison Non-MGP - Atlantic Avenue		Date Received:	12/16/24	
Client Sample ID:	MW6-20241213-ADL		SDG No.:	P5291	
Lab Sample ID:	P5291-10DL		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085259.D	10		12/18/24 18:44	VN121824

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	2.10	UD	2.10	10.0	ug/L
74-87-3	Chloromethane	3.50	UD	3.50	10.0	ug/L
75-01-4	Vinyl Chloride	3.40	UD	3.40	10.0	ug/L
74-83-9	Bromomethane	13.6	UD	13.6	50.0	ug/L
75-00-3	Chloroethane	5.60	UD	5.60	10.0	ug/L
75-69-4	Trichlorofluoromethane	3.40	UD	3.40	10.0	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	2.50	UD	2.50	10.0	ug/L
75-35-4	1,1-Dichloroethene	2.60	UD	2.60	10.0	ug/L
67-64-1	Acetone	13.9	UD	13.9	50.0	ug/L
75-15-0	Carbon Disulfide	3.20	UD	3.20	10.0	ug/L
1634-04-4	Methyl tert-butyl Ether	9.90	JD	1.60	10.0	ug/L
79-20-9	Methyl Acetate	6.00	UD	6.00	10.0	ug/L
75-09-2	Methylene Chloride	3.20	UD	3.20	10.0	ug/L
156-60-5	trans-1,2-Dichloroethene	2.50	UD	2.50	10.0	ug/L
75-34-3	1,1-Dichloroethane	2.30	UD	2.30	10.0	ug/L
110-82-7	Cyclohexane	16.2	UD	16.2	50.0	ug/L
78-93-3	2-Butanone	13.0	UD	13.0	50.0	ug/L
56-23-5	Carbon Tetrachloride	2.50	UD	2.50	10.0	ug/L
156-59-2	cis-1,2-Dichloroethene	2.50	UD	2.50	10.0	ug/L
74-97-5	Bromochloromethane	1.80	UD	1.80	10.0	ug/L
67-66-3	Chloroform	2.60	UD	2.60	10.0	ug/L
71-55-6	1,1,1-Trichloroethane	1.90	UD	1.90	10.0	ug/L
108-87-2	Methylcyclohexane	22.3	D	1.90	10.0	ug/L
71-43-2	Benzene	380	D	1.60	10.0	ug/L
107-06-2	1,2-Dichloroethane	2.40	UD	2.40	10.0	ug/L
79-01-6	Trichloroethene	3.20	UD	3.20	10.0	ug/L
78-87-5	1,2-Dichloropropane	1.90	UD	1.90	10.0	ug/L
75-27-4	Bromodichloromethane	2.40	UD	2.40	10.0	ug/L
108-10-1	4-Methyl-2-Pentanone	7.50	UD	7.50	50.0	ug/L
108-88-3	Toluene	77.2	D	1.80	10.0	ug/L

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue	Date Received:	12/16/24
Client Sample ID:	MW6-20241213-ADL	SDG No.:	P5291
Lab Sample ID:	P5291-10DL	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085259.D	10		12/18/24 18:44	VN121824

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	2.10	UD	2.10	10.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.80	UD	1.80	10.0	ug/L
79-00-5	1,1,2-Trichloroethane	2.10	UD	2.10	10.0	ug/L
591-78-6	2-Hexanone	11.3	UDQ	11.3	50.0	ug/L
124-48-1	Dibromochloromethane	1.80	UD	1.80	10.0	ug/L
106-93-4	1,2-Dibromoethane	1.60	UD	1.60	10.0	ug/L
127-18-4	Tetrachloroethene	2.50	UD	2.50	10.0	ug/L
108-90-7	Chlorobenzene	1.30	UD	1.30	10.0	ug/L
100-41-4	Ethyl Benzene	130	D	1.60	10.0	ug/L
179601-23-1	m/p-Xylenes	350	D	3.10	20.0	ug/L
95-47-6	o-Xylene	110	D	1.40	10.0	ug/L
100-42-5	Styrene	1.60	UD	1.60	10.0	ug/L
75-25-2	Bromoform	2.10	UD	2.10	10.0	ug/L
98-82-8	Isopropylbenzene	5.50	JD	1.30	10.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	2.70	UD	2.70	10.0	ug/L
541-73-1	1,3-Dichlorobenzene	2.40	UD	2.40	10.0	ug/L
106-46-7	1,4-Dichlorobenzene	2.70	UD	2.70	10.0	ug/L
95-50-1	1,2-Dichlorobenzene	1.90	UD	1.90	10.0	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	4.60	UD	4.60	10.0	ug/L
120-82-1	1,2,4-Trichlorobenzene	4.20	UD	4.20	10.0	ug/L
87-61-6	1,2,3-Trichlorobenzene	5.10	UD	5.10	10.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.1		74 - 125	102%	SPK: 50
1868-53-7	Dibromofluoromethane	48.3		75 - 124	97%	SPK: 50
2037-26-5	Toluene-d8	48.7		86 - 113	97%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.9		77 - 121	94%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	96200	8.224			
540-36-3	1,4-Difluorobenzene	181000	9.1			
3114-55-4	Chlorobenzene-d5	157000	11.864			
3855-82-1	1,4-Dichlorobenzene-d4	70500	13.788			

Report of Analysis

Client:	PARSONS Main of New York, Inc.			Date Collected:	12/13/24
Project:	Con Edison Non-MGP - Atlantic Avenue			Date Received:	12/16/24
Client Sample ID:	MW6-20241213-ADL			SDG No.:	P5291
Lab Sample ID:	P5291-10DL			Matrix:	Water
Analytical Method:	SW8260			% Solid:	0
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000 uL
Soil Aliquot Vol:			uL	Test:	VOCMS Group1
GC Column:	RXI-624	ID :	0.25	Level :	LOW
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085259.D	10		12/18/24 18:44	VN121824

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products