



SHIPPING DOCUMENTS

No: 3-121024-132430-0018

Cooler #:

Lab: Alliance Technical Group

Lab Phone: 908-789-8900

in Germany
—HS

-3.1

-7.1

-7.5


SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
	Bob Bentz	12/12/24 0739		12-13-24 ¹⁰⁰⁰	

Client Contact Information				Bottle Order ID : B2409035				Courier :				_____ of _____ COCs							
Client ID : TETR16 Project ID : R36671				Sampler Name(s) :				Analysis				Matrix							
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified				TO-15 Indoor/Ambient Air Soil Gas							
				Phone Number : 302-738-7551															
				Fax Number : 302-454-5980															
				Site Details:															
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :											
Rush (Specify): Days				EDD Type :															
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID					
	12/10/24	0932	0936	-30	-2	68°F	56°F	-30	-3.1	10713	10604	6 L	4.16	VL041543.D	X			X	
ACVI-IA-03	Temperature (Fahrenheit)									GC/MS Analyst Signature (TO-15)									
		Ambient	Maximum	Minimum															
	Start																		
	Stop																		
	Pressure (Inches of Hg)									** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
	Start																		
	Stop																		
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings:																			
Sampling site (State):																			
Quick Connector required :																			
Canisters Shipped by:				Date/Time: 11/25/24				Canisters Received by:				Date/Time: 12-13-24 1000				B2409035 - 17			
Samples Relinquished by:				Date/Time: 12/12/24 0723				Received by:				Date/Time:							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

Client Contact Information				Bottle Order ID : B2409035				Courier :				_____ of _____ COCs													
Client ID : TETR16 Project ID : R36671				Sampler Name(s) :				Analysis				Matrix													
Customer Tetra Tech, EMI Name : Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified				TO-15 Indoor/Ambient Air Soil Gas													
				Phone Number : 302-738-7551																					
				Fax Number : 302-454-5980																					
				Site Details:																					
Analysis Turnaround Time				Data Package Type :																					
Standard : 10 business days OR				Rush (Specify): _____ Days				EDD Type :																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID												
ACVI-DA-03-D	12/10/24	0941	0930	-30	-5	68°F	56°F	-30	-7.1	10203	10153	6 L	4.16	VL041615.D	X			X							
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> GC/MS Analyst Signature (TO-15)											Ambient	Maximum	Minimum	Start				Stop							
	Ambient	Maximum	Minimum																						
Start																									
Stop																									
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> ** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.											Ambient	Maximum	Minimum	Start				Stop							
	Ambient	Maximum	Minimum																						
Start																									
Stop																									
Special Instructions/QC Requirements & Comments :																									
Suspected Contamination: High Medium Low PID Readings:																									
Sampling site (State): WV																									
Quick Connector required : NO																									
Canisters Shipped by: Sam				Date/Time: 11/25/24				Canisters Received by: [Signature]				Date/Time: 12-13-24 1000				B2409035 - 2									
Samples Relinquished by: [Signature]				Date/Time: 12/12/24 0723				Received by: [Signature]				Date/Time:													
Relinquished by:				Date/Time:				Received by:				Date/Time:													

Client Contact Information						Bottle Order ID : 82409035				Courier :				_____ of _____ COCs																	
Client ID : TETR16 Project ID : R36671						Sampler Name(s) :				Analysis				Matrix																	
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :						Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified																					
						Phone Number : 302-738-7551																									
						Fax Number : 302-454-5980																									
						Site Details:																									
						Analysis Turnaround Time																									
Standard : 10 business days OR						Data Package Type :																									
Rush (Specify): _____ Days						EDD Type :																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas											
9255-JA-4-20241210	12/10/24	12/18	12/18	-30	-3	67°F	67°F	-30	-7.5	10206	10258	6 L	4.16	VL041664.D	X				X												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) [Signature]									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Special Instructions/QC Requirements & Comments :																															
Suspected Contamination: High Medium Low PID Readings:																															
Sampling site (State): NJ																															
Quick Connector required : NO																															
Canisters Shipped by: Sam					Date/Time: 11/25/24					Canisters Received by: [Signature]					Date/Time: 12-23-24 1000																
Samples Relinquished by: [Signature]					Date/Time: 12/12/24 0723					Received by: [Signature]					Date/Time:																
Relinquished by:					Date/Time:					Received by:					Date/Time:																

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: Supervisor Signature: 

METHOD: TO-15

Pressure Gauge ID: A2-55971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
11/04/24	P4696-01	10295	11.8	-5.9				sy
"	P4696-02	10283	13.6	-2.2				sy
11/18/24	P4911-01	10279	12.2	-5.1				sy
"	P4911-02	10315	12.4	-4.7				↓
12/5/24	P5150-01	10443	12.0	-5.5				sy
↓	P5150-02	10605	11.8	-5.9				↓
	P5150-03	10060	11.8	-5.9				↓
	P5150-04	10445	11.0	-7.5				↓
	P5150-05	10609	11.4	-6.7				↓
↓	P5150-06	10597	12.8	-3.9				↓
12/13/24	P5292-01	10606	13.2	-3.5				sy
	P5292-02	10300	9.6	-10.4				↓
	P5293-01	10604	13.2	-3.1				↓
	P5293-02	10153	11.2	-7.1				↓
	P5293-03	10258	11.0	-7.5				↓
	P5294-01	10054	11.8	-5.9				↓
	P5294-02	10401	11.0	-7.5				↓
	P5294-03	10197	13.0	-3.5				↓
	P5295-01	10329	10.8	-8.0				↓
	P5295-02	10601	10.8	-8.0				↓
↓	P5296-01	10326	11.0	-7.5				↓

10604 -3.1

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Date	By:

CLP Sample # C0AB9 Sample# ACV1-IA-03-20241210
 Date: 12/10/2024 09:32 6L Summa Canister
 Location: 826 20th St Matrix Air
 Analyses: VOCs (TO-15)
 Preservation: None
Tag: 1019
 Das# R36671 TAT 21 Days
 Storage Location: Air Lab
 Sample: P5293-01
 Cust #: C0AB9

B2409035

10153 -7.1

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Date	By:

CLP Sample # C0AC0 Sample# ACV1-IA-03D-20241210
 Date: 12/10/2024 09:41 6L Summa Canister
 Location: 826 20th St Matrix Air
 Analyses: VOCs (TO-15)
 Preservation: None
Tag: 1020
 Das# R36671 TAT 21 Days
 Storage Location: Air Lab
 Sample: P5293-02
 Cust #: C0AC0

B2409035

19258

CHEMTECH
 284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

Client Sample ID #: _____
 Client Name: _____
 Project Name: _____
 Date: _____
 Analysis: _____
 Comments: _____

CHEMTECH'S
 Date Received: _____

CLP Sample # C0AC1 Sample
 Date: 12/10/2024 12:18 6L Summa
 Location: 1933 artisan ave apt M
 Analyses: VOCs (TO-15)
 Preservation: None
Tag: 1021
 Das# R36671 TAT 21 Days

Storage Location: Air Lab
 Sample: P5293-03
 Cust #: C0AC1

B2409035



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

New Jersey Department of Environmental Protection
Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample			
Laboratory: Chemtech	Location: 284 Sheffield Street, Mountainside, NJ 7092		
QA68 :	Title: Sample Custodian		
Field Sample Seal No.: P5293	Date Broken 12/13/2024		Military Time Seal Broken: 10:00:00
Case No.: R36719	Analytical Parameter/Fraction ID-15		

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
P5293-01	C0AB9		
P5293-02	C0AC0		
P5293-03	C0AC1		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
12-16-24	11:15 AM	Signature Printed Name <i>Christina Peric</i>	Signature Printed Name <i>Samuel Rodriguez</i>	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy