



SHIPPING DOCUMENTS

P5294

USEPA Lab Copy

DateShipped: 12/12/2024

CarrierName: FedEx

AirbillNo: 770554876381

CHAIN OF CUSTODY RECORD

Site #: B3DA

DAS #: R36719

No: 3-121024-132100-0016

Cooler #:

Lab: Alliance Technical Group

Lab Phone: 908-789-8900

Lab #	Sample #	Location	CLP Sample #	Analyses	TAT	TAT Units	Matrix	Number	Container	Preservative	Pump #	Orifice ID	Start Pressure	Stop Pressure	Start Date	Start Time	Stop Date	Stop Time
	ACVI-AA01-20241210	Firestation	C0AB6	VOCs (TO-15)	21	Days	Air	1	6L Summa Canister	None	10054	10567	-30	-7	12/10/2024	10:10:00 AM	12/11/2024	8:29:00 AM
	ACVI-IA-01-20241210	HHG Conference	C0AB7	VOCs (TO-15)	21	Days	Air	1	6L Summa Canister	None	10401	10520	-30	-7	12/10/2024	8:45:00 AM	12/11/2024	8:45:00 AM
	ACVI-IA-02-20241210	HHG Office	C0AB8	VOCs (TO-15)	21	Days	Air	1	6L Summa Canister	None	10197	10482	-30	-3	12/10/2024	8:58:00 AM	12/11/2024	8:58:00 AM

1 in Canister - Hg

- 5.9

- 7.5


- 3.5

Special Instructions:	SAMPLES TRANSFERRED FROM CHAIN OF CUSTODY #
-----------------------	---


Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
	Bob Bentz	12/12/2024 0755		12-13-24 ¹⁰⁰⁰	

Client Contact Information				Bottle Order ID : B2409035				Courier :				_____ of _____ COCs																	
Client ID : TETR16 Project ID : R36671				Sampler Name(s) :				Analysis				Matrix																	
Customer Tetra Tech, EMI Name : Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified				TO-15 Indoor/Ambient Air Soil Gas																	
				Phone Number : 302-738-7551																									
				Fax Number : 302-454-5980																									
				Site Details:																									
Analysis Turnaround Time				Data Package Type :																									
Standard : 10 business days OR				Rush (Specify): Days				EDD Type :																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Outdoor Temp. (F) (Start)	Indoor Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID																
ACVI-AA-01	12/19/24	1010	0829	-30	<7	52°F	32°	-30	-5-9	10567	10054	6 L	4.16	VL041545.D	X		X												
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State): NJ																													
Quick Connector required : NO																													
Canisters Shipped by: Sam				Date/Time: 11/25/24				Canisters Received by: 				Date/Time: 12-13-24 1025																	
Samples Relinquished by: B. B. (1)				Date/Time: 12/12/24 0634				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

Client Contact Information				Bottle Order ID : B2409035				Courier :				_____ of _____ COCs																	
Client ID : TETR16 Project ID : R36671				Sampler Name(s) :				Analysis				Matrix																	
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified				TO-15 Indoor/Ambient Air Soil Gas																	
				Phone Number : 302-738-7551																									
				Fax Number : 302-454-5980																									
				Site Details:																									
Analysis Turnaround Time				Data Package Type :																									
Standard : 10 business days OR				Rush (Specify): Days				EDD Type :																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID															
ACVS-JA-01-120241210	12/19/24	0845	0845	-30	-7	72°F	72°F	-30	-75	10520	10401	6 L	4.16	VL041614.D	X			X											
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> GC/MS Analyst Signature (TO-15)											Ambient	Maximum	Minimum	Start				Stop											
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> ** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.											Ambient	Maximum	Minimum	Start				Stop											
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State): NJ																													
Quick Connector required : No																													
Canisters Shipped by: Sam				Date/Time: 12/25/24				Canisters Received by: [Signature]				Date/Time: 12-13-24 1000				B2409035 - 12													
Samples Relinquished by: Bob B				Date/Time: 12/21/24 0639				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	



Client Contact Information						Bottle Order ID : B2409035							Courier :								
Client ID : TETR16 Project ID : R36671						Sampler Name(s) :								Analysis		Matrix					
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :						Project Manager : AVA HEISS							AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified								
						Phone Number : 302-738-7551															
						Fax Number : 302-454-5980															
						Site Details:															
Analysis Turnaround Time																					
Standard : 10 business days OR						Data Package Type :															
Rush (Specify): Days						EDD Type :															
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15					Indoor/Ambinet Air	Soil Gas
ALVI-SS-02-20241215	12/10/24	0856	0954	-29	-4	72	73.6	-30	-3.5	10482	10197	6 L	4.16	VL041612.D	X					X	
										GC/MS Analyst Signature (TO-15) [Signature]											
Temperature (Fahrenheit)																					
		Ambient	Maximum	Minimum																	
Start																					
Stop																					
										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.											
Pressure (Inches of Hg)																					
		Ambient	Maximum	Minimum																	
Start																					
Stop																					
Special Instructions/QC Requirements & Comments :																					
Suspected Contamination: High Medium Low PID Readings:																					
Sampling site (State):																					
Quick Connector required : NO																					
Canisters Shipped by: Sam				Date/Time: 11/25/24				Canisters Received by: [Signature]				Date/Time: 12-19-24				1000					
Samples Relinquished by: [Signature]				Date/Time: 12/12/24 0701				Received by: [Signature]				Date/Time:				B2409035 - 3					
Relinquished by:				Date/Time:				Received by:				Date/Time:									

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: Supervisor Signature: 

METHOD: TO-15

Pressure Gauge ID: A2-55971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
11/04/24	P4696-01	10295	11.8	-5.9				sy
"	P4696-02	10283	13.6	-2.2				sy
11/18/24	P4911-01	10279	12.2	-5.1				sy
"	P4911-02	10315	12.4	-4.7				↓
12/5/24	P5150-01	10443	12.0	-5.5				sy
↓	P5150-02	10605	11.8	-5.9				↓
	P5150-03	10060	11.8	-5.9				↓
	P5150-04	10445	11.0	-7.5				↓
	P5150-05	10609	11.4	-6.7				↓
↓	P5150-06	10597	12.8	-3.9				↓
12/13/24	P5292-01	10606	13.2	-3.5				sy
↓	P5292-02	10300	9.6	-10.4				↓
	P5293-01	10604	13.2	-3.1				↓
	P5293-02	10153	11.2	-7.1				↓
	P5293-03	10258	11.0	-7.5				↓
	P5294-01	10054	11.8	-5.9				↓
	P5294-02	10401	11.0	-7.5				↓
	P5294-03	10197	13.0	-3.5				↓
	P5295-01	10329	10.8	-8.0				↓
	P5295-02	10601	10.8	-8.0				↓
↓	P5296-01	10326	11.0	-7.5				↓

10054

5.9

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Date	By:

CLP Sample # C0AB6 Sample# ACVT-AA01-20241210

Date: 12/10/2024 10:10 6L Summa Canister

Location: Firestation Matrix Air

Analyses: VOCs (TO-15)

Preservation: None

Tag: 1016

Das# R36671 TAT 21 Days

Storage Location: Air Lab

Sample: P5294-01

Cust #: C0AB6

e vapors into

10401

25

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Date	By:

CLP Sample # C0AB7 Sample# ACVT-IA-01-20241210

Date: 12/10/2024 08:45 6L Summa Canister

Location: HHG Conference Matrix Air

Analyses: VOCs (TO-15)

Preservation: None

Tag: 1017

Das# R36671 TAT 21 Days

Storage Location: Air Lab

Sample: P5294-02

Cust #: C0AB7

10197

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Date	By:

CLP Sample # C0AB8 Sample# ACVT-IA-02-20241210

Date: 12/10/2024 08:58 6L Summa Canister

Location: HHG Office Matrix Air

Analyses: VOCs (TO-15)

Preservation: None

Tag: 1018

Das# R36671 TAT 21 Days

Cust: C0AB8

Sample: P5294-03

Storage Location: Air Lab

62409035



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

~~QA/QC~~:

Title: Sample Custodian


Field Sample Seal No.: P5294

Date Broken: 12/16/2024 12/13/2024 Primary Time Seal Broken: 10:00:00

Case No.: R36719

Analytical Parameter/Fraction: TO-15

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
P5294-01	C0AB6		
P5294-02	C0AB7		
P5294-03	C0AB8		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
12-16-24	14:40	Signature 	Signature 	
		Printed Name <u>Catherine Puri</u>	Printed Name <u>Sample Custodian</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy