



SHIPPING DOCUMENTS

AirbillNo: 770401488756

CHAIN OF CUSTODY RECORD

Site #: B3DA

DAS #: R36719

No: 3-121024-132433-0019

Cooler #:


Lab: Alliance Technical Group


Lab Phone: 908-789-8900

[illegible]

Special Instructions:

SAMPLES TRANSFERRED FROM	
CHAIN OF CUSTODY #	

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
	Bob Bantz	12/12/24 0723		12-13-24 ¹⁰⁰⁰	



Client Contact Information				Bottle Order ID : B2409035				Courier :				_____ of _____ COCs																		
Client ID : TETR16				Project ID : R36671				Sampler Name(s) :				Analysis		Matrix																
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified																						
				Phone Number : 302-738-7551																										
				Fax Number : 302-454-5980																										
				Site Details:																										
				Analysis Turnaround Time				Data Package Type :																						
				Standard : 10 business days OR				EDD Type :																						
Rush (Specify): _____ Days																														
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15		Indoor/Ambient Air	Soil Gas												
ACVI-IA 05	12/10/24	1150	1223 1150 1200	-30	-1	68°F	68°F	-30	-75	10508	10326	6 L	4.16	VL041651.D	X		X													
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 								
	Ambient	Maximum	Minimum																											
Start																														
Stop																														
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.								
	Ambient	Maximum	Minimum																											
Start																														
Stop																														
Special Instructions/QC Requirements & Comments :																														
Suspected Contamination: High Medium Low PID Readings:																														
Sampling site (State):																														
Quick Connector required : NO																														
Canisters Shipped by: Cam				Date/Time: 12/25/24				Canisters Received by: 				Date/Time: 12-13-24				1000														
Samples Relinquished by: wt				Date/Time: 12/12/24 0701				Received by:				Date/Time:																		
Relinquished by:				Date/Time:				Received by:				Date/Time:																		


Client Contact Information						Bottle Order ID : B2409035				Courier :				_____ of _____ COCs																	
Client ID : TETR16 Project ID : R36671						Sampler Name(s) :				Analysis				Matrix																	
Customer Name : Tetra Tech, EMI Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :						Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified				Indoor/Ambient Air Soil Gas																	
						Phone Number : 302-738-7551																									
						Fax Number : 302-454-5980																									
						Site Details:																									
Analysis Turnaround Time						Standard : 10 business days OR				Data Package Type :																					
Rush (Specify): _____ Days						EDD Type :																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15																
POI-5501 20241210	12/10/24	0842	0842	-38	-7	72°F	73°F	-30	-8.0	10110	10448	6 L	4.16	VL041538.D	✓					✓											
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> GC/MS Analyst Signature (TO-15)											Ambient	Maximum	Minimum	Start				Stop													
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> ** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.											Ambient	Maximum	Minimum	Start				Stop													
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Special Instructions/QC Requirements & Comments :																															
Suspected Contamination: High Medium Low PID Readings:																															
Sampling site (State):																															
Quick Connector required : NO																															
Canisters Shipped by: Sam						Date/Time: 11/25/24				Canisters Received by:				Date/Time: 12-13-24 1000																	
Samples Relinquished by:						Date/Time: 12/12/24 0701				Received by:				Date/Time:																	
Relinquished by:						Date/Time:				Received by:				Date/Time:																	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

CHEMTECH Project No. : _____

Client Contact Information				Bottle Order ID : B2409035				Courier :				_____ of _____ COCs									
Client ID : TETR16 Project ID : R36671				Sampler Name(s) :				Analysis				Matrix									
Customer Tetra Tech, EMI Name : Address : 240 Continental Drive, Suite 200 City : Newark State : DE Zip Code : 19713 Country :				Project Manager : AVA HEISS				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified													
				Phone Number : 302-738-7551																	
				Fax Number : 302-454-5980																	
				Site Details:																	
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :													
Rush (Specify): _____ Days				EDD Type :																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15					Indoor/Ambient Air	Soil Gas
ACVI-IA-02	12/10/24	0858	0858	-30	53	72°F	72°F	-30	-8.0	10101	10320	6 L	4.16	VL041645.D	X					X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 											
		Ambient	Maximum	Minimum																	
Start																					
Stop																					
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.											
		Ambient	Maximum	Minimum																	
Start																					
Stop																					
Special Instructions/QC Requirements & Comments :																					
Suspected Contamination: High Medium Low PID Readings:																					
Sampling site (State): WV																					
Quick Connector required : No																					
Canisters Shipped by: Sam				Date/Time: 11/25/24				Canisters Received by: 				Date/Time: 12-13-24 1000				B2409035 - 8					
Samples Relinquished by: 				Date/Time: 12/12/24 0934				Received by: 				Date/Time:									
Relinquished by:				Date/Time:				Received by:				Date/Time:									

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: Supervisor Signature: 

METHOD: TO-15

Pressure Gauge ID: A2-55971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
11/04/24	P4696-01	10295	11.8	-5.9				sy
"	P4696-02	10283	13.6	-2.2				sy
11/18/24	P4911-01	10279	12.2	-5.1				sy
"	P4911-02	10315	12.4	-4.7				↓
12/5/24	P5150-01	10443	12.0	-5.5				sy
↓	P5150-02	10605	11.8	-5.9				↓
	P5150-03	10060	11.8	-5.9				↓
	P5150-04	10445	11.0	-7.5				↓
	P5150-05	10609	11.4	-6.7				↓
↓	P5150-06	10597	12.8	-3.9				↓
12/13/24	P5292-01	10606	13.2	-3.5				sy
	P5292-02	10300	9.6	-10.4				↓
	P5293-01	10604	13.2	-3.1				↓
	P5293-02	10153	11.2	-7.1				↓
	P5293-03	10258	11.0	-7.5				↓
	P5294-01	10054	11.8	-5.9				↓
	P5294-02	10401	11.0	-7.5				↓
	P5294-03	10197	13.0	-3.5				↓
	P5295-01	10329	10.8	-8.0				↓
	P5295-02	10601	10.8	-8.0				↓
↓	P5296-01	10326	11.0	-7.5				↓

AIR SAMPLE PRESSURE & DILUTION LOGBOOK

Analyst Signature:

Supervisor Signature:

METHOD: TO-15

Pressure Gauge ID: _____

[illegible]

10326 -75

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data	By:

into

CLP Sample # C0AC2 Sample# ACVT-IA-05-20241210
 Date: 12/10/2024 11:50 6L Summa Canister
 Location: 1933 Artisan Ave Office Matrix Air
 Analyses: VOCs (TO-15)
 Preservation: None
Tag: 1022
 Das# R36671 TAT 21 Days

Storage Location: Air Lab
Sample: P5296-01
Cust #: C0AC2

62409035

10448 -80

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data	By:

into

CLP Sample # C0AC3 Sample# ACVT-SS-01-20241210
 Date: 12/10/2024 08:42 6L Summa Canister
 Location: HHG Conference Matrix Air
 Analyses: VOCs (TO-15)
 Preservation: None
Tag: 1023
 Das# R36671 TAT 21 Days

Storage Location: Air Lab
Sample: P5296-02
Cust #: C0AC3

62409035

10328 -80

Initial Vacuum (Hg)	Final Vacuum (Hg/PSI)	Data	By:

into

CLP Sample # C0AC4 Sample# ACVT-SS-02-20241210
 Date: 12/10/2024 08:56 6L Summa Canister
 Location: HHG Office Matrix Air
 Analyses: VOCs (TO-15)
 Preservation: None
Tag: 1024
 Das# R36671 TAT 21 Days

Storage Location: Air Lab
Sample: P5296-03
Cust #: C0AC4

62409035



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

New Jersey Department of Environmental Protection

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample			
Laboratory: <u>Chemtech</u>		Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u>	
NA662		Title: <u>Sample Custodian</u>	
Field Sample Seal No. <u>P5296</u>		Date Broken <u>12/13/2024</u>	
Case No.: <u>R36719</u>		Military Time Seal Broken: <u>10:00:00</u>	
		Analytical Parameter/Fraction <u>TO-15</u>	

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
P5296-01	C0AC2		
P5296-02	C0AC3		
P5296-03	C0AC4		

Date	Time	Relinquished By		Received By		Purpose of Change of Custody
12-10-24	14:40	Signature		Signature		
		Printed Name	<u>Contractor</u>	Printed Name	<u>Sample Custodian</u>	
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy