

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL121824\
 Data File : PL093415.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Dec 2024 14:24
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 19 04:27:15 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112524.M
 Quant Title : GC Extractables
 QLast Update : Mon Nov 25 15:18:43 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.541	2.776	138.1E6	160.0E6	53.144	55.474
28)	SA Decachlor...	9.058	7.914	100.6E6	164.2E6	57.885	57.466
Target Compounds							
2)	A alpha-BHC	3.997	3.279	192.9E6	243.3E6	54.057	56.985
3)	MA gamma-BHC...	4.329	3.609	182.2E6	236.0E6	53.918	57.011
4)	MA Heptachlor	4.918	3.947	161.3E6	229.6E6	52.777	56.742
5)	MB Aldrin	5.259	4.227	158.7E6	225.5E6	52.761	56.672
6)	B beta-BHC	4.527	3.909	78989177	97980879	52.320	55.080
7)	B delta-BHC	4.774	4.138	172.2E6	237.4E6	52.052	55.651
8)	B Heptachlo...	5.685	4.730	144.3E6	204.9E6	51.954	56.270
9)	A Endosulfan I	6.071	5.099	127.6E6	170.2E6	52.438	50.907
10)	B gamma-Chl...	5.942	4.980	135.8E6	207.9E6	52.708	56.106
11)	B alpha-Chl...	6.021	5.043	136.1E6	204.7E6	52.536	56.396
12)	B 4,4'-DDE	6.195	5.232	123.7E6	201.4E6	52.891	56.251
13)	MA Dieldrin	6.347	5.364	134.9E6	209.9E6	52.614	56.948
14)	MA Endrin	6.576	5.639	123.7E6	186.1E6	58.993	58.342
15)	B Endosulfa...	6.796	5.934	115.8E6	181.3E6	53.095	57.225
16)	A 4,4'-DDD	6.712	5.787	99538303	159.8E6	54.325	56.988
17)	MA 4,4'-DDT	7.026	6.037	105.0E6	171.0E6	54.443	57.720
18)	B Endrin al...	6.926	6.113	95456162	144.4E6	52.837	55.053
19)	B Endosulfa...	7.161	6.337	109.9E6	170.9E6	53.015	56.225
20)	A Methoxychlor	7.502	6.612	57843346	89876338	55.359	58.860
21)	B Endrin ke...	7.646	6.842	123.2E6	195.0E6	54.293	58.092
22)	Mirex	8.119	7.022	99771159	157.7E6	55.237	58.702
23)	Chlordane-1	0.000	3.770	0	61218	N.D.	0.527 #
24)	Chlordane-2	0.000	4.366f	0	7283741	N.D.	54.358 #
25)	Chlordane-3	5.942	4.980	135.8E6	207.9E6	356.203	517.348 #
26)	Chlordane-4	6.021	5.043	136.1E6	204.7E6	292.851	524.886 #
27)	Chlordane-5	0.000	5.934	0	181.3E6	N.D.	1323.450 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL121824\
Data File : PL093415.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Dec 2024 14:24
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 19 04:27:15 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112524.M
Quant Title : GC Extractables
QLast Update : Mon Nov 25 15:18:43 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.541 min
Delta R.T.: 0.005 min
Response: 138118987
Conc: 53.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.776 min
Delta R.T.: 0.002 min
Response: 159989356
Conc: 55.47 ng/ml




#2 alpha-BHC

R.T.: 3.997 min
Delta R.T.: 0.005 min
Response: 192899418
Conc: 54.06 ng/ml



#2 alpha-BHC


R.T.: 3.279 min
Delta R.T.: 0.002 min
Response: 243294028
Conc: 56.99 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.329 min
Delta R.T.: 0.004 min
Response: 182170002
Conc: 53.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.609 min
Delta R.T.: 0.003 min
Response: 236010757
Conc: 57.01 ng/ml




#4 Heptachlor

R.T.: 4.918 min
Delta R.T.: 0.005 min
Response: 161292984
Conc: 52.78 ng/ml



#4 Heptachlor


R.T.: 3.947 min
Delta R.T.: 0.002 min
Response: 229551706
Conc: 56.74 ng/ml



#5 Aldrin


R.T.: 5.259 min
Delta R.T.: 0.004 min
Response: 158659773
Conc: 52.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.227 min
Delta R.T.: 0.002 min
Response: 225489805
Conc: 56.67 ng/ml




#6 beta-BHC

R.T.: 4.527 min
Delta R.T.: 0.004 min
Response: 78989177
Conc: 52.32 ng/ml



#6 beta-BHC


R.T.: 3.909 min
Delta R.T.: 0.002 min
Response: 97980879
Conc: 55.08 ng/ml



#7 delta-BHC


R.T.: 4.774 min
Delta R.T.: 0.005 min
Response: 172220553
Conc: 52.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.138 min
Delta R.T.: 0.002 min
Response: 237433534
Conc: 55.65 ng/ml




#8 Heptachlor epoxide

R.T.: 5.685 min
Delta R.T.: 0.004 min
Response: 144260856
Conc: 51.95 ng/ml



#8 Heptachlor epoxide


R.T.: 4.730 min
Delta R.T.: 0.002 min
Response: 204946286
Conc: 56.27 ng/ml



#9 Endosulfan I


R.T.: 6.071 min
Delta R.T.: 0.004 min
Response: 127643598
Conc: 52.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.099 min
Delta R.T.: 0.002 min
Response: 170181500
Conc: 50.91 ng/ml




#10 gamma-Chlordane

R.T.: 5.942 min
Delta R.T.: 0.004 min
Response: 135792738
Conc: 52.71 ng/ml



#10 gamma-Chlordane


R.T.: 4.980 min
Delta R.T.: 0.002 min
Response: 207877770
Conc: 56.11 ng/ml



#11 alpha-Chlordane


R.T.: 6.021 min
Delta R.T.: 0.004 min
Response: 136124261
Conc: 52.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.043 min
Delta R.T.: 0.002 min
Response: 204732445
Conc: 56.40 ng/ml




#12 4,4'-DDE

R.T.: 6.195 min
Delta R.T.: 0.004 min
Response: 123728383
Conc: 52.89 ng/ml



#12 4,4'-DDE


R.T.: 5.232 min
Delta R.T.: 0.001 min
Response: 201380428
Conc: 56.25 ng/ml



#13 Dieldrin


R.T.: 6.347 min
Delta R.T.: 0.005 min
Response: 134858733
Conc: 52.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.364 min
Delta R.T.: 0.002 min
Response: 209882100
Conc: 56.95 ng/ml




#14 Endrin

R.T.: 6.576 min
Delta R.T.: 0.005 min
Response: 123735640
Conc: 58.99 ng/ml



#14 Endrin


R.T.: 5.639 min
Delta R.T.: 0.002 min
Response: 186069252
Conc: 58.34 ng/ml



#15 Endosulfan II


R.T.: 6.796 min
Delta R.T.: 0.004 min
Response: 115773458
Conc: 53.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.934 min
Delta R.T.: 0.002 min
Response: 181345069
Conc: 57.22 ng/ml




#16 4,4'-DDD

R.T.: 6.712 min
Delta R.T.: 0.004 min
Response: 99538303
Conc: 54.32 ng/ml



#16 4,4'-DDD


R.T.: 5.787 min
Delta R.T.: 0.002 min
Response: 159762508
Conc: 56.99 ng/ml



#17 4,4'-DDT


R.T.: 7.026 min
Delta R.T.: 0.004 min
Response: 104957340
Conc: 54.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.037 min
Delta R.T.: 0.002 min
Response: 170954695
Conc: 57.72 ng/ml




#18 Endrin aldehyde

R.T.: 6.926 min
Delta R.T.: 0.005 min
Response: 95456162
Conc: 52.84 ng/ml



#18 Endrin aldehyde


R.T.: 6.113 min
Delta R.T.: 0.002 min
Response: 144368286
Conc: 55.05 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.161 min
Delta R.T.: 0.005 min
Response: 109882419
Conc: 53.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.337 min
Delta R.T.: 0.002 min
Response: 170905433
Conc: 56.23 ng/ml




#20 Methoxychlor

R.T.: 7.502 min
Delta R.T.: 0.004 min
Response: 57843346
Conc: 55.36 ng/ml



#20 Methoxychlor


R.T.: 6.612 min
Delta R.T.: 0.002 min
Response: 89876338
Conc: 58.86 ng/ml



#21 Endrin ketone


R.T.: 7.646 min
Delta R.T.: 0.005 min
Response: 123205303
Conc: 54.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.842 min
Delta R.T.: 0.003 min
Response: 195015710
Conc: 58.09 ng/ml




#22 Mirex

R.T.: 8.119 min
Delta R.T.: 0.004 min
Response: 99771159
Conc: 55.24 ng/ml



#22 Mirex


R.T.: 7.022 min
Delta R.T.: 0.002 min
Response: 157703869
Conc: 58.70 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.698 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.770 min
Delta R.T.: 0.000 min
Response: 61218
Conc: 0.53 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 5.228 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 4.366 min
Delta R.T.: 0.018 min
Response: 7283741
Conc: 54.36 ng/ml



#25 Chlordane-3


R.T.: 5.942 min
Delta R.T.: 0.003 min
Response: 135792738
Conc: 356.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 4.980 min
Delta R.T.: 0.002 min
Response: 207877770
Conc: 517.35 ng/ml




#26 Chlordane-4

R.T.: 6.021 min
Delta R.T.: 0.000 min
Response: 136124261
Conc: 292.85 ng/ml



#26 Chlordane-4


R.T.: 5.043 min
Delta R.T.: 0.003 min
Response: 204732445
Conc: 524.89 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.870 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.934 min
Delta R.T.: -0.002 min
Response: 181345069
Conc: 1323.45 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.058 min
Delta R.T.: 0.004 min
Response: 100634835
Conc: 57.88 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.914 min
Delta R.T.: 0.001 min
Response: 164150131
Conc: 57.47 ng/ml