

Report of Analysis

| | | | | | |
|--------------------|------------------------|----------|--------------------|------------|-----------|
| Client: | ATC Group Services LLC | | Date Collected: | 12/15/24 | |
| Project: | PS 152K - 2022SCA396 | | Date Received: | 12/17/24 | |
| Client Sample ID: | 9A-9B-9C-1907 | | SDG No.: | P5307 | |
| Lab Sample ID: | P5307-09 | | Matrix: | CAULK | |
| Analytical Method: | SW8082A | | % Solid: | 100 | Decanted: |
| Sample Wt/Vol: | 7.04 | Units: g | Final Vol: | 10000 | uL |
| Soil Aliquot Vol: | | uL | Test: | PCB Group1 | |
| Extraction Type: | | | Injection Volume : | | |
| GPC Factor : | 1.0 | PH : | | | |
| Prep Method : | SW3541B | | | | |

| | | | | |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PO108598.D | 1 | 12/17/24 11:55 | 12/17/24 19:24 | PB165696 |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|-------------------|----------------------|-------|-----------|----------|------------|---------|
| TARGETS | | | | | | |
| 12674-11-2 | Aroclor-1016 | 14.4 | U | 14.4 | 72.4 | ug/kg |
| 11104-28-2 | Aroclor-1221 | 27.3 | U | 27.3 | 72.4 | ug/kg |
| 11141-16-5 | Aroclor-1232 | 14.5 | U | 14.5 | 72.4 | ug/kg |
| 53469-21-9 | Aroclor-1242 | 14.4 | U | 14.4 | 72.4 | ug/kg |
| 12672-29-6 | Aroclor-1248 | 33.6 | U | 33.6 | 72.4 | ug/kg |
| 11097-69-1 | Aroclor-1254 | 132 | | 11.6 | 72.4 | ug/kg |
| 37324-23-5 | Aroclor-1262 | 19.5 | U | 19.5 | 72.4 | ug/kg |
| 11100-14-4 | Aroclor-1268 | 14.6 | U | 14.6 | 72.4 | ug/kg |
| 11096-82-5 | Aroclor-1260 | 12.4 | U | 12.4 | 72.4 | ug/kg |
| Total PCBs | Total PCBs | 132 | | 11.6 | 72.4 | ug/kg |
| SURROGATES | | | | | | |
| 877-09-8 | Tetrachloro-m-xylene | 19.1 | | 32 - 144 | 95% | SPK: 20 |
| 2051-24-3 | Decachlorobiphenyl | 16.1 | | 32 - 175 | 81% | SPK: 20 |

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit