

Report of Analysis

Client:	Tetra Tech NUS, Inc.		Date Collected:	
Project:	CTO WE13		Date Received:	
Client Sample ID:	VY1220SBS01		SDG No.:	P5316
Lab Sample ID:	VY1220SBS01		Matrix:	SOIL
Analytical Method:	SW8260		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group4
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020666.D	1		12/20/24 13:12	VY122024

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
75-01-4	Vinyl Chloride	15.8		0.77	2.50	5.00	ug/Kg
75-35-4	1,1-Dichloroethene	16.1		0.78	2.50	5.00	ug/Kg
67-64-1	Acetone	63.0		6.20	20.0	25.0	ug/Kg
1634-04-4	Methyl tert-butyl Ether	19.9		0.67	2.50	5.00	ug/Kg
75-09-2	Methylene Chloride	17.7		3.40	8.00	10.0	ug/Kg
156-60-5	trans-1,2-Dichloroethene	21.5		0.84	2.50	5.00	ug/Kg
75-34-3	1,1-Dichloroethane	21.4		0.63	2.50	5.00	ug/Kg
78-93-3	2-Butanone	91.7		5.70	20.0	25.0	ug/Kg
56-23-5	Carbon Tetrachloride	22.4		0.87	2.50	5.00	ug/Kg
156-59-2	cis-1,2-Dichloroethene	20.9		0.61	2.50	5.00	ug/Kg
67-66-3	Chloroform	19.1		0.67	4.00	5.00	ug/Kg
71-55-6	1,1,1-Trichloroethane	21.7		0.78	2.50	5.00	ug/Kg
71-43-2	Benzene	22.1		0.72	2.50	5.00	ug/Kg
107-06-2	1,2-Dichloroethane	21.0		0.61	2.50	5.00	ug/Kg
79-01-6	Trichloroethene	21.9		0.75	2.50	5.00	ug/Kg
108-88-3	Toluene	22.1		0.67	2.50	5.00	ug/Kg
127-18-4	Tetrachloroethene	21.9		0.89	2.50	5.00	ug/Kg
108-90-7	Chlorobenzene	22.3		0.74	2.50	5.00	ug/Kg
100-41-4	Ethyl Benzene	22.2		0.62	2.50	5.00	ug/Kg
1330-20-7	Total Xylenes	66.9		2.10	7.50	15.0	ug/Kg
103-65-1	n-propylbenzene	22.0		0.64	2.50	5.00	ug/Kg
98-06-6	tert-Butylbenzene	20.9		0.67	2.50	5.00	ug/Kg
95-63-6	1,2,4-Trimethylbenzene	24.5		1.40	2.50	5.00	ug/Kg
135-98-8	sec-Butylbenzene	21.8		0.67	2.50	5.00	ug/Kg
541-73-1	1,3-Dichlorobenzene	21.6		0.74	2.50	5.00	ug/Kg
106-46-7	1,4-Dichlorobenzene	21.6		0.80	2.50	5.00	ug/Kg
104-51-8	n-Butylbenzene	22.3		0.63	2.50	5.00	ug/Kg
95-50-1	1,2-Dichlorobenzene	21.5		0.59	2.50	5.00	ug/Kg
123-91-1	1,4-Dioxane	370		42.5	80.0	100	ug/Kg
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	43.1		71 - 136		86%	SPK: 50

Report of Analysis

Client:	Tetra Tech NUS, Inc.		Date Collected:	
Project:	CTO WE13		Date Received:	
Client Sample ID:	VY1220SBS01		SDG No.:	P5316
Lab Sample ID:	VY1220SBS01		Matrix:	SOIL
Analytical Method:	SW8260		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group4
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020666.D	1		12/20/24 13:12	VY122024

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
1868-53-7	Dibromofluoromethane	46.1		78 - 119		92%	SPK: 50
2037-26-5	Toluene-d8	46.6		85 - 116		93%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.2		79 - 119		88%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	157000	7.713				
540-36-3	1,4-Difluorobenzene	237000	8.615				
3114-55-4	Chlorobenzene-d5	208000	11.42				
3855-82-1	1,4-Dichlorobenzene-d4	117000	13.352				

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products