

Report of Analysis

Client:	Tetra Tech NUS, Inc.		Date Collected:	
Project:	CTO WE13		Date Received:	
Client Sample ID:	VY1226SBS01		SDG No.:	P5316
Lab Sample ID:	VY1226SBS01		Matrix:	SOIL
Analytical Method:	SW8260		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group4
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020716.D	1		12/26/24 14:54	VY122624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
75-01-4	Vinyl Chloride	18.1		0.77	2.50	5.00	ug/Kg
75-35-4	1,1-Dichloroethene	18.9		0.78	2.50	5.00	ug/Kg
67-64-1	Acetone	99.3		6.20	20.0	25.0	ug/Kg
1634-04-4	Methyl tert-butyl Ether	20.6		0.67	2.50	5.00	ug/Kg
75-09-2	Methylene Chloride	19.7		3.40	8.00	10.0	ug/Kg
156-60-5	trans-1,2-Dichloroethene	19.3		0.84	2.50	5.00	ug/Kg
75-34-3	1,1-Dichloroethane	20.0		0.63	2.50	5.00	ug/Kg
78-93-3	2-Butanone	110		5.70	20.0	25.0	ug/Kg
56-23-5	Carbon Tetrachloride	19.0		0.87	2.50	5.00	ug/Kg
156-59-2	cis-1,2-Dichloroethene	19.7		0.61	2.50	5.00	ug/Kg
67-66-3	Chloroform	19.9		0.67	4.00	5.00	ug/Kg
71-55-6	1,1,1-Trichloroethane	19.5		0.78	2.50	5.00	ug/Kg
71-43-2	Benzene	19.4		0.72	2.50	5.00	ug/Kg
107-06-2	1,2-Dichloroethane	19.5		0.61	2.50	5.00	ug/Kg
79-01-6	Trichloroethene	19.6		0.75	2.50	5.00	ug/Kg
108-88-3	Toluene	19.7		0.67	2.50	5.00	ug/Kg
127-18-4	Tetrachloroethene	19.4		0.89	2.50	5.00	ug/Kg
108-90-7	Chlorobenzene	20.1		0.74	2.50	5.00	ug/Kg
100-41-4	Ethyl Benzene	19.7		0.62	2.50	5.00	ug/Kg
1330-20-7	Total Xylenes	59.5		2.10	7.50	15.0	ug/Kg
103-65-1	n-propylbenzene	19.4		0.64	2.50	5.00	ug/Kg
98-06-6	tert-Butylbenzene	19.7		0.67	2.50	5.00	ug/Kg
95-63-6	1,2,4-Trimethylbenzene	19.7		1.40	2.50	5.00	ug/Kg
135-98-8	sec-Butylbenzene	19.5		0.67	2.50	5.00	ug/Kg
541-73-1	1,3-Dichlorobenzene	19.8		0.74	2.50	5.00	ug/Kg
106-46-7	1,4-Dichlorobenzene	19.4		0.80	2.50	5.00	ug/Kg
104-51-8	n-Butylbenzene	19.5		0.63	2.50	5.00	ug/Kg
95-50-1	1,2-Dichlorobenzene	20.0		0.59	2.50	5.00	ug/Kg
123-91-1	1,4-Dioxane	460		42.5	80.0	100	ug/Kg
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	57.3		71 - 136		115%	SPK: 50

Report of Analysis

Client:	Tetra Tech NUS, Inc.		Date Collected:	
Project:	CTO WE13		Date Received:	
Client Sample ID:	VY1226SBSD01		SDG No.:	P5316
Lab Sample ID:	VY1226SBSD01		Matrix:	SOIL
Analytical Method:	SW8260		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group4
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020716.D	1		12/26/24 14:54	VY122624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
1868-53-7	Dibromofluoromethane	53.2		78 - 119		106%	SPK: 50
2037-26-5	Toluene-d8	52.1		85 - 116		104%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.9		79 - 119		106%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	116000	7.713				
540-36-3	1,4-Difluorobenzene	164000	8.622				
3114-55-4	Chlorobenzene-d5	141000	11.42				
3855-82-1	1,4-Dichlorobenzene-d4	73700	13.353				

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products