

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121924\
 Data File : BN035764.D
 Acq On : 21 Dec 2024 04:34
 Operator : RC/JU
 Sample : PB165724BS
 Misc :
 ALS Vial : 55 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB165724BS

Quant Time: Dec 21 05:09:33 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN112724.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 19 23:06:19 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.271	152	2647	0.400	ng	0.00
7) Naphthalene-d8	10.009	136	6538	0.400	ng	-0.01
13) Acenaphthene-d10	13.924	164	3740	0.400	ng	-0.01
19) Phenanthrene-d10	16.698	188	6891	0.400	ng	# 0.00
29) Chrysene-d12	20.955	240	6144	0.400	ng	0.00
35) Perylene-d12	23.041	264	6576	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	4.939	112	2510	0.379	ng	0.00
5) Phenol-d6	6.484	99	2665	0.334	ng	0.00
8) Nitrobenzene-d5	8.407	82	2346	0.587	ng	0.00
11) 2-Methylnaphthalene-d10	11.615	152	5689	0.556	ng	0.00
14) 2,4,6-Tribromophenol	15.453	330	453	0.171	ng	0.00
15) 2-Fluorobiphenyl	12.538	172	6506	0.460	ng	0.00
27) Fluoranthene-d10	18.761	212	8504	0.435	ng	0.00
31) Terphenyl-d14	19.393	244	6077	0.501	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.981	88	1209	0.478	ng	# 64
3) n-Nitrosodimethylamine	3.270	42	1089	0.517	ng	# 97
6) bis(2-Chloroethyl)ether	6.722	93	2779	0.415	ng	99
9) Naphthalene	10.062	128	7464	0.433	ng	99
10) Hexachlorobutadiene	10.351	225	1928	0.485	ng	# 99
12) 2-Methylnaphthalene	11.691	142	4846	0.393	ng	97
16) Acenaphthylene	13.636	152	6779	0.432	ng	99
17) Acenaphthene	13.988	154	4529	0.434	ng	98
18) Fluorene	14.993	166	5492	0.368	ng	100
20) 4,6-Dinitro-2-methylph...	15.143	198	74	0.109	ng	# 1
21) 4-Bromophenyl-phenylether	15.916	248	1621	0.402	ng	# 92
22) Hexachlorobenzene	16.003	284	2441	0.516	ng	96
23) Atrazine	16.214	200	1272	0.443	ng	94
24) Pentachlorophenol	16.375	266	1192	0.579	ng	# 84
25) Phenanthrene	16.748	178	7957	0.420	ng	99
26) Anthracene	16.835	178	7046	0.412	ng	100
28) Fluoranthene	18.794	202	9671	0.379	ng	99
30) Pyrene	19.161	202	10032	0.442	ng	99
32) Benzo(a)anthracene	20.937	228	8148	0.379	ng	99
33) Chrysene	20.991	228	10584	0.478	ng	99
34) Bis(2-ethylhexyl)phtha...	20.902	149	3462	0.408	ng	# 99
36) Indeno(1,2,3-cd)pyrene	25.067	276	11390	0.443	ng	96
37) Benzo(b)fluoranthene	22.430	252	13899	0.578	ng	# 94
38) Benzo(k)fluoranthene	22.471	252	10950	0.462	ng	94
39) Benzo(a)pyrene	22.956	252	8888	0.449	ng	# 88
40) Dibenzo(a,h)anthracene	25.090	278	8351	0.412	ng	95
41) Benzo(g,h,i)perylene	25.678	276	9596	0.453	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed





#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.271 min Scan# 60
 Delta R.T. -0.001 min
 Lab File: BN035764.D
 Acq: 21 Dec 2024 04:34

Instrument :
 BNA_N
 ClientSampleId :
 PB165724BS






Tgt Ion:152 Resp: 2647
 Ion Ratio Lower Upper
 152 100
 150 150.4 124.0 186.0
 115 62.7 49.6 74.4



#2
 1,4-Dioxane
 Concen: 0.478 ng
 RT: 2.981 min Scan# 14
 Delta R.T. -0.000 min
 Lab File: BN035764.D
 Acq: 21 Dec 2024 04:34

Tgt Ion: 88 Resp: 1209
 Ion Ratio Lower Upper
 88 100
 43 69.2 17.2 25.8#
 58 63.2 44.5 66.7









#3
 n-Nitrosodimethylamine
 Concen: 0.517 ng
 RT: 3.270 min Scan# 54
 Delta R.T. -0.008 min
 Lab File: BN035764.D
 Acq: 21 Dec 2024 04:34




Instrument :
 BNA_N
 ClientSampleId :
 PB165724BS

Tgt Ion: 42 Resp: 1089
 Ion Ratio Lower Upper
 42 100
 74 159.0 124.9 187.3
 44 12.7 2.2 3.4#



#4
 2-Fluorophenol
 Concen: 0.379 ng
 RT: 4.939 min Scan# 285
 Delta R.T. -0.000 min
 Lab File: BN035764.D
 Acq: 21 Dec 2024 04:34

Tgt Ion: 112 Resp: 2510
 Ion Ratio Lower Upper
 112 100
 64 51.0 39.8 59.8
 63 27.8 21.0 31.6





#5

Phenol-d6

Concen: 0.334 ng

RT: 6.484 min Scan# 499

Delta R.T. -0.008 min

Lab File: BN035764.D

Acq: 21 Dec 2024 04:34

Instrument :

BNA_N

ClientSampleId :

PB165724BS





Tgt Ion: 99 Resp: 2665

Ion Ratio Lower Upper

99 100

42 14.2 11.4 17.2

71 36.9 29.3 43.9



#6

bis(2-Chloroethyl)ether

Concen: 0.415 ng

RT: 6.722 min Scan# 532

Delta R.T. -0.008 min

Lab File: BN035764.D

Acq: 21 Dec 2024 04:34




Tgt Ion: 93 Resp: 2779

Ion Ratio Lower Upper

93 100

63 61.9 50.4 75.6

95 32.0 25.7 38.5









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.009 min Scan# 915
Delta R.T. -0.011 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34




Instrument :
BNA_N
ClientSampleId :
PB165724BS

Tgt Ion:	136	Resp:	6538
Ion	Ratio	Lower	Upper
136	100		
137	12.2	10.2	15.2
54	6.9	6.1	9.1
68	7.3	6.4	9.6



#8
Nitrobenzene-d5
Concen: 0.587 ng
RT: 8.407 min Scan# 761
Delta R.T. -0.000 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34

Tgt Ion:	82	Resp:	2346
Ion	Ratio	Lower	Upper
82	100		
128	47.0	33.4	50.0
54	40.6	36.7	55.1









#9
Naphthalene
Concen: 0.433 ng
RT: 10.062 min Scan# 916
Delta R.T. -0.000 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34




Instrument :
BNA_N
ClientSampleId :
PB165724BS

Tgt Ion:128 Resp: 7464
Ion Ratio Lower Upper
128 100
129 12.7 9.8 14.6
127 14.3 11.4 17.2



#10
Hexachlorobutadiene
Concen: 0.485 ng
RT: 10.351 min Scan# 943
Delta R.T. -0.011 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34

Tgt Ion:225 Resp: 1928
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 65.0 51.3 76.9









#11
2-Methylnaphthalene-d10
Concen: 0.556 ng
RT: 11.615 min Scan# 1080
Delta R.T. -0.006 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34




Instrument :
BNA_N
ClientSampleId :
PB165724BS

Tgt Ion:152 Resp: 5689
Ion Ratio Lower Upper
152 100
151 15.9 16.6 25.0#



#12
2-Methylnaphthalene
Concen: 0.393 ng
RT: 11.691 min Scan# 1088
Delta R.T. -0.006 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34

Tgt Ion:142 Resp: 4846
Ion Ratio Lower Upper
142 100
141 87.4 72.2 108.4
115 40.9 31.4 47.0





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 13.924 min Scan# 14

Delta R.T. -0.011 min

Lab File: BN035764.D

Acq: 21 Dec 2024 04:34

Instrument :

BNA_N

ClientSampleId :

PB165724BS





Tgt Ion:164 Resp: 3740

Ion Ratio Lower Upper

164 100

162 104.5 82.2 123.2

160 51.8 40.1 60.1



#14

2,4,6-Tribromophenol

Concen: 0.171 ng

RT: 15.453 min Scan# 1576

Delta R.T. -0.000 min

Lab File: BN035764.D

Acq: 21 Dec 2024 04:34




Tgt Ion:330 Resp: 453


Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0

141 30.2 26.6 40.0









#15
2-Fluorobiphenyl
Concen: 0.460 ng
RT: 12.538 min Scan# 11
Delta R.T. -0.006 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34




Instrument :
BNA_N
ClientSampleId :
PB165724BS


Tgt Ion:172 Resp: 6506
Ion Ratio Lower Upper
172 100
171 36.7 29.0 43.4
170 24.4 19.8 29.8



#16
Acenaphthylene
Concen: 0.432 ng
RT: 13.636 min Scan# 1406
Delta R.T. -0.011 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34

Tgt Ion:152 Resp: 6779
Ion Ratio Lower Upper
152 100
151 19.9 16.2 24.2
153 13.2 10.4 15.6









#17
Acenaphthene
Concen: 0.434 ng
RT: 13.988 min Scan# 14
Delta R.T. -0.011 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34




Instrument :
BNA_N
ClientSampleId :
PB165724BS


Tgt Ion:154 Resp: 4529
Ion Ratio Lower Upper
154 100
153 115.1 92.6 139.0
152 58.8 49.0 73.6



#18
Fluorene
Concen: 0.368 ng
RT: 14.993 min Scan# 1533
Delta R.T. -0.011 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34

Tgt Ion:166 Resp: 5492
Ion Ratio Lower Upper
166 100
165 99.6 79.7 119.5
167 13.0 10.8 16.2









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.698 min Scan# 1677
Delta R.T. -0.000 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34




Instrument :
BNA_N
ClientSampleId :
PB165724BS

Tgt Ion:188 Resp: 6891
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 12.1 4.6 6.8#



#20
4,6-Dinitro-2-methylphenol
Concen: 0.109 ng
RT: 15.143 min Scan# 1547
Delta R.T. 0.021 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34

Tgt Ion:198 Resp: 74
Ion Ratio Lower Upper
198 100
51 167.2 46.5 69.7#
105 156.3 45.3 67.9#









#21
4-Bromophenyl-phenylether
Concen: 0.402 ng
RT: 15.916 min Scan# 1621
Delta R.T. -0.000 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34




Instrument :
BNA_N
ClientSampleId :
PB165724BS

Tgt Ion:248 Resp: 1621
Ion Ratio Lower Upper
248 100
250 104.1 80.6 120.8
141 52.6 31.5 47.3#



#22
Hexachlorobenzene
Concen: 0.516 ng
RT: 16.003 min Scan# 1621
Delta R.T. -0.013 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34

Tgt Ion:284 Resp: 2441
Ion Ratio Lower Upper
284 100
142 29.6 26.7 40.1
249 30.3 24.6 36.8








#23
 Atrazine
 Concen: 0.443 ng
 RT: 16.214 min Scan# 1638
 Delta R.T. 0.012 min
 Lab File: BN035764.D
 Acq: 21 Dec 2024 04:34




Instrument :
 BNA_N
 ClientSampleId :
 PB165724BS


Tgt Ion:200 Resp: 1272
 Ion Ratio Lower Upper
 200 100
 173 30.9 24.1 36.1
 215 52.5 36.9 55.3



#24
 Pentachlorophenol
 Concen: 0.579 ng
 RT: 16.375 min Scan# 1651
 Delta R.T. -0.000 min
 Lab File: BN035764.D
 Acq: 21 Dec 2024 04:34

Tgt Ion:266 Resp: 1192
 Ion Ratio Lower Upper
 266 100
 264 63.2 42.3 63.5
 268 66.2 43.3 64.9#









#25
Phenanthrene
Concen: 0.420 ng
RT: 16.748 min Scan# 1681
Delta R.T. -0.000 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34




Instrument :
BNA_N
ClientSampleId :
PB165724BS

Tgt Ion:	178	Resp:	7957
Ion	Ratio	Lower	Upper
178	100		
176	19.3	15.4	23.2
179	16.3	12.3	18.5



#26
Anthracene
Concen: 0.412 ng
RT: 16.835 min Scan# 1688
Delta R.T. -0.000 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34

Tgt Ion:	178	Resp:	7046
Ion	Ratio	Lower	Upper
178	100		
176	18.6	15.0	22.6
179	15.7	12.6	18.8









#27
Fluoranthene-d10
Concen: 0.435 ng
RT: 18.761 min Scan# 1877
Delta R.T. -0.000 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34




Instrument :
BNA_N
ClientSampleId :
PB165724BS

Tgt Ion:212 Resp: 8504
Ion Ratio Lower Upper
212 100
106 11.1 9.2 13.8
104 6.4 5.3 7.9



#28
Fluoranthene
Concen: 0.379 ng
RT: 18.794 min Scan# 1884
Delta R.T. 0.004 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34

Tgt Ion:202 Resp: 9671
Ion Ratio Lower Upper
202 100
101 8.7 7.4 11.0
203 16.8 13.7 20.5









#29
Chrysene-d12
Concen: 0.400 ng
RT: 20.955 min Scan# 21
Delta R.T. -0.000 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34




Instrument :
BNA_N
ClientSampleId :
PB165724BS

Tgt Ion:240 Resp: 6144
Ion Ratio Lower Upper
240 100
120 11.9 7.9 11.9
236 28.7 22.9 34.3



#30
Pyrene
Concen: 0.442 ng
RT: 19.161 min Scan# 1963
Delta R.T. -0.000 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34

Tgt Ion:202 Resp: 10032
Ion Ratio Lower Upper
202 100
200 20.9 17.0 25.4
203 17.5 14.3 21.5









#31
 Terphenyl-d14
 Concen: 0.501 ng
 RT: 19.393 min Scan# 20
 Delta R.T. 0.004 min
 Lab File: BN035764.D
 Acq: 21 Dec 2024 04:34




Instrument :
 BNA_N
 ClientSampleId :
 PB165724BS

Tgt Ion:244 Resp: 6077
 Ion Ratio Lower Upper
 244 100
 212 10.3 8.1 12.1
 122 12.9 10.3 15.5



#32
 Benzo(a)anthracene
 Concen: 0.379 ng
 RT: 20.937 min Scan# 2249
 Delta R.T. -0.000 min
 Lab File: BN035764.D
 Acq: 21 Dec 2024 04:34

Tgt Ion:228 Resp: 8148
 Ion Ratio Lower Upper
 228 100
 226 28.3 22.5 33.7
 229 20.3 15.8 23.8





#33

Chrysene

Concen: 0.478 ng

RT: 20.991 min Scan# 21

Delta R.T. -0.000 min

Lab File: BN035764.D

Acq: 21 Dec 2024 04:34

Instrument :

BNA_N

ClientSampleId :

PB165724BS





Tgt Ion:228 Resp: 10584

Ion Ratio Lower Upper

228 100

226 30.4 24.6 37.0

229 20.6 15.9 23.9



#34

Bis(2-ethylhexyl)phthalate

Concen: 0.408 ng

RT: 20.902 min Scan# 2245

Delta R.T. -0.009 min

Lab File: BN035764.D

Acq: 21 Dec 2024 04:34




Tgt Ion:149 Resp: 3462


Ion Ratio Lower Upper

149 100

167 28.3 22.2 33.4

279 4.2 2.7 4.1#









#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.041 min Scan# 20
 Delta R.T. -0.000 min
 Lab File: BN035764.D
 Acq: 21 Dec 2024 04:34

Instrument :
 BNA_N
 ClientSampleId :
 PB165724BS

Tgt Ion:264 Resp: 6576




Ion	Ratio	Lower	Upper
264	100		
260	26.8	21.4	32.2
265	95.0	40.2	60.4



#36
 Indeno(1,2,3-cd)pyrene
 Concen: 0.443 ng
 RT: 25.067 min Scan# 3323
 Delta R.T. -0.000 min
 Lab File: BN035764.D
 Acq: 21 Dec 2024 04:34

Tgt Ion:276 Resp: 11390

Ion	Ratio	Lower	Upper
276	100		
138	20.7	19.4	29.0
277	24.5	19.8	29.6





#37

Benzo(b)fluoranthene

Concen: 0.578 ng

RT: 22.430 min Scan# 2429

Delta R.T. -0.000 min

Lab File: BN035764.D

Acq: 21 Dec 2024 04:34

Instrument :

BNA_N

ClientSampleId :

PB165724BS





Tgt Ion:252 Resp: 13899

Ion Ratio Lower Upper

252 100

253 27.1 19.6 29.4

125 14.5 9.6 14.4#



#38

Benzo(k)fluoranthene

Concen: 0.462 ng

RT: 22.471 min Scan# 2435

Delta R.T. -0.000 min

Lab File: BN035764.D

Acq: 21 Dec 2024 04:34




Tgt Ion:252 Resp: 10950

Ion Ratio Lower Upper

252 100

253 27.4 19.5 29.3

125 14.7 10.2 15.4





#39

Benzo(a)pyrene

Concen: 0.449 ng

RT: 22.956 min Scan# 2

Delta R.T. 0.005 min

Lab File: BN035764.D

Acq: 21 Dec 2024 04:34

Instrument :

BNA_N

ClientSampleId :

PB165724BS





Tgt Ion:252 Resp: 8888

Ion Ratio Lower Upper

252 100

253 30.8 20.2 30.4#

125 18.7 10.9 16.3#



#40

Dibenzo(a,h)anthracene

Concen: 0.412 ng

RT: 25.090 min Scan# 3331

Delta R.T. 0.008 min

Lab File: BN035764.D

Acq: 21 Dec 2024 04:34




Tgt Ion:278 Resp: 8351

Ion Ratio Lower Upper

278 100

139 18.0 14.2 21.4


279 30.0 20.5 30.7





#41
Benzo(g,h,i)perylene
Concen: 0.453 ng
RT: 25.678 min Scan# 31
Delta R.T. -0.000 min
Lab File: BN035764.D
Acq: 21 Dec 2024 04:34

Instrument :
BNA_N
ClientSampleId :
PB165724BS



Tgt Ion: 276 Resp: 9596

Ion	Ratio	Lower	Upper
276	100		
277	26.3	19.9	29.9
138	22.1	17.8	26.8

