

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** P5317

**Client:** AECOM Technical Services, Inc.

| Sample ID                   | Client ID        | Matrix | Parameter                      | Concentration | C  | MDL  | LOD  | RDL  | Units |
|-----------------------------|------------------|--------|--------------------------------|---------------|----|------|------|------|-------|
| Client ID: RE114D2-20241216 |                  |        |                                |               |    |      |      |      |       |
| P5317-01                    | RE114D2-20241216 | Water  | Dichlorodifluoromethane        | 0.62          | J  | 0.21 | 0.50 | 1.00 | ug/L  |
| P5317-01                    | RE114D2-20241216 | Water  | 1,1,2-Trichlorotrifluoroethane | 14.1          |    | 0.25 | 0.50 | 1.00 | ug/L  |
| P5317-01                    | RE114D2-20241216 | Water  | 1,1-Dichloroethene             | 0.90          | J  | 0.26 | 0.75 | 1.00 | ug/L  |
| P5317-01                    | RE114D2-20241216 | Water  | Acetone                        | 1.70          | J  | 1.40 | 3.80 | 5.00 | ug/L  |
| P5317-01                    | RE114D2-20241216 | Water  | 1,1-Dichloroethane             | 0.62          | J  | 0.23 | 0.50 | 1.00 | ug/L  |
| P5317-01                    | RE114D2-20241216 | Water  | Carbon Tetrachloride           | 0.65          | J  | 0.25 | 0.50 | 1.00 | ug/L  |
| P5317-01                    | RE114D2-20241216 | Water  | cis-1,2-Dichloroethene         | 1.90          |    | 0.25 | 0.75 | 1.00 | ug/L  |
| P5317-01                    | RE114D2-20241216 | Water  | Chloroform                     | 0.57          | J  | 0.26 | 0.50 | 1.00 | ug/L  |
| P5317-01                    | RE114D2-20241216 | Water  | Trichloroethene                | 110           |    | 0.32 | 0.75 | 1.00 | ug/L  |
| P5317-01                    | RE114D2-20241216 | Water  | Toluene                        | 0.29          | J  | 0.18 | 0.50 | 1.00 | ug/L  |
| P5317-01                    | RE114D2-20241216 | Water  | 1,1,2-Trichloroethane          | 0.42          | J  | 0.21 | 0.50 | 1.00 | ug/L  |
| P5317-01                    | RE114D2-20241216 | Water  | m/p-Xylenes                    | 0.48          | J  | 0.31 | 1.00 | 2.00 | ug/L  |
| Total Voc :                 |                  |        |                                | 132           |    |      |      |      |       |
| Total Concentration:        |                  |        |                                | 132           |    |      |      |      |       |
| Client ID: RW4-20241216     |                  |        |                                |               |    |      |      |      |       |
| P5317-02                    | RW4-20241216     | Water  | 1,1,2-Trichlorotrifluoroethane | 10.3          |    | 0.25 | 0.50 | 1.00 | ug/L  |
| P5317-02                    | RW4-20241216     | Water  | 1,1-Dichloroethene             | 1.10          |    | 0.26 | 0.75 | 1.00 | ug/L  |
| P5317-02                    | RW4-20241216     | Water  | Acetone                        | 2.30          | J  | 1.40 | 3.80 | 5.00 | ug/L  |
| P5317-02                    | RW4-20241216     | Water  | Methylene Chloride             | 0.55          | J  | 0.32 | 0.50 | 1.00 | ug/L  |
| P5317-02                    | RW4-20241216     | Water  | cis-1,2-Dichloroethene         | 1.20          |    | 0.25 | 0.75 | 1.00 | ug/L  |
| P5317-02                    | RW4-20241216     | Water  | Chloroform                     | 0.34          | J  | 0.26 | 0.50 | 1.00 | ug/L  |
| P5317-02                    | RW4-20241216     | Water  | Trichloroethene                | 510           | E  | 0.32 | 0.75 | 1.00 | ug/L  |
| P5317-02                    | RW4-20241216     | Water  | 1,1,2-Trichloroethane          | 0.34          | J  | 0.21 | 0.50 | 1.00 | ug/L  |
| P5317-02                    | RW4-20241216     | Water  | Tetrachloroethene              | 6.80          |    | 0.25 | 0.50 | 1.00 | ug/L  |
| Total Voc :                 |                  |        |                                | 533           |    |      |      |      |       |
| Total Concentration:        |                  |        |                                | 533           |    |      |      |      |       |
| Client ID: RW4-20241216DL   |                  |        |                                |               |    |      |      |      |       |
| P5317-02DL                  | RW4-20241216DL   | Water  | 1,1,2-Trichlorotrifluoroethane | 11.9          | JD | 5.00 | 10.0 | 20.0 | ug/L  |
| P5317-02DL                  | RW4-20241216DL   | Water  | Trichloroethene                | 580           | D  | 6.40 | 15.0 | 20.0 | ug/L  |
| P5317-02DL                  | RW4-20241216DL   | Water  | Tetrachloroethene              | 9.60          | JD | 5.00 | 10.0 | 20.0 | ug/L  |
| Total Voc :                 |                  |        |                                | 602           |    |      |      |      |       |
| Total Concentration:        |                  |        |                                | 602           |    |      |      |      |       |
| Client ID: TT191D1-20241216 |                  |        |                                |               |    |      |      |      |       |
| P5317-03                    | TT191D1-20241216 | Water  | Dichlorodifluoromethane        | 0.81          | J  | 0.21 | 0.50 | 1.00 | ug/L  |
| P5317-03                    | TT191D1-20241216 | Water  | Chloromethane                  | 0.35          | J  | 0.35 | 0.50 | 1.00 | ug/L  |
| P5317-03                    | TT191D1-20241216 | Water  | 1,1,2-Trichlorotrifluoroethane | 2.10          |    | 0.25 | 0.50 | 1.00 | ug/L  |
| P5317-03                    | TT191D1-20241216 | Water  | 1,1-Dichloroethene             | 0.71          | J  | 0.26 | 0.75 | 1.00 | ug/L  |

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** P5317

**Client:** AECOM Technical Services, Inc.

| Sample ID            | Client ID          | Matrix | Parameter                      | Concentration | C | MDL  | LOD  | RDL  | Units |
|----------------------|--------------------|--------|--------------------------------|---------------|---|------|------|------|-------|
| P5317-03             | TT191D1-20241216   | Water  | Methylene Chloride             | 0.36          | J | 0.32 | 0.50 | 1.00 | ug/L  |
| P5317-03             |                    | Water  | Chloroform                     | 0.63          | J | 0.26 | 0.50 | 1.00 | ug/L  |
| P5317-03             |                    | Water  | Trichloroethene                | 11.0          |   | 0.32 | 0.75 | 1.00 | ug/L  |
| Total Voc :          |                    |        | 16.0                           |               |   |      |      |      |       |
| Total Concentration: |                    |        | 16.0                           |               |   |      |      |      |       |
| Client ID:           | TT191D2-20241216   |        |                                |               |   |      |      |      |       |
| P5317-04             | TT191D2-20241216   | Water  | Chloromethane                  | 0.77          | J | 0.35 | 0.50 | 1.00 | ug/L  |
| P5317-04             |                    | Water  | 1,1,2-Trichlorotrifluoroethane | 4.80          |   | 0.25 | 0.50 | 1.00 | ug/L  |
| P5317-04             |                    | Water  | 1,1-Dichloroethene             | 1.50          |   | 0.26 | 0.75 | 1.00 | ug/L  |
| P5317-04             |                    | Water  | Acetone                        | 1.50          | J | 1.40 | 3.80 | 5.00 | ug/L  |
| P5317-04             |                    | Water  | Methylene Chloride             | 0.40          | J | 0.32 | 0.50 | 1.00 | ug/L  |
| P5317-04             |                    | Water  | Carbon Tetrachloride           | 0.61          | J | 0.25 | 0.50 | 1.00 | ug/L  |
| P5317-04             |                    | Water  | cis-1,2-Dichloroethene         | 0.72          | J | 0.25 | 0.75 | 1.00 | ug/L  |
| P5317-04             |                    | Water  | Chloroform                     | 0.46          | J | 0.26 | 0.50 | 1.00 | ug/L  |
| P5317-04             |                    | Water  | Trichloroethene                | 96.3          |   | 0.32 | 0.75 | 1.00 | ug/L  |
| P5317-04             |                    | Water  | 1,1,2-Trichloroethane          | 0.34          | J | 0.21 | 0.50 | 1.00 | ug/L  |
| Total Voc :          |                    |        | 107                            |               |   |      |      |      |       |
| Total Concentration: |                    |        | 107                            |               |   |      |      |      |       |
| Client ID:           | TT163S1-20241216   |        |                                |               |   |      |      |      |       |
| P5317-05             | TT163S1-20241216   | Water  | Acetone                        | 1.40          | J | 1.40 | 3.80 | 5.00 | ug/L  |
| P5317-05             |                    | Water  | Methylene Chloride             | 0.35          | J | 0.32 | 0.50 | 1.00 | ug/L  |
| P5317-05             |                    | Water  | Carbon Tetrachloride           | 6.70          |   | 0.25 | 0.50 | 1.00 | ug/L  |
| P5317-05             |                    | Water  | Trichloroethene                | 1.00          |   | 0.32 | 0.75 | 1.00 | ug/L  |
| P5317-05             |                    | Water  | t-1,3-Dichloropropene          | 1.00          |   | 0.21 | 0.50 | 1.00 | ug/L  |
| Total Voc :          |                    |        | 10.4                           |               |   |      |      |      |       |
| Total Concentration: |                    |        | 10.4                           |               |   |      |      |      |       |
| Client ID:           | DUP-04-20241216    |        |                                |               |   |      |      |      |       |
| P5317-06             | DUP-04-20241216    | Water  | Dichlorodifluoromethane        | 0.69          | J | 0.21 | 0.50 | 1.00 | ug/L  |
| P5317-06             |                    | Water  | Chloromethane                  | 0.52          | J | 0.35 | 0.50 | 1.00 | ug/L  |
| P5317-06             |                    | Water  | 1,1,2-Trichlorotrifluoroethane | 1.70          |   | 0.25 | 0.50 | 1.00 | ug/L  |
| P5317-06             |                    | Water  | 1,1-Dichloroethene             | 0.64          | J | 0.26 | 0.75 | 1.00 | ug/L  |
| P5317-06             |                    | Water  | cis-1,2-Dichloroethene         | 0.30          | J | 0.25 | 0.75 | 1.00 | ug/L  |
| P5317-06             |                    | Water  | Chloroform                     | 0.43          | J | 0.26 | 0.50 | 1.00 | ug/L  |
| P5317-06             |                    | Water  | Trichloroethene                | 9.70          |   | 0.32 | 0.75 | 1.00 | ug/L  |
| Total Voc :          |                    |        | 14.0                           |               |   |      |      |      |       |
| Total Concentration: |                    |        | 14.0                           |               |   |      |      |      |       |
| Client ID:           | RW8-MW01S-20241216 |        |                                |               |   |      |      |      |       |
| P5317-07             | RW8-MW01S-2024     | Water  | Chloromethane                  | 0.62          | J | 0.35 | 0.50 | 1.00 | ug/L  |

### Hit Summary Sheet SW-846

SDG No.: P5317

Client: AECOM Technical Services, Inc.

| Sample ID            | Client ID           | Matrix           | Parameter                      | Concentration | C | MDL  | LOD  | RDL  | Units |  |
|----------------------|---------------------|------------------|--------------------------------|---------------|---|------|------|------|-------|--|
| P5317-07             | RW8-MW01S-2024      | Water            | Acetone                        | 1.60          | J | 1.40 | 3.80 | 5.00 | ug/L  |  |
| P5317-07             |                     | Water            | Methylene Chloride             | 0.35          | J | 0.32 | 0.50 | 1.00 | ug/L  |  |
| P5317-07             |                     | Water            | Carbon Tetrachloride           | 6.30          |   | 0.25 | 0.50 | 1.00 | ug/L  |  |
| P5317-07             |                     | Water            | Trichloroethene                | 0.62          | J | 0.32 | 0.75 | 1.00 | ug/L  |  |
| Total Voc :          |                     |                  | 9.49                           |               |   |      |      |      |       |  |
| Total Concentration: |                     |                  | 9.49                           |               |   |      |      |      |       |  |
| Client ID:           | RW8-MW01D1-20241216 |                  |                                |               |   |      |      |      |       |  |
| P5317-08             | RW8-MW01D1-2024     | Water            | Carbon Tetrachloride           | 6.60          |   | 0.25 | 0.50 | 1.00 | ug/L  |  |
| P5317-08             |                     | Water            | Trichloroethene                | 0.34          | J | 0.32 | 0.75 | 1.00 | ug/L  |  |
| Total Voc :          |                     |                  | 6.94                           |               |   |      |      |      |       |  |
| Total Concentration: |                     |                  | 6.94                           |               |   |      |      |      |       |  |
| Client ID:           |                     | TT158S1-20241217 |                                |               |   |      |      |      |       |  |
| P5317-09             | TT158S1-20241217    | Water            | Methylene Chloride             | 0.32          | J | 0.32 | 0.50 | 1.00 | ug/L  |  |
| P5317-09             |                     | Water            | 1,1-Dichloroethane             | 1.80          |   | 0.23 | 0.50 | 1.00 | ug/L  |  |
| P5317-09             |                     | Water            | Carbon Tetrachloride           | 6.50          |   | 0.25 | 0.50 | 1.00 | ug/L  |  |
| P5317-09             |                     | Water            | Trichloroethene                | 0.32          | J | 0.32 | 0.75 | 1.00 | ug/L  |  |
| Total Voc :          |                     |                  | 8.94                           |               |   |      |      |      |       |  |
| Total Concentration: |                     |                  | 8.94                           |               |   |      |      |      |       |  |
| Client ID:           | TT158I1-20241217    |                  |                                |               |   |      |      |      |       |  |
| P5317-10             | TT158I1-20241217    | Water            | Methyl tert-butyl Ether        | 0.24          | J | 0.16 | 0.50 | 1.00 | ug/L  |  |
| P5317-10             |                     | Water            | Methylene Chloride             | 0.34          | J | 0.32 | 0.50 | 1.00 | ug/L  |  |
| P5317-10             |                     | Water            | Carbon Tetrachloride           | 6.30          |   | 0.25 | 0.50 | 1.00 | ug/L  |  |
| P5317-10             |                     | Water            | Dibromochloromethane           | 1.40          |   | 0.18 | 0.50 | 1.00 | ug/L  |  |
| Total Voc :          |                     |                  | 8.28                           |               |   |      |      |      |       |  |
| Total Concentration: |                     |                  | 8.28                           |               |   |      |      |      |       |  |
| Client ID:           | DUP-05-20241217     |                  |                                |               |   |      |      |      |       |  |
| P5317-11             | DUP-05-20241217     | Water            | 1,1-Dichloroethane             | 1.20          |   | 0.23 | 0.50 | 1.00 | ug/L  |  |
| P5317-11             |                     | Water            | Trichloroethene                | 0.32          | J | 0.32 | 0.75 | 1.00 | ug/L  |  |
| Total Voc :          |                     |                  | 1.52                           |               |   |      |      |      |       |  |
| Total Concentration: |                     |                  | 1.52                           |               |   |      |      |      |       |  |
| Client ID:           |                     | TT172S1-20241217 |                                |               |   |      |      |      |       |  |
| P5317-12             | TT172S1-20241217    | Water            | 1,1,2-Trichlorotrifluoroethane | 1.30          |   | 0.25 | 0.50 | 1.00 | ug/L  |  |
| P5317-12             |                     | Water            | Acetone                        | 1.50          | J | 1.40 | 3.80 | 5.00 | ug/L  |  |
| P5317-12             |                     | Water            | Methyl tert-butyl Ether        | 0.25          | J | 0.16 | 0.50 | 1.00 | ug/L  |  |
| P5317-12             |                     | Water            | 1,1-Dichloroethane             | 0.40          | J | 0.23 | 0.50 | 1.00 | ug/L  |  |
| P5317-12             |                     | Water            | Cyclohexane                    | 1.60          | J | 1.60 | 2.50 | 5.00 | ug/L  |  |
| P5317-12             |                     | Water            | Carbon Tetrachloride           | 6.40          |   | 0.25 | 0.50 | 1.00 | ug/L  |  |
| P5317-12             |                     | Water            | Chloroform                     | 0.51          | J | 0.26 | 0.50 | 1.00 | ug/L  |  |
| P5317-12             |                     | Water            | Methylcyclohexane              | 0.33          | J | 0.19 | 0.50 | 1.00 | ug/L  |  |



**SDG No.:** P5317

---

**Client:** AECOM Technical Services, Inc.

| Sample ID  | Client ID           | Matrix | Parameter                      | Concentration | C  | MDL  | LOD  | RDL  | Units |
|------------|---------------------|--------|--------------------------------|---------------|----|------|------|------|-------|
| P5317-12   | TT172S1-20241217    | Water  | Trichloroethene                | 39.5          |    | 0.32 | 0.75 | 1.00 | ug/L  |
| P5317-12   | TT172S1-20241217    | Water  | Dibromochloromethane           | 2.70          |    | 0.18 | 0.50 | 1.00 | ug/L  |
| P5317-12   | TT172S1-20241217    | Water  | Tetrachloroethene              | 1.90          |    | 0.25 | 0.50 | 1.00 | ug/L  |
|            |                     |        | Total Voc :                    | 56.4          |    |      |      |      |       |
|            |                     |        | Total Concentration:           | 56.4          |    |      |      |      |       |
| Client ID: | RW9-MW01S-20241217  |        |                                |               |    |      |      |      |       |
| P5317-13   | RW9-MW01S-2024      | Water  | Chloromethane                  | 0.81          | J  | 0.35 | 0.50 | 1.00 | ug/L  |
| P5317-13   | RW9-MW01S-2024      | Water  | Acetone                        | 1.60          | J  | 1.40 | 3.80 | 5.00 | ug/L  |
| P5317-13   | RW9-MW01S-2024      | Water  | Carbon Tetrachloride           | 6.30          |    | 0.25 | 0.50 | 1.00 | ug/L  |
| P5317-13   | RW9-MW01S-2024      | Water  | Trichloroethene                | 0.32          | J  | 0.32 | 0.75 | 1.00 | ug/L  |
| P5317-13   | RW9-MW01S-2024      | Water  | Dibromochloromethane           | 1.30          |    | 0.18 | 0.50 | 1.00 | ug/L  |
|            |                     |        | Total Voc :                    | 10.3          |    |      |      |      |       |
|            |                     |        | Total Concentration:           | 10.3          |    |      |      |      |       |
| Client ID: | RW9-MW01D1-20241217 |        |                                |               |    |      |      |      |       |
| P5317-14   | RW9-MW01D1-2024     | Water  | Carbon Tetrachloride           | 6.20          |    | 0.25 | 0.50 | 1.00 | ug/L  |
|            |                     |        | Total Voc :                    | 6.20          |    |      |      |      |       |
|            |                     |        | Total Concentration:           | 6.20          |    |      |      |      |       |
| Client ID: | RE132D5-20241217    |        |                                |               |    |      |      |      |       |
| P5317-18   | RE132D5-20241217    | Water  | Dichlorodifluoromethane        | 1.20          |    | 0.21 | 0.50 | 1.00 | ug/L  |
| P5317-18   | RE132D5-20241217    | Water  | Chloromethane                  | 0.70          | J  | 0.35 | 0.50 | 1.00 | ug/L  |
| P5317-18   | RE132D5-20241217    | Water  | 1,1,2-Trichlorotrifluoroethane | 9.40          |    | 0.25 | 0.50 | 1.00 | ug/L  |
| P5317-18   | RE132D5-20241217    | Water  | 1,1-Dichloroethene             | 2.60          |    | 0.26 | 0.75 | 1.00 | ug/L  |
| P5317-18   | RE132D5-20241217    | Water  | Acetone                        | 1.40          | J  | 1.40 | 3.80 | 5.00 | ug/L  |
| P5317-18   | RE132D5-20241217    | Water  | cis-1,2-Dichloroethene         | 1.60          |    | 0.25 | 0.75 | 1.00 | ug/L  |
| P5317-18   | RE132D5-20241217    | Water  | Chloroform                     | 1.20          |    | 0.26 | 0.50 | 1.00 | ug/L  |
| P5317-18   | RE132D5-20241217    | Water  | Trichloroethene                | 150           | E  | 0.32 | 0.75 | 1.00 | ug/L  |
| P5317-18   | RE132D5-20241217    | Water  | 1,1,2-Trichloroethane          | 0.45          | J  | 0.21 | 0.50 | 1.00 | ug/L  |
|            |                     |        | Total Voc :                    | 169           |    |      |      |      |       |
|            |                     |        | Total Concentration:           | 169           |    |      |      |      |       |
| Client ID: | RE132D6-20241217    |        |                                |               |    |      |      |      |       |
| P5317-21   | RE132D6-20241217    | Water  | 1,1,2-Trichlorotrifluoroethane | 26.6          | J  | 10.0 | 20.0 | 40.0 | ug/L  |
| P5317-21   | RE132D6-20241217    | Water  | 1,1-Dichloroethene             | 15.5          | J  | 10.4 | 30.0 | 40.0 | ug/L  |
| P5317-21   | RE132D6-20241217    | Water  | Carbon Disulfide               | 16.8          | J  | 12.8 | 30.0 | 40.0 | ug/L  |
| P5317-21   | RE132D6-20241217    | Water  | Trichloroethene                | 1600          |    | 12.8 | 30.0 | 40.0 | ug/L  |
| P5317-21   | RE132D6-20241217    | Water  | Tetrachloroethene              | 11.6          | JQ | 10.0 | 20.0 | 40.0 | ug/L  |
| P5317-21   | RE132D6-20241217    | Water  | 1,4-Dichlorobenzene            | 13.2          | J  | 10.8 | 20.0 | 40.0 | ug/L  |
|            |                     |        | Total Voc :                    | 1680          |    |      |      |      |       |
|            |                     |        | Total Concentration:           | 1680          |    |      |      |      |       |
| Client ID: | RE132D7-20241217    |        |                                |               |    |      |      |      |       |

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** P5317

**Client:** AECOM Technical Services, Inc.

| Sample ID         | Client ID        | Matrix | Parameter                      | Concentration | C | MDL  | LOD  | RDL  | Units |
|-------------------|------------------|--------|--------------------------------|---------------|---|------|------|------|-------|
| P5317-22          | RE132D7-20241211 | Water  | 1,1,2-Trichlorotrifluoroethane | 17.4          | J | 10.0 | 20.0 | 40.0 | ug/L  |
| P5317-22          | RE132D7-20241211 | Water  | Trichloroethene                | 1100          |   | 12.8 | 30.0 | 40.0 | ug/L  |
|                   |                  |        | <b>Total Voc :</b>             | 1120          |   |      |      |      |       |
|                   |                  |        | <b>Total Concentration:</b>    | 1120          |   |      |      |      |       |
| <b>Client ID:</b> | <b>TB</b>        |        |                                |               |   |      |      |      |       |
| P5317-23          | TB               | Water  | Chloromethane                  | 0.37          | J | 0.35 | 0.50 | 1.00 | ug/L  |
| P5317-23          | TB               | Water  | Methylene Chloride             | 0.32          | J | 0.32 | 0.50 | 1.00 | ug/L  |
|                   |                  |        | <b>Total Voc :</b>             | 0.69          |   |      |      |      |       |
|                   |                  |        | <b>Total Concentration:</b>    | 0.69          |   |      |      |      |       |