

Hit Summary Sheet
SW-846

SDG No.: P5317

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID: RE114D2-20241216									
P5317-01	RE114D2-20241216	Water	Dichlorodifluoromethane	0.62	J	0.21	0.50	1.00	ug/L
P5317-01	RE114D2-20241216	Water	1,1,2-Trichlorotrifluoroethane	14.1		0.25	0.50	1.00	ug/L
P5317-01	RE114D2-20241216	Water	1,1-Dichloroethene	0.90	J	0.26	0.75	1.00	ug/L
P5317-01	RE114D2-20241216	Water	Acetone	1.70	J	1.40	3.80	5.00	ug/L
P5317-01	RE114D2-20241216	Water	1,1-Dichloroethane	0.62	J	0.23	0.50	1.00	ug/L
P5317-01	RE114D2-20241216	Water	Carbon Tetrachloride	0.65	J	0.25	0.50	1.00	ug/L
P5317-01	RE114D2-20241216	Water	cis-1,2-Dichloroethene	1.90		0.25	0.75	1.00	ug/L
P5317-01	RE114D2-20241216	Water	Chloroform	0.57	J	0.26	0.50	1.00	ug/L
P5317-01	RE114D2-20241216	Water	Trichloroethene	110		0.32	0.75	1.00	ug/L
P5317-01	RE114D2-20241216	Water	Toluene	0.29	J	0.18	0.50	1.00	ug/L
P5317-01	RE114D2-20241216	Water	1,1,2-Trichloroethane	0.42	J	0.21	0.50	1.00	ug/L
P5317-01	RE114D2-20241216	Water	m/p-Xylenes	0.48	J	0.31	1.00	2.00	ug/L
Total Voc :				132					
Total Concentration:				132					
Client ID: RW4-20241216									
P5317-02	RW4-20241216	Water	1,1,2-Trichlorotrifluoroethane	10.3		0.25	0.50	1.00	ug/L
P5317-02	RW4-20241216	Water	1,1-Dichloroethene	1.10		0.26	0.75	1.00	ug/L
P5317-02	RW4-20241216	Water	Acetone	2.30	J	1.40	3.80	5.00	ug/L
P5317-02	RW4-20241216	Water	Methylene Chloride	0.55	J	0.32	0.50	1.00	ug/L
P5317-02	RW4-20241216	Water	cis-1,2-Dichloroethene	1.20		0.25	0.75	1.00	ug/L
P5317-02	RW4-20241216	Water	Chloroform	0.34	J	0.26	0.50	1.00	ug/L
P5317-02	RW4-20241216	Water	Trichloroethene	510	E	0.32	0.75	1.00	ug/L
P5317-02	RW4-20241216	Water	1,1,2-Trichloroethane	0.34	J	0.21	0.50	1.00	ug/L
P5317-02	RW4-20241216	Water	Tetrachloroethene	6.80		0.25	0.50	1.00	ug/L
Total Voc :				533					
Total Concentration:				533					
Client ID: RW4-20241216DL									
P5317-02DL	RW4-20241216DL	Water	1,1,2-Trichlorotrifluoroethane	11.9	JD	5.00	10.0	20.0	ug/L
P5317-02DL	RW4-20241216DL	Water	Trichloroethene	580	D	6.40	15.0	20.0	ug/L
P5317-02DL	RW4-20241216DL	Water	Tetrachloroethene	9.60	JD	5.00	10.0	20.0	ug/L
Total Voc :				602					
Total Concentration:				602					
Client ID: TT191D1-20241216									
P5317-03	TT191D1-20241216	Water	Dichlorodifluoromethane	0.81	J	0.21	0.50	1.00	ug/L
P5317-03	TT191D1-20241216	Water	Chloromethane	0.35	J	0.35	0.50	1.00	ug/L
P5317-03	TT191D1-20241216	Water	1,1,2-Trichlorotrifluoroethane	2.10		0.25	0.50	1.00	ug/L
P5317-03	TT191D1-20241216	Water	1,1-Dichloroethene	0.71	J	0.26	0.75	1.00	ug/L

Hit Summary Sheet SW-846

SDG No.: P5317

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
P5317-03	TT191D1-20241216	Water	Methylene Chloride	0.36	J	0.32	0.50	1.00	ug/L
P5317-03	TT191D1-20241216	Water	Chloroform	0.63	J	0.26	0.50	1.00	ug/L
P5317-03	TT191D1-20241216	Water	Trichloroethene	11.0		0.32	0.75	1.00	ug/L
			Total Voc :	16.0					
			Total Concentration:	16.0					
Client ID:	TT191D2-20241216								
P5317-04	TT191D2-20241216	Water	Chloromethane	0.77	J	0.35	0.50	1.00	ug/L
P5317-04	TT191D2-20241216	Water	1,1,2-Trichlorotrifluoroethane	4.80		0.25	0.50	1.00	ug/L
P5317-04	TT191D2-20241216	Water	1,1-Dichloroethene	1.50		0.26	0.75	1.00	ug/L
P5317-04	TT191D2-20241216	Water	Acetone	1.50	J	1.40	3.80	5.00	ug/L
P5317-04	TT191D2-20241216	Water	Methylene Chloride	0.40	J	0.32	0.50	1.00	ug/L
P5317-04	TT191D2-20241216	Water	Carbon Tetrachloride	0.61	J	0.25	0.50	1.00	ug/L
P5317-04	TT191D2-20241216	Water	cis-1,2-Dichloroethene	0.72	J	0.25	0.75	1.00	ug/L
P5317-04	TT191D2-20241216	Water	Chloroform	0.46	J	0.26	0.50	1.00	ug/L
P5317-04	TT191D2-20241216	Water	Trichloroethene	96.3		0.32	0.75	1.00	ug/L
P5317-04	TT191D2-20241216	Water	1,1,2-Trichloroethane	0.34	J	0.21	0.50	1.00	ug/L
			Total Voc :	107					
			Total Concentration:	107					
Client ID:	TT163S1-20241216								
P5317-05	TT163S1-20241216	Water	Acetone	1.40	J	1.40	3.80	5.00	ug/L
P5317-05	TT163S1-20241216	Water	Methylene Chloride	0.35	J	0.32	0.50	1.00	ug/L
P5317-05	TT163S1-20241216	Water	Trichloroethene	1.00		0.32	0.75	1.00	ug/L
			Total Voc :	2.75					
			Total Concentration:	2.75					
Client ID:	DUP-04-20241216								
P5317-06	DUP-04-20241216	Water	Dichlorodifluoromethane	0.69	J	0.21	0.50	1.00	ug/L
P5317-06	DUP-04-20241216	Water	Chloromethane	0.52	J	0.35	0.50	1.00	ug/L
P5317-06	DUP-04-20241216	Water	1,1,2-Trichlorotrifluoroethane	1.70		0.25	0.50	1.00	ug/L
P5317-06	DUP-04-20241216	Water	1,1-Dichloroethene	0.64	J	0.26	0.75	1.00	ug/L
P5317-06	DUP-04-20241216	Water	cis-1,2-Dichloroethene	0.30	J	0.25	0.75	1.00	ug/L
P5317-06	DUP-04-20241216	Water	Chloroform	0.43	J	0.26	0.50	1.00	ug/L
P5317-06	DUP-04-20241216	Water	Trichloroethene	9.70		0.32	0.75	1.00	ug/L
			Total Voc :	14.0					
			Total Concentration:	14.0					
Client ID:	RW8-MW01S-20241216								
P5317-07	RW8-MW01S-2024	Water	Chloromethane	0.62	J	0.35	0.50	1.00	ug/L
P5317-07	RW8-MW01S-2024	Water	Acetone	1.60	J	1.40	3.80	5.00	ug/L
P5317-07	RW8-MW01S-2024	Water	Methylene Chloride	0.35	J	0.32	0.50	1.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: P5317

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
P5317-07	RW8-MW01S-2024	Water	Trichloroethene	0.62	J	0.32	0.75	1.00	ug/L
			Total Voc :	3.19					
			Total Concentration:	3.19					
Client ID:	RW8-MW01D1-20241216								
P5317-08	RW8-MW01D1-2024	Water	Trichloroethene	0.34	J	0.32	0.75	1.00	ug/L
			Total Voc :	0.34					
			Total Concentration:	0.34					
Client ID:	TT158S1-20241217								
P5317-09	TT158S1-20241217	Water	Methylene Chloride	0.32	J	0.32	0.50	1.00	ug/L
P5317-09	TT158S1-20241217	Water	1,1-Dichloroethane	1.80		0.23	0.50	1.00	ug/L
P5317-09	TT158S1-20241217	Water	Trichloroethene	0.32	J	0.32	0.75	1.00	ug/L
			Total Voc :	2.44					
			Total Concentration:	2.44					
Client ID:	TT158I1-20241217								
P5317-10	TT158I1-20241217	Water	Methylene Chloride	0.34	J	0.32	0.50	1.00	ug/L
			Total Voc :	0.34					
			Total Concentration:	0.34					
Client ID:	DUP-05-20241217								
P5317-11	DUP-05-20241217	Water	1,1-Dichloroethane	1.20		0.23	0.50	1.00	ug/L
P5317-11	DUP-05-20241217	Water	Trichloroethene	0.32	J	0.32	0.75	1.00	ug/L
			Total Voc :	1.52					
			Total Concentration:	1.52					
Client ID:	TT172S1-20241217								
P5317-12	TT172S1-20241217	Water	1,1,2-Trichlorotrifluoroethane	1.30		0.25	0.50	1.00	ug/L
P5317-12	TT172S1-20241217	Water	Acetone	1.50	J	1.40	3.80	5.00	ug/L
P5317-12	TT172S1-20241217	Water	Trichloroethene	39.5		0.32	0.75	1.00	ug/L
P5317-12	TT172S1-20241217	Water	Tetrachloroethene	1.90		0.25	0.50	1.00	ug/L
			Total Voc :	44.2					
			Total Concentration:	44.2					
Client ID:	RW9-MW01S-20241217								
P5317-13	RW9-MW01S-2024	Water	Chloromethane	0.81	J	0.35	0.50	1.00	ug/L
P5317-13	RW9-MW01S-2024	Water	Acetone	1.60	J	1.40	3.80	5.00	ug/L
P5317-13	RW9-MW01S-2024	Water	Trichloroethene	0.32	J	0.32	0.75	1.00	ug/L
			Total Voc :	2.73					
			Total Concentration:	2.73					
Client ID:	RE132D5-20241217								
P5317-18	RE132D5-20241217	Water	Dichlorodifluoromethane	1.20		0.21	0.50	1.00	ug/L
P5317-18	RE132D5-20241217	Water	Chloromethane	0.70	J	0.35	0.50	1.00	ug/L
P5317-18	RE132D5-20241217	Water	1,1,2-Trichlorotrifluoroethane	9.40		0.25	0.50	1.00	ug/L
P5317-18	RE132D5-20241217	Water	1,1-Dichloroethene	2.60		0.26	0.75	1.00	ug/L

Hit Summary Sheet SW-846

SDG No.: P5317

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
P5317-18	RE132D5-20241217	Water	Acetone	1.40	J	1.40	3.80	5.00	ug/L
P5317-18	RE132D5-20241217	Water	cis-1,2-Dichloroethene	1.60		0.25	0.75	1.00	ug/L
P5317-18	RE132D5-20241217	Water	Chloroform	1.20		0.26	0.50	1.00	ug/L
P5317-18	RE132D5-20241217	Water	Trichloroethene	150	E	0.32	0.75	1.00	ug/L
P5317-18	RE132D5-20241217	Water	1,1,2-Trichloroethane	0.45	J	0.21	0.50	1.00	ug/L
			Total Voc :	169					
			Total Concentration:	169					
Client ID:	RE132D5-20241217DL								
P5317-18DL	RE132D5-20241217	Water	1,1,2-Trichlorotrifluoroethane	7.90	D	1.00	2.00	4.00	ug/L
P5317-18DL	RE132D5-20241217	Water	1,1-Dichloroethene	2.90	JD	1.00	3.00	4.00	ug/L
P5317-18DL	RE132D5-20241217	Water	cis-1,2-Dichloroethene	1.70	JD	1.00	3.00	4.00	ug/L
P5317-18DL	RE132D5-20241217	Water	Chloroform	1.50	JD	1.00	2.00	4.00	ug/L
P5317-18DL	RE132D5-20241217	Water	Trichloroethene	150	D	1.30	3.00	4.00	ug/L
			Total Voc :	164					
			Total Concentration:	164					
Client ID:	RE132D6-20241217								
P5317-21	RE132D6-20241217	Water	1,1,2-Trichlorotrifluoroethane	26.6	J	10.0	20.0	40.0	ug/L
P5317-21	RE132D6-20241217	Water	1,1-Dichloroethene	15.5	J	10.4	30.0	40.0	ug/L
P5317-21	RE132D6-20241217	Water	Carbon Disulfide	16.8	J	12.8	30.0	40.0	ug/L
P5317-21	RE132D6-20241217	Water	Trichloroethene	1600		12.8	30.0	40.0	ug/L
P5317-21	RE132D6-20241217	Water	Tetrachloroethene	11.6	J	10.0	20.0	40.0	ug/L
P5317-21	RE132D6-20241217	Water	1,4-Dichlorobenzene	13.2	J	10.8	20.0	40.0	ug/L
			Total Voc :	1680					
			Total Concentration:	1680					
Client ID:	RE132D7-20241217								
P5317-22	RE132D7-20241217	Water	1,1,2-Trichlorotrifluoroethane	17.4	J	10.0	20.0	40.0	ug/L
P5317-22	RE132D7-20241217	Water	Trichloroethene	1100		12.8	30.0	40.0	ug/L
			Total Voc :	1120					
			Total Concentration:	1120					
Client ID:	TB								
P5317-23	TB	Water	Chloromethane	0.37	J	0.35	0.50	1.00	ug/L
P5317-23	TB	Water	Methylene Chloride	0.32	J	0.32	0.50	1.00	ug/L
			Total Voc :	0.69					
			Total Concentration:	0.69					