

DATA PACKAGE

GENERAL CHEMISTRY

PROJECT NAME : PRE TREATMENT PLANT

HOLLAND MANUFACTURING CO.

15 Main Street

P.O. Box 404

Succasunna, NJ - 07876

Phone No: 973-584-8141

ORDER ID : P5340

ATTENTION : Todd Holland



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) Genchem- Case Narrative	4
3) Qualifier Page	5
4) QA Checklist	6
5) Genchem Data	7
6) Shipping Document	15
6.1) CHAIN OF CUSTODY	16
6.2) Lab Certificate	17

1
2
3
4
5
6

Cover Page

Order ID : P5340

Project ID : Pre Treatment Plant

Client : Holland Manufacturing Co.

Lab Sample Number

P5340-01
P5340-02
P5340-03
P5340-04
P5340-05

Client Sample Number

EFFLUENT
EFFLUENTMS
EFFLUENTMSD
AERATION TK 1
INFLUENT

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 12/30/2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Holland Manufacturing Co.

Project Name: Pre Treatment Plant

Project # N/A

Chemtech Project # P5340

Test Name: Oil and Grease,Phosphorus-Ortho,Ammonia,Phosphorus-Total,BOD5,TSS

A. Number of Samples and Date of Receipt:

5 Water samples were received on 12/18/2024.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Ammonia, BOD5, Oil and Grease, Phosphorus-Ortho, Phosphorus-Total and TSS. This data package contains results for Oil and Grease, Phosphorus-Ortho, Ammonia, Phosphorus-Total, BOD5, TSS.

C. Analytical Techniques:

The analysis of Oil and Grease was based on method 1664A, The analysis of Phosphorus-Total was based on method 365.3, The analysis of TSS was based on method SM2540 D, The analysis of Ammonia was based on method SM4500-NH3, The analysis of Phosphorus-Ortho was based on method SM4500-P E and The analysis of BOD5 was based on method SM5210 B.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

Sample EFFLUENT was diluted due to high concentrations for Ammonia as N & Sample INFLUENT was diluted due to high concentrations for Ammonia as N.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

- J** Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
- U** Indicates the analyte was analyzed for, but not detected.
- ND** Indicates the analyte was analyzed for, but not detected
- E** Indicates the reported value is estimated because of the presence of interference
- M** Indicates Duplicate injection precision not met.
- N** Indicates the spiked sample recovery is not within control limits.
- S** Indicates the reported value was determined by the Method of Standard Addition (MSA).
- *** Indicates that the duplicate analysis is not within control limits.
- +** Indicates the correlation coefficient for the MSA is less than 0.995.
- D** Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
- M** Method qualifiers
 - “**P**” for ICP instrument
 - “**PM**” for ICP when Microwave Digestion is used
 - “**CV**” for Manual Cold Vapor AA
 - “**AV**” for automated Cold Vapor AA
 - “**CA**” for MIDI-Distillation Spectrophotometric
 - “**AS**” for Semi -Automated Spectrophotometric
 - “**C**” for Manual Spectrophotometric
 - “**T**” for Titrimetric
 - “**NR**” for analyte not required to be analyzed
- OR** Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
- Q** Indicates the LCS did not meet the control limits requirements
- H** Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: P5340

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 12/30/2024



SAMPLE DATA

Report of Analysis

Client:	Holland Manufacturing Co.	Date Collected:	12/18/24 12:30
Project:	Pre Treatment Plant	Date Received:	12/18/24
Client Sample ID:	EFFLUENT	SDG No.:	P5340
Lab Sample ID:	P5340-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	388	OR	1	2.30	5.00	mg/L	12/26/24 09:50	12/26/24 12:08	SM 4500-NH3 B plus G-11
BOD5	19000		1	0.17	2.00	mg/L		12/18/24 16:30	SM 5210 B-16
Oil and Grease	17.1		1	0.40	5.00	mg/L		12/20/24 09:00	1664A
Orthophosphate as P	0.040	J	1	0.0040	0.050	mg/L		12/19/24 16:06	SM 4500-P E-11
Phosphorus, Total	0.053		1	0.0050	0.050	mg/L	12/19/24 12:00	12/19/24 14:06	365.3
TSS	1040		1	1.00	4.00	mg/L		12/19/24 09:15	SM 2540 D-15

Comments: _____

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Holland Manufacturing Co.	Date Collected:	12/18/24 12:30
Project:	Pre Treatment Plant	Date Received:	12/18/24
Client Sample ID:	EFFLUENTDL	SDG No.:	P5340
Lab Sample ID:	P5340-01DL	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	381	D	10	22.5	50.0	mg/L	12/26/24 09:50	12/26/24 12:38	SM 4500-NH3 B plus G-11

Comments: _____

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Holland Manufacturing Co.	Date Collected:	12/18/24 12:30
Project:	Pre Treatment Plant	Date Received:	12/18/24
Client Sample ID:	AERATION TK 1	SDG No.:	P5340
Lab Sample ID:	P5340-04	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TSS	920		1	1.00	4.00	mg/L		12/19/24 09:15	SM 2540 D-15

Comments: _____

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Holland Manufacturing Co.	Date Collected:	12/18/24 12:30
Project:	Pre Treatment Plant	Date Received:	12/18/24
Client Sample ID:	INFLUENT	SDG No.:	P5340
Lab Sample ID:	P5340-05	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	179	OR	1	2.30	5.00	mg/L	12/26/24 09:50	12/26/24 12:08	SM 4500-NH3 B plus G-11
BOD5	16300		1	0.17	2.00	mg/L		12/18/24 16:30	SM 5210 B-16

Comments: _____

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

A

B

C

Client:	Holland Manufacturing Co.	Date Collected:	12/18/24 12:30
Project:	Pre Treatment Plant	Date Received:	12/18/24
Client Sample ID:	INFLUENTDL	SDG No.:	P5340
Lab Sample ID:	P5340-05DL	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	173	D	2	4.50	10.0	mg/L	12/26/24 09:50	12/26/24 12:38	SM 4500-NH3 B plus G-11

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID: P5340	OrderDate: 12/18/2024 2:36:00 PM
Client: Holland Manufacturing Co.	Project: Pre Treatment Plant
Contact: Todd Holland	Location: M11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received	
P5340-01	EFFLUENT	WATER			12/18/24			12/18/24	
					12:30				
			Ammonia	SM4500-NH3		12/26/24	12/26/24	12:08	
			BOD5	SM5210 B			12/18/24	16:30	
			Oil and Grease	1664A			12/20/24	09:00	
			Phosphorus-Ortho	SM4500-P E			12/19/24	16:06	
			Phosphorus-Total	365.3		12/19/24	12/19/24	14:06	
	TSS	SM2540 D			12/19/24	09:15			
P5340-01DL	EFFLUENTDL	WATER			12/18/24			12/18/24	
					12:30				
			Ammonia	SM4500-NH3		12/26/24	12/26/24	12:38	
P5340-04	AERATION TK 1	WATER			12/18/24			12/18/24	
					12:30				
			TSS	SM2540 D			12/19/24	09:15	
P5340-05	INFLUENT	WATER			12/18/24			12/18/24	
					12:30				
			Ammonia	SM4500-NH3		12/26/24	12/26/24	12:08	
			BOD5	SM5210 B			12/18/24	16:30	

LAB CHRONICLE

P5340-05DL

INFLUENTDL

WATER

**12/18/24
12:30**

12/18/24

Ammonia

SM4500-NH3

12/26/24

12/26/24
12:38



SHIPPING DOCUMENTS

CLIENT INFORMATION

CLIENT PROJECT INFORMATION

CLIENT BILLING INFORMATION

REPORT TO BE SENT TO:

COMPANY: **HOLLAND MANUFACTURING Co**
 ADDRESS: **15 MAIN ST**
 CITY: **SUCCASUNNA** STATE: **NJ** ZIP: **07876**
 ATTENTION:
 PHONE: FAX:

PROJECT NAME: **PRETREATMENT PLANT**
 PROJECT NO.: LOCATION:
 PROJECT MANAGER: **TODD HOLLAND**
 e-mail:
 PHONE: FAX:

BILL TO: **SAME** PO#:
 ADDRESS:
 CITY STATE: ZIP:
 ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

DATA DELIVERABLE INFORMATION

FAX (RUSH) **5** DAYS*
 HARDCOPY (DATA PACKAGE): DAYS*
 EDD: DAYS*
 *TO BE APPROVED BY CHEMTECH
 STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

- Level 1 (Results Only) Level 4 (QC + Full Raw Data)
- Level 2 (Results + QC) NJ Reduced US EPA CLP
- Level 3 (Results + QC) NYS ASP A NYS ASP B
 + Raw Data Other
- EDD FORMAT

Diagonal lines with handwritten notes:
 1. BOD5
 2. TSS
 3. O+G
 4. PO4
 5. TOTAL P
 6. NH4

PRESERVATIVES

COMMENTS

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS ← Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER		
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9			
1.	EFFLUENT	W		✓	12/18	1230	6	✓	✓	✓	✓	✓	✓						
2.	AERATION TR 1	W		✓	12/18	1230	1		✓										
3.	INFLUENT	W		✓	12/18	1230	2	✓						✓					
4.																			
5.																			
6.																			
7.																			
8.																			
9.																			
10.																			

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. <i>[Signature]</i>	DATE/TIME: 12/18 #1300	RECEIVED BY: 1. <i>[Signature]</i> 1415
RELINQUISHED BY SAMPLER: 2.	DATE/TIME:	RECEIVED BY: 2.
RELINQUISHED BY SAMPLER: 3.	DATE/TIME:	RECEIVED BY: 3.

Conditions of bottles or coolers at receipt: COMPLIANT NON COMPLIANT COOLER TEMP **4.1°C** °C
 Comments:
LAB TO FILTER

Page **1** of **7**

CLIENT: Hand Delivered Other

Shipment Complete
 YES NO

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488