

## Org e Chem

---

**From:** Shaeffer, Casey <Casey.Shaeffer@gdit.com>  
**Sent:** Friday, December 27, 2024 9:57 AM  
**To:** Mohammad Ahmed; Deepak Parmar; Sohil Jodhani  
**Cc:** Johnson, Matthew; Bauer, Heather E; Britz, Helen; Moody, Brett; Gambrah, Derrick; Taylor, Lucinda; Myer, Shari; Patel, Bhavita; Vargas, Magda (she/her/hers; R5RSCC; Zafar, Tasmia (NE)  
**Subject:** Region 05 | Case 51847 | Lab ACE | Issue Multiple | FINAL

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Good morning,

Please see the below resolutions.

### **Insufficient/inappropriate designation of laboratory QC**

Issue 1: There are no samples designated on the COC for laboratory QC for SDGs E2922 and ME2922. The laboratory has selected sample E2926 and ME2926 for laboratory QC. The laboratory has confirmed that the samples are not PT, blanks, or rinsate samples.

Resolution 1: Per SFAM01.1 Exhibit A, Section 5.5.4.1., the laboratory should note the issue in the SDG Narrative and proceed with analysis of the samples.

### **Insufficient volume**

Issue 2: There is insufficient sample volume to proceed with laboratory QC for VOA analysis. Please advise on how the laboratory may proceed.

Resolution 2: Per Region 5, the laboratory may proceed without laboratory QC for VOA analysis. Please note the issue in the SDG Narrative.

Please note that the laboratory may contact the appropriate CLP PM should any defects need to be waived for this issue.

Thank you,

Casey Shaeffer

Associate Environmental Analyst  
CLP QSS Coordinator – EPA Regions 4 & 10  
*Under contract to the EPA*

T: (571) 454-2416  
[casey.shaeffer@gdit.com](mailto:casey.shaeffer@gdit.com)  
15036 Conference Center Drive  
Chantilly, VA 20151  
[www.gdit.com](http://www.gdit.com)

**Leave Alert: December 30, 2024**

**From:** R5RSCC <[R5RSCC@epa.gov](mailto:R5RSCC@epa.gov)>  
**Sent:** Friday, December 27, 2024 9:36 AM  
**To:** Zafar, Tasmia (NE) <[Tasmia.Zafar@gdit.com](mailto:Tasmia.Zafar@gdit.com)>  
**Subject:** RE: Region 05 | Case 51847 | Lab ACE | Issue Multiple

**This Message Is From an External Sender**

Please use caution with links, attachments, and any requests for credentials.

Good Morning Tasmia,

The lab can proceed without QC for VOAs. Per the client, the Region confirms that SEDD defects associated with laboratory QC may be waived.

Thanks,

*Darcie D. Tone-Pak-Hote*

Regional Sample Control Coordinator  
LSASD-SQAB  
U.S. EPA Region 5  
77 W Jackson Blvd  
Chicago, IL 60604  
Cubicle #: 06078  
Phone #: 312-886-4298

**From:** Shaeffer, Casey  
**Sent:** Thursday, December 26, 2024 2:26 PM  
**To:** [mohammad.ahmed@alliancetg.com](mailto:mohammad.ahmed@alliancetg.com); [deepak.parmar@alliancetg.com](mailto:deepak.parmar@alliancetg.com); Sohil Jodhani [Sohil.Jodhani@AllianceTG.com](mailto:Sohil.Jodhani@AllianceTG.com)  
**Subject:** Region 05 | Case 51847 | Lab ACE | Issue Multiple

Good afternoon,

Please see resolution 1 below. Issue 2 has been provided to the Region and a resolution will be provided once it is available. Please note that the SEDD defects regarding issue 2 will be removed by DAS.

**Insufficient/inappropriate designation of laboratory QC**

Issue 1: There are no samples designated on the COC for laboratory QC for SDGs E2922 and ME2922. The laboratory has selected sample E2926 and ME2926 for laboratory QC. The laboratory has confirmed that the samples are not PT, blanks, or rinsate samples.

Resolution 1: Per SFAM01.1 Exhibit A, Section 5.5.4.1., the laboratory should note the issue in the SDG Narrative and proceed with analysis of the samples.

**Insufficient volume**

Issue 2: There is insufficient sample volume to proceed with laboratory QC for VOA analysis. Please advise on how the laboratory may proceed.

Please note that the laboratory may contact the appropriate CLP PM should any defects need to be waived for this issue.

Thank you,

Casey Shaeffer

Associate Environmental Analyst  
CLP QSS Coordinator – EPA Regions 4 & 10  
*Under contract to the EPA*

T: (571) 454-2416  
[casey.shaeffer@gdit.com](mailto:casey.shaeffer@gdit.com)  
15036 Conference Center Drive  
Chantilly, VA 20151  
[www.gdit.com](http://www.gdit.com)

**GENERAL DYNAMICS**  
a harsco technology company

**Leave Alert: December 24, 2024 and December 30, 2024**

**From:** Deepak Parmar [Deepak.Parmar@alliancetg.com](mailto:Deepak.Parmar@alliancetg.com)  
**Sent:** Thursday, December 26, 2024 1:53 PM  
**To:** Zafar, Tasmia (NE) [Tasmia.Zafar@gdit.com](mailto:Tasmia.Zafar@gdit.com)  
**Cc:** Sohil Jodhani [Sohil.Jodhani@AllianceTG.com](mailto:Sohil.Jodhani@AllianceTG.com)  
**Subject:** RE: Region 05 | Case 51847 | Lab ACE | Issue Discrepancies with tags, jars, and/or COC/QC

**This Message Is From an External Sender**

Please use caution with links, attachments, and any requests for credentials.

Hi,

Just following up on below email.

**Thanks & Regards,**



**Deepak Parmar**  
QA/QC  
An Alliance Technical Group Company  
Main: 908-789-8900  
Direct: 908-728-3154  
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092  
[www.alliancetg.com](http://www.alliancetg.com)



**From:** Shaeffer, Casey  
**Sent:** Friday, December 27, 2024 9:06 AM  
**To:** [TonePahHote.Darcie@epa.gov](mailto:TonePahHote.Darcie@epa.gov)  
**Cc:** Zafar, Tasmia (NE) [Tasmia.Zafar@gdit.com](mailto:Tasmia.Zafar@gdit.com); [R5RSCC@epa.gov](mailto:R5RSCC@epa.gov)  
**Subject:** RE: Region 05 | Case 51847 | Lab ACE | Issue Multiple

Good morning,

I would like to follow up regarding the below issue from ACE. Please note that issue 1 has been resolved using an SOW resolution.

**Insufficient/inappropriate designation of laboratory QC**

Issue 1: There are no samples designated on the COC for laboratory QC for SDGs E2922 and ME2922. The laboratory has selected sample E2926 and ME2926 for laboratory QC. The laboratory has confirmed that the samples are not PT, blanks, or rinsate samples.

Resolution 1: Per SFAM01.1 Exhibit A, Section 5.5.4.1., the laboratory should note the issue in the SDG Narrative and proceed with analysis of the samples.

**Insufficient volume**

Issue 2: There is insufficient sample volume to proceed with laboratory QC for VOA analysis. Please advise on how the laboratory may proceed.

Thank you,

Casey Shaeffer

Associate Environmental Analyst  
CLP QSS Coordinator – EPA Regions 4 & 10  
*Under contract to the EPA*

T: (571) 454-2416  
[casey.shaeffer@gdit.com](mailto:casey.shaeffer@gdit.com)  
15036 Conference Center Drive  
Chantilly, VA 20151  
[www.gdit.com](http://www.gdit.com)

**GENERAL DYNAMICS**  
Information Technology

**Leave Alert: December 24, 2024 and December 30, 2024**

**From:** Shaeffer, Casey  
**Sent:** Thursday, December 26, 2024 9:35 AM  
**To:** 'R5RSCC@epa.gov' <[R5RSCC@epa.gov](mailto:R5RSCC@epa.gov)>  
**Cc:** Zafar, Tasmia (NE) <[Tasmia.Zafar@gdit.com](mailto:Tasmia.Zafar@gdit.com)>  
**Subject:** RE: Region 05 | Case 51847 | Lab ACE | Issue Multiple

With regards to the below email, the Region may disregard the SEDD defect inquiry from the laboratory.

Thank you,

Casey Shaeffer

Associate Environmental Analyst  
CLP QSS Coordinator – EPA Regions 4 & 10  
*Under contract to the EPA*

T: (571) 454-2416  
[casey.shaeffer@gdit.com](mailto:casey.shaeffer@gdit.com)  
15036 Conference Center Drive  
Chantilly, VA 20151  
[www.gdit.com](http://www.gdit.com)



**Leave Alert: December 24, 2024 and December 30, 2024**

**From:** Shaeffer, Casey <[Casey.Shaeffer@gdit.com](mailto:Casey.Shaeffer@gdit.com)> **On Behalf Of** Zafar, Tasmia (NE)  
**Sent:** Monday, December 23, 2024 8:33 AM  
**To:** R5RSCC <[R5RSCC@epa.gov](mailto:R5RSCC@epa.gov)>  
**Subject:** Region 05 | Case 51847 | Lab ACE | Issue Multiple

**Caution:** This email originated from outside EPA, please exercise additional caution when deciding whether to open attachments or click on provided links.

Good morning,

Please see the below issues from ACE. Please note that issue one has been resolved using a SOW resolution. Additionally, would the Region please confirm if any SEDD defect associated with laboratory QC will be waived?

**Insufficient/inappropriate designation of laboratory QC**

Issue 1: There are no samples designated on the COC for laboratory QC for SDGs E2922 and ME2922. The laboratory has selected sample E2926 and ME2926 for laboratory QC. The laboratory has confirmed that the samples are not PT, blanks, or rinsate samples.

Resolution 1: Per SFAM01.1 Exhibit A, Section 5.5.4.1., the laboratory should note the issue in the SDG Narrative and proceed with analysis of the samples.

**Insufficient volume**

Issue 2: There is insufficient sample volume to proceed with laboratory QC for VOA analysis. Please advise on how the laboratory may proceed.

Thank you,

Casey Shaeffer

Associate Environmental Analyst  
CLP QSS Coordinator – EPA Regions 4 & 10  
*Under contract to the EPA*

T: (571) 454-2416  
[casey.shaeffer@gdit.com](mailto:casey.shaeffer@gdit.com)  
15036 Conference Center Drive  
Chantilly, VA 20151  
[www.gdit.com](http://www.gdit.com)



**Leave Alert: December 24, 2024 and December 30, 2024**

**From:** Deepak Parmar <[Deepak.Parmar@alliancetg.com](mailto:Deepak.Parmar@alliancetg.com)>  
**Sent:** Monday, December 23, 2024 8:50 AM  
**To:** Zafar, Tasmia (NE) <[Tasmia.Zafar@gdit.com](mailto:Tasmia.Zafar@gdit.com)>  
**Cc:** Sohil Jodhani <[Sohil.Jodhani@AllianceTG.com](mailto:Sohil.Jodhani@AllianceTG.com)>  
**Subject:** Region 05 | Case 51847 | Lab ACE | Issue Discrepancies with tags, jars, and/or COC/QC

**This Message Is From an External Sender**

Please use caution with links, attachments, and any requests for credentials.

Good morning,

Issue 1 : Two SDGs E2922 and ME2922 is open without lab QC. However, a sample was not designated for Laboratory QC. Lab like to use samples E2926 and ME2926 for Lab QC for PCB,SVOC,SVOC SIM,VOC and ICP-MS,ICP-AES ,CN and HG . there is no extra volume for soil VOC lab QC . The laboratory would like to proceed without Laboratory QC for soil VOC analysis . these samples are not blanks, rinsates or PE samples. Also, please confirm that the any SEDD defect associated to Lab QC will be considered Invalid.

Please see attachment for your reference.

**Thanks & Regards,**



**Deepak Parmar**  
QA/QC  
An Alliance Technical Group Company  
Main: 908-789-8900  
Direct: 908-728-3154  
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092  
[www.alliancetg.com](http://www.alliancetg.com)

