

SUB DATA PACKAGE

PROJECT NAME : MH 51

PROJECT # : P5358

PSEG

80 Park Plaza

Newark, NJ - 07102

Phone No: 973-430-7000

ORDER ID : P5358

ATTENTION : Scott Mayes



Cover Page

Order ID : P5358

Project ID : MH 51

Client : PSEG

Lab Sample Number

P5358-01
P5358-02

Client Sample Number

MH-51-START
MH-51-END

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 1/16/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



Garden State Laboratories, Inc.

Report of Analysis

410 Hillside Ave.
Hillside, NJ 07205

Telephone: 800-273-8901
Email: info@gsllabs.com
Internet: www.gsllabs.com

Main Lab
NJDEP Lab Cert. #20044

Jersey Shore Lab
NJDEP Lab Cert. #15037

Lakehurst Lab
NJDEP Lab Cert. #15041

Mathew Klein, M.S., Founder (1916-1996)
Harvey Klein, M.S., Laboratory Director
Jordan B. Klein, B.A., Exec. Vice President
Sharon Ercoliani, B.A. Laboratory Manager

For: Alliance Technical Group, LLC.
284 Sheffield Street
Suite 1
Mountainside, NJ 07092

Laboratory Director:

Attention: Yazmeen Gomez

Client Number: ALL01

Report Date: 01/15/2025

Sample ID: MH-51-START Lab Sample ID: 250114083-01
Site: Collection Date/Time: 01/14/2025 09:28
Matrix: Non-potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	Permit Limit	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
E. coli	Other Colilert 18		1	< 1.0 MPN/100ml		1.0		20044	01/14/25 15:17	

Sample ID: MH-51-START Lab Sample ID: 250114083-02
Site: Collection Date/Time: 01/14/2025 09:28
Matrix: Non-potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	Permit Limit	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Fecal Coliform	Other Colilert 18		1	< 1.0 MPN/100ml		1.0		20044	01/14/25 15:17	

Sample ID: MH-51-END Lab Sample ID: 250114083-03
Site: Collection Date/Time: 01/14/2025 11:32
Matrix: Non-potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	Permit Limit	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
E. coli	Other Colilert 18		1	>2419.6 MPN/100ml		1.0		20044	01/14/25 15:17	

Sample ID: MH-51-END Lab Sample ID: 250114083-04
Site: Collection Date/Time: 01/14/2025 11:32
Matrix: Non-potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	Permit Limit	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Fecal Coliform	Other Colilert 18		1	>2419.6 MPN/100ml		1.0		20044	01/14/25 15:17	

DF=Dilution factor, <=less than, MCL=Maximum Contaminant Level, Rep. Limit=Reporting Limit,
MDL=Method Detection Limit, SM YR=Standard Methods Publication Year, and NC=Not Certified.
The liability of Garden State Laboratories, Inc. for services rendered shall in no event exceed the amount of the invoice.
Main Lab certified by NJDEP #20044-TNI, NY Dept. of Health #11550 and PADEP #68-03680.



284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 Fax (908) 789-8922
WWW.CHEMTECH.NET

ALL01
250114083-01-04

CHAIN OF CUSTODY RECORD

Sub Lab INFORMATION	CLIENT PROJECT INFORMATION	CLIENT BILLING INFORMATION
COMPANY : Garden State Lab	ORDER ID : Q1075	BILL TO: CHEMTECH PO# : Q1075
ADDRESS :	PROJECT ID:MH 51	ADDRESS : 284, Sheffield Street
CITY: State :NJ ZIP :	PROJECT MANAGER YAZMEEN	CITY: Mountainside State : NJ ZIP : 07092
E-mail :	E-mail : YAZMEEN@CHEMTECH.NET	ATTENTION :YAZMEE
PHONE : - - -	PHONE : (908) 789 8900 FAX: (908) 789 8922	PHONE : (908) 789 8900 FAX : (908) 789 8922

EDD : EXCEL NJCLEAN Report : Results Only Comment : WASTE WATER

ID	CLIENT SAMPLE IDENTIFICATION	SAMPLE MATRIX	ANALYSIS	Preservative	Method	SAMPLE COLLECTION		# OF BOTTLES	TAT DAYS
						DATE	TIME		
01	MH-51-START 83-01	Water	Ecoli	um thiosulfate(Na2S2	(sub) 9020	01/14/2025	0928	2	1
01	MH-51-START 83-02	Water	Fecal Coliform - MF	um thiosulfate(Na2S2	9222		0928	2	1
02	MH-51-END 83-03	Water	Ecoli	um thiosulfate(Na2S2	(sub) 9020	01/14/2025	1132	2	1
02	MH-51-END 83-04	Water	Fecal Coliform - MF	um thiosulfate(Na2S2	9222		1132	2	1

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGES POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. JT	DATETIME: 1-14-25	RECEIVED BY: J. Wall 1. 1/14/25 13:29	Conditions of bottles or Coolers at receipt: 0.402 <input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant Results by morning Wed 1/15 - if possible.	Cooler Temp _____ Ice or Cooler? _____
RELINQUISHED BY: 2.	DATETIME:	RECEIVED BY: 2.		
RELINQUISHED BY: 3.	DATETIME:	RECEIVED BY: 3.	Page 1 of 1 <input type="checkbox"/> OVERNIGHT <input type="checkbox"/> OVERNIGHT	Shipment Complete: <input type="checkbox"/> YES <input type="checkbox"/> NO

CHEMTECH

CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 • Fax (908) 789-8922
www.chemtech.net

CHEMTECH PROJECT NO.

QUOTE NO.

COC Number

P5358

2041844

CLIENT INFORMATION

CLIENT PROJECT INFORMATION

CLIENT BILLING INFORMATION

REPORT TO BE SENT TO:

COMPANY: PSEG

ADDRESS: S. warren St & Lafayette St

CITY Trenton STATE: NJ ZIP:

ATTENTION: Scott Mayes

PHONE: FAX:

PROJECT NAME:

PROJECT NO.: LOCATION:

PROJECT MANAGER: Scott Mayes

e-mail:

PHONE: FAX:

BILL TO: PO#:

ADDRESS:

CITY STATE: ZIP:

ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) DAYS*

HARDCOPY (DATA PACKAGE): DAYS*

EDD: DAYS*

*TO BE APPROVED BY CHEMTECH

STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)

☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP

☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B

+ Raw Data ☐ Other

☐ EDD FORMAT

Fecal Coli-form

PRESERVATIVES

COMMENTS

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS		
			COMP	GRAB	DATE	TIME		E										← Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER	
1.	MH#51-Start	AQ		X	12/9/24	920	1	X											Water
2.	MH#51- END	AQ		X	12/9/24	1320	1	X											water
3.	MH#51-Solids	SOL		X	12/9/24	1325	1	X											Sludge
4.																			
5.																			
6.																			
7.																			
8.																			
9.																			
10.																			

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER:	DATE/TIME: <u>1400</u>	RECEIVED BY:	Conditions of bottles or coolers at receipt: <input checked="" type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input checked="" type="checkbox"/> COOLER TEMP <u>2.3</u> °C
1. <u>[Signature]</u>	<u>12-19-24</u>	1. <u>[Signature]</u>	Comments:
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	
2. <u>[Signature]</u>		2. <u>[Signature]</u>	
RELINQUISHED BY SAMPLER:	DATE/TIME: <u>1615</u>	RECEIVED BY:	CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Other <input type="checkbox"/> Field Sampling
3. <u>[Signature]</u>	<u>12-19-24</u>	3. <u>[Signature]</u>	CHEMTECH: <input type="checkbox"/> Picked Up <input checked="" type="checkbox"/> Field Sampling
			Shipment Complete <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO

Page 1 of 1

CLIENT: ☐ Hand Delivered ☐ Other ☐ Field Sampling

Shipment Complete ☒ YES ☐ NO

Service Order

Record ID: 8338415

Stephen Antisz_Scott Mayes_12/19/2024_MH# 51_S Warren and Lafayette St, Trenton, NJ_2549603

General Info

Date of Service:	12/19/2024	Start Time:	09:00	Date Service Ended:	12/19/2024
Project Coordinator:	Scott Mayes	Services SES:	Stephen Antisz		
Team Personnel #1:	Scott Mayes	Contact Number #1:	609-923-2075		
Team Personnel #2:		Contact Number #2:			
Site Contact #3:		Contact Number #3:			
Site Name:	MH# 51				
Site Address:	S Warren and Lafayette St, Trenton, NJ				
Line of Business:		Scheduler:	EPS Scheduler		
EP&S Invoice Contact:	Scott Mayes	EP&S Mgr/Sup:	Steve Antisz		
Labor WBS/Order #					
Electric:		Gas:		Compliance:	
Regulatory Programs:	C.03831.1.1.G.4.C	Other:			
Projects:					
Safety Watcher Request:					
Special Instruction:					
Vendor Information					
	Vendor #1	Vendor #2	Vendor #3		
Vendor Name	Clean Harbors Environmental Services Inc.	Clean Earth of North Jersey, Inc.	Alliance Technical Group		
Waste/Activity	Manhole Cleaning	Manhole Waste Disposal	Water Sampling & Analysis		
Vendor PO#	5000053306 (2024)	5000053425 (2024)	5000056644 (2024)		
Project Specific PO#					
Transporter	Clean Harbors Environmental	Clean Harbors Environmental			
Rec. Facility/Approval #					
Lab Results					
Ticket #/Confirmation #					

Detailed Job Description

Clean Harbors to provide one (1) truck and crews for manhole cleaning at MH# 51, located at S Warren and Lafayette St, Trenton, NJ

Please provide manifest and LDR form

CENJ - to receive shipment of waste from MH.

Chemtech to sample water in MH# 51 and analyze for fecal coliform.

CHEMTECH
Environmental Laboratory
www.chemtech.net | EMAIL: PM@chemtech.net

Project Name: _____
 Service Order #: _____
 Work Order #: _____
 Labor WBS #: _____
 Facility/Site: MH #51
 Site Address: S. Warren & Lafayette
St, Trenton, NJ
 Chemtech Order ID: _____
 Sampler Name: Jeremy M
 Client Project Coordinator & Phone: Scott Mayes
 Page #: 1 of 1
 Date: 12-19-24
 Arrive Time: 9:00
 Depart Time: 1400


Waste Stream (circle one): drum / roll-off / soil pile / in-situ / linear construction / frac-tank
 Sample Matrices (circle all that apply) Water / Solid / NAPL / Concrete / Wipe

Collection Depths: NIA
 Temp (range): 2.3 °C PID Readings (range): _____ PPM Odor: Y / (N) Color: (Y) / N
 Dimensions/CY: NIA

Sample Description: Clear water with signs of particals (feces), sludge
 Field Observations: Manhole #51 about 50 % full.

QA Control # A30411:

Grid/Area Composite Map:



Sampler Signature: [Signature]
 Client Signature: _____
 P5358
 Supervisor Review/Date: _____
 Date/Time Arrived at Lab: _____