

---

**From:** Maryanne.Kosciewicz@parsons.com  
**Sent:** Monday, March 10, 2025 2:21 PM  
**To:** YAZMEEN@CHEMTECH.NET  
**Cc:** Laura.Drachenberg@parsons.com; Kirsten.Valentini@parsons.com; Stephen.Liberatore@parsons.com  
**Subject:** RE: ConEd - East River  
  
**Importance:** High

Status update please.

---

**From:** Kosciewicz, Maryanne [US-US]  
**Sent:** Thursday, March 6, 2025 12:53 PM  
**To:** YAZMEEN@CHEMTECH.NET  
**Cc:** Drachenberg, Laura [US-US] <Laura.Drachenberg@parsons.com>; Valentini, Kirsten [US-US] <Kirsten.Valentini@parsons.com>; Liberatore, Stephen [US-US] <Stephen.Liberatore@parsons.com>  
**Subject:** ConEd - East River

Hi Yazmeen,

Could you please provide a level 4 (or NYSDEC Category B) lab report for East River SDG **P5361**?

Thanks,  
Maryanne

**Maryanne Kosciewicz**  
Senior QA Chemist  
301 Plainfield Road, Suite 350 – Syracuse, NY 13212  
[maryanne.kosciewicz@parsons.com](mailto:maryanne.kosciewicz@parsons.com) – +1 315.469.4380 Home Office

[www.parsons.com](http://www.parsons.com) | [LinkedIn](#) | [Twitter](#) | [Facebook](#)



'NOTICE: This email message and all attachments transmitted with it may contain privileged and confidential information, and information that is protected by, and proprietary to, Parsons Corporation, and is intended solely for the use of the addressee for the specific purpose set forth in this communication. If the reader of this message is not the intended recipient, you are hereby notified that any reading, dissemination, distribution, copying, or other use of this message or its attachments is strictly prohibited, and you should delete this message and all copies and backups thereof. The recipient may not further distribute or use any of the information contained herein without the express written authorization of the sender. If you have received this message in error, or if you have any questions regarding the use of the proprietary information contained therein, please contact the sender of this message immediately, and the sender will provide you with further instructions.'