



SHIPPING DOCUMENTS

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: Parsons

ADDRESS: 301 plainfield Road

CITY Syracuse STATE: NY ZIP: 13212

ATTENTION: Stephen Liberatore

PHONE: (315)418-8767 FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: Con Ed East River Spill 2-4

PROJECT NO.: 453648 LOCATION: Manhattan

PROJECT MANAGER Stephen Liberatore NY

e-mail: Stephen.Liberatore@parsons.com

PHONE: (315) 418-8767 FAX: -

CLIENT BILLING INFORMATION

BILL TO: Parsons PO#: 453648

ADDRESS: 301 Plainfield Road

CITY Syracuse STATE: NY ZIP: 13212

ATTENTION: S. Liberatore PHONE: (315) 418-8767

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) standard DAYS*

HARDCOPY (DATA PACKAGE): DAYS*

EDD: DAYS*

*TO BE APPROVED BY CHEMTECH

STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only)

☐ Level 2 (Results + QC)

☐ Level 3 (Results + QC + Raw Data)

☐ EDD FORMAT

☐ Level 4 (QC + Full Raw Data)

☐ NJ Reduced

☐ NYS ASP A

☐ Other

☐ US EPA CLP

☐ NYS ASP B

PCBS

TPH

PRESERVATIVES

1 2 3 4 5 6 7 8 9

COMMENTS

← Specify Preservatives

A-HCl B-HNO3 C-H2SO4 D-NaOH E-ICE F-OTHER

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS		
			COMP	GRAB	DATE	TIME		E	E										
1.	SB-01-20241219-7.0-7.5	Soil		X	12/19/24	1045	2	X	X										
2.	SB-01-20241219-9.0-9.5	Soil		X	12/19/24	1050	2	X	X										
3.																			
4.																			
5.																			
6.																			
7.																			
8.																			
9.																			
10.																			

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. K. Walentin

DATE/TIME: 12-19-24/1630

RECEIVED BY: [Signature] 1630

DATE/TIME: 12-19-25

RECEIVED BY: [Signature]

RELINQUISHED BY SAMPLER:

DATE/TIME:

RECEIVED BY:

RELINQUISHED BY SAMPLER:

DATE/TIME:

RECEIVED BY:

Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP 5.1 °C

Comments:

Page ____ of ____

CLIENT: ☐ Hand Delivered ☐ Other

CHEMTECH: ☐ Picked Up ☐ Field Sampling

Shipment Complete ☐ YES ☐ NO

From: Maryanne.Kosciewicz@parsons.com
Sent: Monday, March 10, 2025 2:21 PM
To: YAZMEEN@CHEMTECH.NET
Cc: Laura.Drachenberg@parsons.com; Kirsten.Valentini@parsons.com; Stephen.Liberatore@parsons.com
Subject: RE: ConEd - East River

Importance: High

Status update please.

From: Kosciewicz, Maryanne [US-US]
Sent: Thursday, March 6, 2025 12:53 PM
To: YAZMEEN@CHEMTECH.NET
Cc: Drachenberg, Laura [US-US] <Laura.Drachenberg@parsons.com>; Valentini, Kirsten [US-US] <Kirsten.Valentini@parsons.com>; Liberatore, Stephen [US-US] <Stephen.Liberatore@parsons.com>
Subject: ConEd - East River

Hi Yazmeen,

Could you please provide a level 4 (or NYSDEC Category B) lab report for East River SDG **P5361**?

Thanks,
Maryanne

Maryanne Kosciewicz
Senior QA Chemist
301 Plainfield Road, Suite 350 – Syracuse, NY 13212
maryanne.kosciewicz@parsons.com – +1 315.469.4380 Home Office

www.parsons.com | [LinkedIn](#) | [Twitter](#) | [Facebook](#)



'NOTICE: This email message and all attachments transmitted with it may contain privileged and confidential information, and information that is protected by, and proprietary to, Parsons Corporation, and is intended solely for the use of the addressee for the specific purpose set forth in this communication. If the reader of this message is not the intended recipient, you are hereby notified that any reading, dissemination, distribution, copying, or other use of this message or its attachments is strictly prohibited, and you should delete this message and all copies and backups thereof. The recipient may not further distribute or use any of the information contained herein without the express written authorization of the sender. If you have received this message in error, or if you have any questions regarding the use of the proprietary information contained therein, please contact the sender of this message immediately, and the sender will provide you with further instructions.'

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488