

Cover Page

Order ID : P5362

Project ID : Con Ed Non-MGP - East River SI 453648

Client : PARSONS Main of New York, Inc.

Lab Sample Number

P5362-01
P5362-02

Client Sample Number

WC-SOIL-20241219
WC-SOIL-20241219

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 1/4/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

PARSONS Main of New York, Inc.

Project Name: Con Ed Non-MGP - East River SI 453648

Project # N/A

Chemtech Project # P5362

Test Name: Corrosivity,pH,Ignitability,Reactive Cyanide,Reactive Sulfide

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 12/19/2024.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Corrosivity, Ignitability, Mercury, Metals ICP-TAL, METALS-TAL, PCB, pH, RCRA CHARACTERISTICS, Reactive Cyanide, Reactive Sulfide, SVOC-TCL BNA -20, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP Pesticide, TCLP VOA, TCLP ZHE Extraction, TPH GC and VOC-TCLVOA-10. This data package contains results for Corrosivity, pH, Ignitability, Reactive Cyanide, Reactive Sulfide.

C. Analytical Techniques:

The analysis of Ignitability was based on method 1030, The analysis of Reactive Cyanide was based on method 9012B, The analysis of Reactive Sulfide was based on method 9034 and The analysis of Corrosivity, pH was based on method 9045D.

D. QA/ QC Samples:

The Holding Times were met for all samples except for WC-SOIL-20241219 of pH, for WC-SOIL-20241219 of Corrosivity as samples were receive out of holding time.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: P5362

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: PATEL VAISHALI

Date: 01/04/2025

LAB CHRONICLE

OrderID:	P5362	OrderDate:	12/20/2024 10:07:00 AM
Client:	PARSONS Main of New York, Inc.	Project:	Con Ed Non-MGP - East River SI 453648
Contact:	Stephen Liberatore	Location:	N21,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5362-01	WC-SOIL-20241219	SOIL			12/19/24 14:30			12/19/24
			pH	9045D			12/27/24 14:10	
P5362-02	WC-SOIL-20241219	SOIL			12/19/24 14:30			12/19/24
			Corrosivity	9045D			12/26/24 16:37	
			Ignitability	1030			12/20/24 15:05	
			Reactive Cyanide	9012B		12/23/24	12/23/24 11:51	
			Reactive Sulfide	9034		12/20/24	12/20/24 11:27	



SAMPLE DATA

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/19/24 14:30
Project:	Con Ed Non-MGP - East River SI 453648	Date Received:	12/19/24
Client Sample ID:	WC-SOIL-20241219	SDG No.:	P5362
Lab Sample ID:	P5362-01	Matrix:	SOIL
		% Solid:	92

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
pH	7.60	H	1	0	0	pH		12/27/24 14:10	9045D

Comments: pH result reported at temperature 20.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	PARSONS Main of New York, Inc.	Date Collected:	12/19/24 14:30
Project:	Con Ed Non-MGP - East River SI 453648	Date Received:	12/19/24
Client Sample ID:	WC-SOIL-20241219	SDG No.:	P5362
Lab Sample ID:	P5362-02	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	7.60	H	1	0	0	pH		12/26/24 16:37	9045D
Ignitability	NO		1	0	0	oC		12/20/24 15:05	1030
Reactive Cyanide	0.0087	U	1	0.0087	0.050	mg/Kg	12/23/24 08:45	12/23/24 11:51	9012B
Reactive Sulfide	6.31	J	1	0.19	10.0	mg/Kg	12/20/24 08:45	12/20/24 11:27	9034

Comments: pH result reported at temperature 20.9 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



QC RESULT SUMMARY



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Initial and Continuing Calibration Verification

Client: PARSONS Main of New York, Inc.

SDG No.: P5362

Project: Con Ed Non-MGP - East River SI 453648

RunNo.: LB134062

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV1 Reactive Cyanide	mg/L	0.095	0.099	96	85-115	12/23/2024
Sample ID: CCV1 Reactive Cyanide	mg/L	0.24	0.25	96	90-110	12/23/2024
Sample ID: CCV2 Reactive Cyanide	mg/L	0.25	0.25	100	90-110	12/23/2024

Initial and Continuing Calibration Verification

Client: PARSONS Main of New York, Inc.

SDG No.: P5362

Project: Con Ed Non-MGP - East River SI 453648

RunNo.: LB134092

Analyte		Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID:	ICV						
Corrosivity		pH	7.01	7	100	90-110	12/26/2024
Sample ID:	CCV1						
Corrosivity		pH	2.01	2.00	101	90-110	12/26/2024
Sample ID:	CCV2						
Corrosivity		pH	12.02	12.00	100	90-110	12/26/2024

Initial and Continuing Calibration Verification

Client: PARSONS Main of New York, Inc.

SDG No.: P5362

Project: Con Ed Non-MGP - East River SI 453648

RunNo.: LB134110

Analyte		Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID:	ICV						
pH		pH	7.00	7	100	90-110	12/27/2024
Sample ID:	CCV1						
pH		pH	2.01	2.00	101	90-110	12/27/2024
Sample ID:	CCV2						
pH		pH	12.02	12.00	100	90-110	12/27/2024



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Initial and Continuing Calibration Blank Summary

Client: PARSONS Main of New York, Inc.

SDG No.: P5362

Project: Con Ed Non-MGP - East River SI 453648

RunNo.: LB134062

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB1 Reactive Cyanide	mg/L	< 0.0025	0.0025	U	0.00099	0.005	12/23/2024
Sample ID: CCB1 Reactive Cyanide	mg/L	< 0.0025	0.0025	U	0.00099	0.005	12/23/2024
Sample ID: CCB2 Reactive Cyanide	mg/L	< 0.0025	0.0025	U	0.00099	0.005	12/23/2024

Preparation Blank Summary

Client: PARSONS Main of New York, Inc.

SDG No.: P5362

Project: Con Ed Non-MGP - East River SI 453648

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: PB165730BL							
Reactive Sulfide	mg/Kg	< 5.0000	5.0000	U	0.186	10	12/20/2024
Sample ID: PB165825BL							
Reactive Cyanide	mg/Kg	< 0.0250	0.0250	U	0.0088	0.05	12/23/2024

Duplicate Sample Summary

Client:	PARSONS Main of New York, Inc.	SDG No.:	P5362
Project:	Con Ed Non-MGP - East River SI 453648	Sample ID:	P5330-04
Client ID:	TP-5DUP	Percent Solids for Spike Sample:	100

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Reactive Sulfide	mg/Kg	+/-20	1.58	J	1.58	J	1	0		12/20/2024

Duplicate Sample Summary

Client:	PARSONS Main of New York, Inc.	SDG No.:	P5362
Project:	Con Ed Non-MGP - East River SI 453648	Sample ID:	P5355-01
Client ID:	RBR251688DUP	Percent Solids for Spike Sample:	81.7

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Ignitability	oC	+/-20	NO		NO		1	0		12/20/2024

Duplicate Sample Summary

Client: PARSONS Main of New York, Inc.	SDG No.: P5362
Project: Con Ed Non-MGP - East River SI 453648	Sample ID: P5355-02
Client ID: RBR251688DUP	Percent Solids for Spike Sample: 100

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Reactive Cyanide	mg/Kg	+/-20	0.0087	U	0.0087	U	1	0		12/23/2024

Duplicate Sample Summary

Client:	PARSONS Main of New York, Inc.	SDG No.:	P5362
Project:	Con Ed Non-MGP - East River SI 453648	Sample ID:	P5362-01
Client ID:	WC-SOIL-20241219DUP	Percent Solids for Spike Sample:	92

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
pH	pH	+/-20	7.60		7.61		1	0.13		12/27/2024

Duplicate Sample Summary

Client:	PARSONS Main of New York, Inc.	SDG No.:	P5362
Project:	Con Ed Non-MGP - East River SI 453648	Sample ID:	P5362-02
Client ID:	WC-SOIL-20241219DUP	Percent Solids for Spike Sample:	100

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Corrosivity	pH	+/-20	7.60		7.61		1	0.13		12/26/2024



RAW DATA

Analysis Method: 9034

Parameter: Reactive Sulfide

Run Number: LB134039

ANALYST: rubina

SUPERVISOR REVIEW BY: Iwona

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W3105
IODINE SOLUTION .025N 1L	W3114
Starch Solution, 4L	W3149

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB165730BL		1	5.00	50	2.00	0.00	1.92	1.92	0.08	0.00	0.00	12/20/2024	11:10
2	P5330-04		1	5.06	50	2.00	0.00	1.90	1.90	0.10	0.02	1.58	12/20/2024	11:13
3	P5330-04DUP		1	5.06	50	2.00	0.00	1.90	1.90	0.10	0.02	1.58	12/20/2024	11:15
4	P5341-02		1	5.07	50	2.00	0.00	1.84	1.84	0.16	0.08	6.31	12/20/2024	11:18
5	P5343-05		1	5.04	50	2.00	0.00	1.84	1.84	0.16	0.08	6.35	12/20/2024	11:21
6	P5355-02		1	5.03	50	2.00	0.00	1.88	1.88	0.12	0.04	3.18	12/20/2024	11:24
7	P5362-02		1	5.07	50	2.00	0.00	1.84	1.84	0.16	0.08	6.31	12/20/2024	11:27

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume

Analytical Summary Report

Analysis Method: 1030
Parameter: Ignitability
Run Number: LB134053

Reviewed By: rubina
Supervisor Review By: Iwona

Seq	LabID	ClientID	DF	matrix	Result Status	Burning Rate	Anal Date	Anal Time
1	P5355-01	RBR251688	1	Solid	NO	0.00	12/20/2024	14:35
2	P5355-01DUP	RBR251688DUP	1	Solid	NO	0.00	12/20/2024	14:42
3	P5355-02	RBR251688	1	Solid	NO	0.00	12/20/2024	14:50
4	P5357-02	121824-A	1	Solid	NO	0.00	12/20/2024	14:57
5	P5362-02	WC-SOIL-20241219	1	Solid	NO	0.00	12/20/2024	15:05

$$\text{Burning Rate} = \frac{\text{Length (mm)}}{\text{Total Time (sec)}}$$

WORKLIST(Hardcopy Internal Chain)

6134053

WorkList Name : ign-12-20-

WorkList ID : 186515

Department : Wet-Chemistry

Date : 12-20-2024 08:21:07

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5355-01	RBR251688	Solid	Ignitability	Cool 4 deg C	PSEG03	N13	12/19/2024	1030
P5355-02	RBR251688	Solid	Ignitability	Cool 4 deg C	PSEG03	N13	12/19/2024	1030
P5357-02	121824-A	Solid	Ignitability	Cool 4 deg C	PSEG03	N13	12/19/2024	1030
P5362-02	WC-SOIL-20241219	Solid	Ignitability	Cool 4 deg C	PARS02	N21	12/19/2024	1030

Date/Time 12/20/2024 14:25
Raw Sample Received by: RM (awc)
Raw Sample Relinquished by: [Signature]

Date/Time 12/20/2024 15:20
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: RM (awc)

LB134062

Test results

Aquakem 7.2AQ1

Page:

CHEMTECH CONSULTING GROUP INC
284 Sheffield Street, Mountainside, NJ 07092

12/23/2024 11:57

Reviewed by : RM Instrument ID : Konelab

Test: Total CN

Sample Id	Result	Dil. 1 +	Response	Errors
ICV1	95.167	0.0	0.070	
ICB1	-1.038	0.0	0.002	
CCV1	239.841	0.0	0.173	
CCB1	-0.440	0.0	0.002	
PB165825BL	-1.176	0.0	0.002	
P5355-02	-1.201	0.0	0.002	
P5355-02DUP	-1.489	0.0	0.001	
P5362-02	-1.325	0.0	0.001	
PB165826BL	-1.505	0.0	0.001	
P5356-01	-1.360	0.0	0.001	
P5356-01DUP	-1.266	0.0	0.002	
CCV2	245.413	0.0	0.177	
CCB2	-1.033	0.0	0.002	

N	13
Mean	43.738
SD	92.1748
CV%	210.75

Aquakem v. 7.2AQ1

Results from time period:

Mon Dec 23 10:21:35 2024

Mon Dec 23 11:51:12 2024

Sample Id	Sam/Ctr/c	Test short r	Test type	Result	Result unit	Result date and time	Stat
0.0PPBCN	A	Total CN	P	-0.9678	µg/l	12/23/2024 11:15:43	
5.0PPBCN	A	Total CN	P	3.5585	µg/l	12/23/2024 11:15:44	
10PPBCN	A	Total CN	P	9.4895	µg/l	12/23/2024 11:15:45	
50PPBCN	A	Total CN	P	49.6774	µg/l	12/23/2024 11:15:46	
100PPBCN	A	Total CN	P	102.3229	µg/l	12/23/2024 11:15:47	
250PPBCN	A	Total CN	P	252.6546	µg/l	12/23/2024 11:15:48	
500PPBCN	A	Total CN	P	498.265	µg/l	12/23/2024 11:15:49	
ICV1	S	Total CN	P	95.1672	µg/l	12/23/2024 11:44:54	
ICB1	S	Total CN	P	-1.038	µg/l	12/23/2024 11:44:57	
CCV1	S	Total CN	P	239.8408	µg/l	12/23/2024 11:44:59	
CCB1	S	Total CN	P	-0.4398	µg/l	12/23/2024 11:45:00	
PB165825BL	S	Total CN	P	-1.1761	µg/l	12/23/2024 11:45:02	
P5355-02	S	Total CN	P	-1.2007	µg/l	12/23/2024 11:45:04	
P5355-02DUP	S	Total CN	P	-1.4892	µg/l	12/23/2024 11:51:05	
P5362-02	S	Total CN	P	-1.3248	µg/l	12/23/2024 11:51:06	
PB165826BL	S	Total CN	P	-1.5053	µg/l	12/23/2024 11:51:07	
P5356-01	S	Total CN	P	-1.3604	µg/l	12/23/2024 11:51:08	
P5356-01DUP	S	Total CN	P	-1.2655	µg/l	12/23/2024 11:51:09	
CCV2	S	Total CN	P	245.4132	µg/l	12/23/2024 11:51:11	
CCB2	S	Total CN	P	-1.0331	µg/l	12/23/2024 11:51:12	

Calibration results

Aquakem 7.2AQ1

Page: 1

CHEMTECH CONSULTING GROUP INC
284 Sheffield Street, Mountainside, NJ 07092

12/23/2024 11:16

Reviewed by: RM

Instrument ID: Konelab


Test Total CN

Accepted 12/23/2024 11:16

Factor 1404
Bias 0.002

Coeff. of det. 0.999908

Errors



	Calibrator	Response	Calc. con.	Conc.	Errors
1	0.0PPBCN	0.002	-0.9678	0.0000	-
2	5.0PPBCN	0.005	3.5585	5.0000	-28.8
3	10PPBCN	0.009	9.4895	10.0000	-5.1
4	50PPBCN	0.038	49.6774	50.0000	-0.6
5	100PPBCN	0.075	102.3229	100.0000	2.3
6	250PPBCN	0.182	252.6546	250.0000	1.1
7	500PPBCN	0.357	498.2650	500.0000	-0.3

12/23/2024
RM

Analytical Summary Report

Analysis Method: 9045D

Analyst By : jignesh

Parameter: Corrosivity

Supervisor Review By : Iwona

Run Number: LB134092

Slope : 98.6

BalanceID: WC SC-7

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W3107
BUFFER PH 7.00 GREEN 1PINT PK6	W3093
PH 10.01 BUFFER, COLOR CD 475ML	W3094
buffer solution pH 7 yellow	W3071
Buffer Solution, PH2 (500ml)	W3005
Buffer Solution, PH12 (500ml)	W3072

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.1].

True Value of CCV2 = 12.00 Control Limits[+/- 0.1].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.2	4.01	12/26/2024	16:00
2	CAL2	1	Water	NA	NA	20.2	7.00	12/26/2024	16:01
3	CAL3	1	Water	NA	NA	20.2	10.02	12/26/2024	16:05
4	ICV	1	Water	NA	NA	20.3	7.01	12/26/2024	16:10
5	CCV1	1	Water	NA	NA	20.3	2.01	12/26/2024	16:30
6	P5362-02	1	Solid	20.02	20	20.9	7.60	12/26/2024	16:37
7	P5362-02DUP	1	Solid	20.03	20	20.8	7.61	12/26/2024	16:38
8	P5386-02	1	Solid	20.02	20	21.9	6.72	12/26/2024	16:45
9	P5386-04	1	Solid	20.01	20	21.9	6.80	12/26/2024	16:50
10	CCV2	1	Water	NA	NA	20.3	12.02	12/26/2024	17:00

WORKLIST(Hardcopy Internal Chain)

VB 134092

WorkList Name : corrosivity p5387 WorkList ID : 186631 Department : Wet-Chemistry Date : 12-26-2024 15:44:36

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5362-02	WC-SOIL-20241219	Solid	Corrosivity	Cool 4 deg C	PARS02	N21	12/19/2024	9045D
P5386-02	MOO-24-00398	Solid	Corrosivity	Cool 4 deg C	PSEG03	N31	12/26/2024	9045D
P5386-04	MOO-24-00395-96	Solid	Corrosivity	Cool 4 deg C	PSEG03	N31	12/26/2024	9045D

Date/Time 12/26/24 15:50
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature]

Date/Time 12/26/24 18:00
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature]

Analytical Summary Report

Analysis Method: 9045D

Analyst By : jignesh

Parameter: pH

Supervisor Review By : Iwona

Run Number: LB134110

Slope : 98.6

BalanceID: WC SC-7

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W3107
BUFFER PH 7.00 GREEN 1PINT PK6	W3093
PH 10.01 BUFFER,COLOR CD 475ML	W3094
buffer solution pH 7 yellow	W3071
Buffer Solution, PH2 (500ml)	W3005
Buffer Solution, PH12 (500ml)	W3072

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.1].

True Value of CCV2 = 12.00 Control Limits[+/- 0.1].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.3	4.01	12/27/2024	13:44
2	CAL2	1	Water	NA	NA	20.3	7.00	12/27/2024	13:45
3	CAL3	1	Water	NA	NA	20.3	10.02	12/27/2024	13:50
4	ICV	1	Water	NA	NA	20.1	7.00	12/27/2024	14:00
5	CCV1	1	Water	NA	NA	20.3	2.01	12/27/2024	14:03
6	P5362-01	1	Solid	20.02	20	20.3	7.60	12/27/2024	14:10
7	P5362-01DUP	1	Solid	20.03	20	20.4	7.61	12/27/2024	14:11
8	CCV2	1	Water	NA	NA	20.2	12.02	12/27/2024	14:15

WORKLIST(Hardcopy Internal Chain)

134110

WorkList Name : ph p5362 WorkList ID : 186667 Department : Wet-Chemistry Date : 12-27-2024 13:32:12

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5362-01	WC-SOIL-20241219	Solid	pH	Cool 4 deg C	PARS02	N21	12/19/2024	9045D

Date/Time 12/27/24 13:40
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature]

Date/Time 12/24/24 16:30
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature]

SOP ID : M9030B-Sulfide-12

SDG No : N/A

Matrix : SOIL

Pipette ID : WC

Balance ID : WC SC-7

Hood ID : HOOD#1

Block ID : MC-1,MC-2

Weigh By : RM

Start Digest Date: 12/20/2024 Time : 08:45 Temp : N/A

End Digest Date: 12/20/2024 Time : 10:15 Temp : N/A

Digestion tube ID : M5595

Filter paper ID : N/A

pH Meter ID : N/A

Block Thermometer ID : N/A

Prep Technician Signature: RM

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP111004
FORMALDEHYDE	2.0ML	W2725
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

12/20/2024
RM

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
P5330-04	TP-5	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
P5330-04DUP	TP-5DUP	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
P5341-02	STORMWATER-SOLID-COMP	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
P5343-05	OILY-RAGS-274	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P5355-02	RBR251688	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P5362-02	WC-SOIL-20241219	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
PB165730BL	PBS730	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A

Matrix : SOIL

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Block ID : MC-1

Weigh By : RM

Start Digest Date: 12/23/2024 Time : 08:45 Temp : N/A

End Digest Date: 12/23/2024 Time : 10:15 Temp : N/A

Digestion tube ID : M5595

Filter paper ID : N/A

pH Meter ID : N/A

Block Thermometer ID : N/A

Prep Technician Signature: RM

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP108640
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
12/23/2024 10:25	RM (WC)	RM (WC)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
P5355-02	RBR251688	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
P5355-02DUP	RBR251688DUP	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P5362-02	WC-SOIL-20241219	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
PB165825BL	PBS825	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A

WORKLIST(Hardcopy Internal Chain)

WorkList Name : RCN-122324

WorkList ID : 186573

Department : Distillation

Date : 12-23-2024 08:54:54

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5355-02	RBR251688	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	N13	12/19/2024	9012B
P5362-02	WC-SOIL-20241219	Solid	Reactive Cyanide	Cool 4 deg C	PARS02	N21	12/19/2024	9012B

Date/Time 12/23/2024 08:15
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: R (CWC)

Date/Time 12/23/2024 09:00
 Raw Sample Received by: R (CWC)
 Raw Sample Relinquished by: R (CWC)

Instrument ID: TITRAMETRIC

Daily Analysis Runlog For Sequence/QC Batch ID # LB134039

Review By	rubina	Review On	12/20/2024 12:05:20 PM
Supervise By	Iwona	Supervise On	12/20/2024 12:07:04 PM
SubDirectory	LB134039	Test	Reactive Sulfide
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3105,W3114,W3149		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	PB165730BL	PB165730BL	MB	12/20/24 11:10		rubina	OK
2	P5330-04	TP-5	SAM	12/20/24 11:13		rubina	OK
3	P5330-04DUP	TP-5DUP	DUP	12/20/24 11:15		rubina	OK
4	P5341-02	STORMWATER-SOLI	SAM	12/20/24 11:18		rubina	OK
5	P5343-05	OILY-RAGS-274	SAM	12/20/24 11:21		rubina	OK
6	P5355-02	RBR251688	SAM	12/20/24 11:24		rubina	OK
7	P5362-02	WC-SOIL-20241219	SAM	12/20/24 11:27		rubina	OK

Instrument ID: FLAME

Daily Analysis Runlog For Sequence/QC Batch ID # LB134053

Review By	rubina	Review On	12/20/2024 4:22:45 PM
Supervise By	Iwona	Supervise On	12/20/2024 4:24:36 PM
SubDirectory	LB134053	Test	Ignitability
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	P5355-01	RBR251688	SAM	12/20/24 14:35		rubina	OK
2	P5355-01DUP	RBR251688DUP	DUP	12/20/24 14:42		rubina	OK
3	P5355-02	RBR251688	SAM	12/20/24 14:50		rubina	OK
4	P5357-02	121824-A	SAM	12/20/24 14:57		rubina	OK
5	P5362-02	WC-SOIL-20241219	SAM	12/20/24 15:05		rubina	OK

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB134062

Review By	rubina	Review On	12/25/2024 2:13:49 PM
Supervise By	Iwona	Supervise On	12/26/2024 9:57:59 AM
SubDirectory	LB134062	Test	Reactive Cyanide
STD. NAME	STD REF.#		
ICAL Standard	WP111178,WP111179,WP111180,WP111181,WP111182,WP111183,WP111184		
ICV Standard	WP111185		
CCV Standard	WP111179		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP110103,WP111035,WP111186		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	0.0PPBCN	0.0PPBCN	CAL1	12/23/24 11:15		rubina	OK
2	5.0PPBCN	5.0PPBCN	CAL2	12/23/24 11:15		rubina	OK
3	10PPBCN	10PPBCN	CAL3	12/23/24 11:15		rubina	OK
4	50PPBCN	50PPBCN	CAL4	12/23/24 11:15		rubina	OK
5	100PPBCN	100PPBCN	CAL5	12/23/24 11:15		rubina	OK
6	250PPBCN	250PPBCN	CAL6	12/23/24 11:15		rubina	OK
7	500PPBCN	500PPBCN	CAL7	12/23/24 11:15		rubina	OK
8	ICV1	ICV1	ICV	12/23/24 11:44		rubina	OK
9	ICB1	ICB1	ICB	12/23/24 11:44		rubina	OK
10	CCV1	CCV1	CCV	12/23/24 11:44		rubina	OK
11	CCB1	CCB1	CCB	12/23/24 11:45		rubina	OK
12	PB165825BL	PB165825BL	MB	12/23/24 11:45		rubina	OK
13	P5355-02	RBR251688	SAM	12/23/24 11:45		rubina	OK
14	P5355-02DUP	RBR251688DUP	DUP	12/23/24 11:51		rubina	OK
15	P5362-02	WC-SOIL-20241219	SAM	12/23/24 11:51		rubina	OK
16	PB165826BL	PB165826BL	MB	12/23/24 11:51		rubina	OK
17	P5356-01	STAND-PIPE	SAM	12/23/24 11:51		rubina	OK
18	P5356-01DUP	STAND-PIPEDUP	DUP	12/23/24 11:51		rubina	OK

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB134062

Review By	rubina	Review On	12/25/2024 2:13:49 PM
Supervise By	Iwona	Supervise On	12/26/2024 9:57:59 AM
SubDirectory	LB134062	Test	Reactive Cyanide
STD. NAME	STD REF.#		
ICAL Standard	WP111178,WP111179,WP111180,WP111181,WP111182,WP111183,WP111184		
ICV Standard	WP111185		
CCV Standard	WP111179		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP110103,WP11035,WP111186		

19	CCV2	CCV2	CCV	12/23/24 11:51		rubina	OK
20	CCB2	CCB2	CCB	12/23/24 11:51		rubina	OK

Instrument ID: WC PH METER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB134092

Review By	jignesh	Review On	12/26/2024 4:43:53 PM
Supervise By	Iwona	Supervise On	12/27/2024 9:26:27 AM
SubDirectory	LB134092	Test	Corrosivity
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3107,W3093,W3094,W3071,W3005,W3072		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	CAL1	CAL1	CAL	12/26/24 16:00		Jignesh	OK
2	CAL2	CAL2	CAL	12/26/24 16:01		Jignesh	OK
3	CAL3	CAL3	CAL	12/26/24 16:05		Jignesh	OK
4	ICV	ICV	ICV	12/26/24 16:10		Jignesh	OK
5	CCV1	CCV1	CCV	12/26/24 16:30		Jignesh	OK
6	P5362-02	WC-SOIL-20241219	SAM	12/26/24 16:37		Jignesh	OK
7	P5362-02DUP	WC-SOIL-20241219D	DUP	12/26/24 16:38		Jignesh	OK
8	P5386-02	MOO-24-00398	SAM	12/26/24 16:45		Jignesh	OK
9	P5386-04	MOO-24-00395-96	SAM	12/26/24 16:50		Jignesh	OK
10	CCV2	CCV2	CCV	12/26/24 17:00		Jignesh	OK

Instrument ID: WC PH METER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB134110

Review By	jignesh	Review On	12/27/2024 2:53:08 PM
Supervise By	Iwona	Supervise On	12/27/2024 3:36:56 PM
SubDirectory	LB134110	Test	pH
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3107,W3093,W3094,W3071,W3005,W3072		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	CAL1	CAL1	CAL	12/27/24 13:44		Jignesh	OK
2	CAL2	CAL2	CAL	12/27/24 13:45		Jignesh	OK
3	CAL3	CAL3	CAL	12/27/24 13:50		Jignesh	OK
4	ICV	ICV	ICV	12/27/24 14:00		Jignesh	OK
5	CCV1	CCV1	CCV	12/27/24 14:03		Jignesh	OK
6	P5362-01	WC-SOIL-20241219	SAM	12/27/24 14:10		Jignesh	OK
7	P5362-01DUP	WC-SOIL-20241219D	DUP	12/27/24 14:11		Jignesh	OK
8	CCV2	CCV2	CCV	12/27/24 14:15		Jignesh	OK



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 12/23/2024

OVENTEMP IN Celsius(°C): 106
Time IN: 16:30
In Date: 12/20/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:27
Out Date: 12/21/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB134046

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P5318-01	AU-06-122024	15	1.15	8.84	9.99	8.77	86.2	
P5319-01	AUD-1617	16	1.00	1.00	2.00	2.00	100.0	wipe sample
P5361-01	SB-01-20241219-7.0-7.5	1	1.14	8.41	9.55	8.85	91.7	
P5361-02	SB-01-20241219-9.0-9.5	2	1.19	8.48	9.67	8.58	87.1	
P5362-01	WC-SOIL-20241219	3	1.13	8.70	9.83	9.13	92.0	
P5365-01	TAPFTA-SB01I-4.5-121924-00-T1	4	1.13	8.56	9.69	8.84	90.1	
P5369-05	SVOC-GPC-BLANK	5	1.00	1.00	2.00	2.00	100.0	
P5369-06	PEST-GPC-BLANK	6	1.00	1.00	2.00	2.00	100.0	
P5369-07	PEST-GPC-BLANK-SPIKE	7	1.00	1.00	2.00	2.00	100.0	
P5369-08	PCB-GPC-BLANK	8	1.00	1.00	2.00	2.00	100.0	
P5369-09	PCB-GPC-BLANK-SPIKE	9	1.00	1.00	2.00	2.00	100.0	
P5369-10	SVOC-GPC2-BLANK	10	1.00	1.00	2.00	2.00	100.0	
P5369-11	PEST-GPC2-BLANK	11	1.00	1.00	2.00	2.00	100.0	
P5369-12	PEST-GPC2-BLANK-SPIKE	12	1.00	1.00	2.00	2.00	100.0	
P5369-13	PCB-GPC2-BLANK	13	1.00	1.00	2.00	2.00	100.0	
P5369-14	PCB-GPC2-BLANK-SPIKE	14	1.00	1.00	2.00	2.00	100.0	
P5377-01	GAS-TRE-1119	17	1.00	1.00	2.00	2.00	100.0	wipe sample

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

1734046

WorkList Name : %1-122024

WorkList ID : 186509

Department : Wet-Chemistry

Date : 12-20-2024 08:05:45

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5318-01	AU-06-122024	Solid	Percent Solids	Cool 4 deg C	PSEG05	N31	12/20/2024	Chemtech -SO
P5319-01	AUD-1617	Solid	Percent Solids	Cool 4 deg C	PSEG03	N31	12/20/2024	Chemtech -SO
P5361-01	SB-01-20241219-7.0-7.5	Solid	Percent Solids	Cool 4 deg C	PARS02	N12	12/20/2024	Chemtech -SO
P5361-02	SB-01-20241219-9.0-9.5	Solid	Percent Solids	Cool 4 deg C	PARS02	N12	12/20/2024	Chemtech -SO
P5362-01	WC-SOIL-20241219	Solid	Percent Solids	Cool 4 deg C	PARS02	N21	12/19/2024	Chemtech -SO
P5365-01	TAPFTA-SB01I-4.5-121924-00-	Solid	Percent Solids	Cool 4 deg C	WEST04	N21	12/19/2024	Chemtech -SO
P5369-05	SVOC-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	N22	12/13/2024	Chemtech -SO
P5369-06	PEST-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	N22	12/13/2024	Chemtech -SO
P5369-07	PEST-GPC-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	N22	12/13/2024	Chemtech -SO
P5369-08	PCB-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	N22	12/13/2024	Chemtech -SO
P5369-09	PCB-GPC-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	N22	12/13/2024	Chemtech -SO
P5369-10	SVOC-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	N22	12/13/2024	Chemtech -SO
P5369-11	PEST-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	N22	12/13/2024	Chemtech -SO
P5369-12	PEST-GPC2-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	N22	12/13/2024	Chemtech -SO
P5369-13	PCB-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	N22	12/13/2024	Chemtech -SO
P5369-14	PCB-GPC2-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	N22	12/13/2024	Chemtech -SO
P5377-01	GAS-TRE-1119	Solid	Percent Solids	Cool 4 deg C	PSEG03	N13	12/20/2024	Chemtech -SO

Date/Time 12/20/24 16:15

Raw Sample Received by: JB GOC

Raw Sample Relinquished by: CB GR

Date/Time 12/20/24

Raw Sample Received by: CB GR

Raw Sample Relinquished by: JB GOC

1730



SHIPPING DOCUMENTS

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: ParsonsADDRESS: 301 Plainfield RoadCITY Syracuse STATE: NY ZIP: 13212ATTENTION: Stephen LiberatorePHONE: (315) 418-8767 FAX: —

CLIENT PROJECT INFORMATION

PROJECT NAME: Con Ed East River SIPROJECT NO.: 453648 LOCATION: ManhattanPROJECT MANAGER: S. Liberatore NYe-mail: Stephen.Liberatore@parsons.comPHONE: (315) 418-8767 FAX: —

CLIENT BILLING INFORMATION

BILL TO: Parsons PO#: 453648ADDRESS: 301 Plainfield RoadCITY Syracuse STATE: NY ZIP: 13212ATTENTION: S. Liberatore PHONE: (315) 418-8767

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) 5-day rush DAYS*HARDCOPY (DATA PACKAGE): 5-day rush DAYS*EDD: 5-day rush DAYS*

*TO BE APPROVED BY CHEMTECH

STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B+ Raw Data ☐ Other ☐ EDD FORMAT

VOCs, SVOCs
TAL metals
PCBS, TPH
TCLP VOCs, TCLP SVOCs
TCLP metals
TCLP pest. TCLP herb
Ignitability, reactivity
Corrosivity, pH

PRESERVATIVES

COMMENTS

CHEMTECH
SAMPLE
IDPROJECT
SAMPLE IDENTIFICATIONSAMPLE
MATRIXSAMPLE
TYPE
COMP GRABSAMPLE
COLLECTION
DATE TIME

OF BOTTLES

E

E

E

E

E

E

E

E

E

E

E

E

E

← Specify Preservatives

A-HCl

D-NaOH

B-HNO3

E-ICE

C-H2SO4

F-OTHER

1.

WC-Soil - 2024/12/19SoilX12/19/24143014XXXXXXXXXXXX

2.

3.

4.

5.

6.

7.

8.

9.

10.

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER:

DATE/TIME:

RECEIVED BY:

1. K. Walenta12-19-24/1630[Signature]

RELINQUISHED BY SAMPLER:

DATE/TIME:

RECEIVED BY:

2.

RELINQUISHED BY SAMPLER:

DATE/TIME:

RECEIVED BY:

3.

RECEIVED BY:

Conditions of bottles or coolers at receipt:

☐ COMPLIANT☐ NON COMPLIANT☐ COOLER TEMP5.1 °C

Comments:

Page of

CLIENT:

☐ Hand Delivered☐ Other

CHEMTECH:

☐ Picked Up☐ Field Sampling

Shipment Complete

☐ YES ☐ NO



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

LOGIN REPORT/SAMPLE TRANSFER

Order ID : P5362 PARS02

Order Date : 12/20/2024 10:07:00 AM

Project Mgr :

Client Name : PARSONS Main of New Yc

Project Name : Con Edison Non-MGP - Ea

Report Type : Results Only

Client Contact : Stephen Liberatore

Receive DateTime : 12/19/2024 4:30:00 PM

EDD Type : NYSDEC EDD V-4

Invoice Name : PARSONS Main of New Yc

Purchase Order :

Hard Copy Date :

Invoice Contact : Stephen Liberatore

Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
P5362-01	WC-SOIL-20241219	Solid	12/19/2024	14:30	VOC-TCLVOA-10		8260D		5 Bus. Days

Relinquished By :

Date / Time :

12-20-24 11:00

Received By :

Date / Time :

12/20/24 11:00 *Sam* *Reg H 6* *F22*

Storage Area : VOA Refridgerator Room