

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P5362

Client: PARSONS Main of New York, Inc.

Analytical Method: 8270E

DataFile: BF140990.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	RPD		Limits		RPD
							Qual	Qual	Low	High	
PB165814BS	Benzaldehyde	1700	450	ug/Kg	26				10	133	
	Phenol	1700	1800	ug/Kg	106				62	112	
	bis(2-Chloroethyl)ether	1700	1700	ug/Kg	100				60	101	
	2-Chlorophenol	1700	1800	ug/Kg	106				65	112	
	2-Methylphenol	1700	1700	ug/Kg	100				61	108	
	2,2-oxybis(1-Chloropropane)	1700	1800	ug/Kg	106		*		51	100	
	Acetophenone	1700	1600	ug/Kg	94				66	98	
	3+4-Methylphenols	1700	1700	ug/Kg	100				58	111	
	N-Nitroso-di-n-propylamine	1700	1700	ug/Kg	100		*		63	95	
	Hexachloroethane	1700	1700	ug/Kg	100				72	108	
	Nitrobenzene	1700	1800	ug/Kg	106		*		57	101	
	Isophorone	1700	1700	ug/Kg	100		*		59	99	
	2-Nitrophenol	1700	1900	ug/Kg	112		*		61	111	
	2,4-Dimethylphenol	1700	2000	ug/Kg	118				46	141	
	bis(2-Chloroethoxy)methane	1700	1600	ug/Kg	94				66	97	
	2,4-Dichlorophenol	1700	1700	ug/Kg	100				62	107	
	Naphthalene	1700	1600	ug/Kg	94				62	100	
	4-Chloroaniline	1700	580	ug/Kg	34				16	100	
	Hexachlorobutadiene	1700	1600	ug/Kg	94				53	98	
	Caprolactam	1700	1700	ug/Kg	100				67	110	
	4-Chloro-3-methylphenol	1700	1700	ug/Kg	100				58	112	
	2-Methylnaphthalene	1700	1600	ug/Kg	94				60	104	
	Hexachlorocyclopentadiene	3300	6100	ug/Kg	185		*		45	165	
	2,4,6-Trichlorophenol	1700	1800	ug/Kg	106		*		59	102	
	2,4,5-Trichlorophenol	1700	1700	ug/Kg	100		*		61	98	
	1,1-Biphenyl	1700	1700	ug/Kg	100				57	103	
	2-Chloronaphthalene	1700	1600	ug/Kg	94				58	99	
	2-Nitroaniline	1700	1900	ug/Kg	112		*		66	101	
	Dimethylphthalate	1700	1700	ug/Kg	100		*		61	99	
	Acenaphthylene	1700	1800	ug/Kg	106		*		63	101	
	2,6-Dinitrotoluene	1700	1800	ug/Kg	106		*		61	104	
	3-Nitroaniline	1700	1100	ug/Kg	65				28	100	
	Acenaphthene	1700	1800	ug/Kg	106		*		57	104	
	2,4-Dinitrophenol	3300	3400	ug/Kg	103				37	128	
	4-Nitrophenol	3300	4000	ug/Kg	121		*		48	119	
	Dibenzofuran	1700	1700	ug/Kg	100		*		63	99	
	2,4-Dinitrotoluene	1700	2000	ug/Kg	118		*		60	106	
	Diethylphthalate	1700	1700	ug/Kg	100				60	101	
	4-Chlorophenyl-phenylether	1700	1600	ug/Kg	94				58	98	
	Fluorene	1700	1600	ug/Kg	94				61	101	
	4-Nitroaniline	1700	1800	ug/Kg	106		*		64	103	
	4,6-Dinitro-2-methylphenol	1700	2000	ug/Kg	118		*		76	113	
	N-Nitrosodiphenylamine	1700	1700	ug/Kg	100		*		71	99	
	4-Bromophenyl-phenylether	1700	1800	ug/Kg	106		*		66	102	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P5362

Client: PARSONS Main of New York, Inc.

Analytical Method: 8270E

DataFile: BF140990.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	RPD		Limits		RPD
							Qual	Qual	Low	High	
PB165814BS	Hexachlorobenzene	1700	1700	ug/Kg	100		*		64	98	
	Atrazine	1700	2200	ug/Kg	129				47	152	
	Pentachlorophenol	3300	3500	ug/Kg	106		*		67	105	
	Phenanthrene	1700	1700	ug/Kg	100				59	103	
	Anthracene	1700	1800	ug/Kg	106		*		61	105	
	Carbazole	1700	1700	ug/Kg	100		*		61	99	
	Di-n-butylphthalate	1700	1700	ug/Kg	100				58	104	
	Fluoranthene	1700	1600	ug/Kg	94				57	107	
	Pyrene	1700	1600	ug/Kg	94				59	103	
	Butylbenzylphthalate	1700	1800	ug/Kg	106		*		55	103	
	3,3-Dichlorobenzidine	1700	920	ug/Kg	54				42	91	
	Benzo(a)anthracene	1700	1600	ug/Kg	94				60	102	
	Chrysene	1700	1700	ug/Kg	100				59	101	
	bis(2-Ethylhexyl)phthalate	1700	1700	ug/Kg	100				54	135	
	Di-n-octyl phthalate	1700	1800	ug/Kg	106				52	137	
	Benzo(b)fluoranthene	1700	1600	ug/Kg	94				62	109	
	Benzo(k)fluoranthene	1700	2000	ug/Kg	118		*		62	109	
	Benzo(a)pyrene	1700	1900	ug/Kg	112		*		63	103	
	Indeno(1,2,3-cd)pyrene	1700	1900	ug/Kg	112		*		63	101	
	Dibenz(a,h)anthracene	1700	1900	ug/Kg	112				61	112	
	Benzo(g,h,i)perylene	1700	1700	ug/Kg	100				70	108	
	1,2,4,5-Tetrachlorobenzene	1700	1700	ug/Kg	100				53	101	
	1,4-Dioxane	1700	1500	ug/Kg	88				50	96	
	2,3,4,6-Tetrachlorophenol	1700	1900	ug/Kg	112		*		59	108	