

Hit Summary Sheet
SW-846

SDG No.: P5371

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: SPLP-C10-1-M								
P5371-01	SPLP-C10-1-M	WATER	Vinyl Chloride	1.20	J	0.34	5.00	ug/L
P5371-01	SPLP-C10-1-M	WATER	Acetone	18.1	J	1.40	25.0	ug/L
P5371-01	SPLP-C10-1-M	WATER	Carbon Disulfide	1.40	J	0.32	5.00	ug/L
P5371-01	SPLP-C10-1-M	WATER	cis-1,2-Dichloroethene	6.90		0.25	5.00	ug/L
P5371-01	SPLP-C10-1-M	WATER	Chloroform	4.60	J	0.26	5.00	ug/L
P5371-01	SPLP-C10-1-M	WATER	Benzene	15.7		0.16	5.00	ug/L
P5371-01	SPLP-C10-1-M	WATER	Trichloroethene	1.80	J	0.32	5.00	ug/L
P5371-01	SPLP-C10-1-M	WATER	Toluene	46.8		0.18	5.00	ug/L
P5371-01	SPLP-C10-1-M	WATER	Ethyl Benzene	160	E	0.16	5.00	ug/L
P5371-01	SPLP-C10-1-M	WATER	m/p-Xylenes	62.6		0.31	10.0	ug/L
P5371-01	SPLP-C10-1-M	WATER	o-Xylene	47.4		0.14	5.00	ug/L
P5371-01	SPLP-C10-1-M	WATER	Isopropylbenzene	7.60		0.13	5.00	ug/L
Total Voc :					374			
Total Concentration:					374			
Client ID: SPLP-C10-1-MDL								
P5371-01DL	SPLP-C10-1-MDL	WATER	Acetone	22.5	JD	5.60	100	ug/L
P5371-01DL	SPLP-C10-1-MDL	WATER	cis-1,2-Dichloroethene	8.90	JD	1.00	20.0	ug/L
P5371-01DL	SPLP-C10-1-MDL	WATER	Chloroform	5.90	JD	1.00	20.0	ug/L
P5371-01DL	SPLP-C10-1-MDL	WATER	Benzene	17.7	JD	0.64	20.0	ug/L
P5371-01DL	SPLP-C10-1-MDL	WATER	Toluene	50.8	D	0.72	20.0	ug/L
P5371-01DL	SPLP-C10-1-MDL	WATER	Ethyl Benzene	170	D	0.64	20.0	ug/L
P5371-01DL	SPLP-C10-1-MDL	WATER	m/p-Xylenes	66.4	D	1.20	40.0	ug/L
P5371-01DL	SPLP-C10-1-MDL	WATER	o-Xylene	51.9	D	0.56	20.0	ug/L
P5371-01DL	SPLP-C10-1-MDL	WATER	Isopropylbenzene	10.0	JD	0.52	20.0	ug/L
Total Voc :					404			
Total Concentration:					404			
Client ID: SPLP-C10-2-M								
P5371-02	SPLP-C10-2-M	WATER	Vinyl Chloride	1.90	J	0.34	5.00	ug/L
P5371-02	SPLP-C10-2-M	WATER	Acetone	19.5	J	1.40	25.0	ug/L
P5371-02	SPLP-C10-2-M	WATER	Carbon Disulfide	1.20	J	0.32	5.00	ug/L
P5371-02	SPLP-C10-2-M	WATER	cis-1,2-Dichloroethene	22.3		0.25	5.00	ug/L
P5371-02	SPLP-C10-2-M	WATER	Chloroform	4.30	J	0.26	5.00	ug/L
P5371-02	SPLP-C10-2-M	WATER	Benzene	97.9		0.16	5.00	ug/L
P5371-02	SPLP-C10-2-M	WATER	Trichloroethene	2.40	J	0.32	5.00	ug/L
P5371-02	SPLP-C10-2-M	WATER	Toluene	200	E	0.18	5.00	ug/L
P5371-02	SPLP-C10-2-M	WATER	Ethyl Benzene	460	E	0.16	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: P5371

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5371-02	SPLP-C10-2-M	WATER	m/p-Xylenes	180		0.31	10.0	ug/L
P5371-02	SPLP-C10-2-M	WATER	o-Xylene	130	E	0.14	5.00	ug/L
P5371-02	SPLP-C10-2-M	WATER	Isopropylbenzene	20.3		0.13	5.00	ug/L
Total Voc :				1140				
Total Concentration:				1140				
Client ID:	SPLP-C10-2-MDL							
P5371-02DL	SPLP-C10-2-MDL	WATER	cis-1,2-Dichloroethene	24.4	JD	2.50	50.0	ug/L
P5371-02DL	SPLP-C10-2-MDL	WATER	Benzene	110	D	1.60	50.0	ug/L
P5371-02DL	SPLP-C10-2-MDL	WATER	Toluene	210	D	1.80	50.0	ug/L
P5371-02DL	SPLP-C10-2-MDL	WATER	Ethyl Benzene	470	D	1.60	50.0	ug/L
P5371-02DL	SPLP-C10-2-MDL	WATER	m/p-Xylenes	190	D	3.10	100	ug/L
P5371-02DL	SPLP-C10-2-MDL	WATER	o-Xylene	130	D	1.40	50.0	ug/L
P5371-02DL	SPLP-C10-2-MDL	WATER	Isopropylbenzene	22.7	JD	1.30	50.0	ug/L
Total Voc :				1160				
Total Concentration:				1160				
Client ID:	SPLP-C10-3-M							
P5371-03	SPLP-C10-3-M	WATER	Vinyl Chloride	1.80	J	0.34	5.00	ug/L
P5371-03	SPLP-C10-3-M	WATER	Acetone	27.3		1.40	25.0	ug/L
P5371-03	SPLP-C10-3-M	WATER	cis-1,2-Dichloroethene	33.2		0.25	5.00	ug/L
P5371-03	SPLP-C10-3-M	WATER	Chloroform	3.00	J	0.26	5.00	ug/L
P5371-03	SPLP-C10-3-M	WATER	Methylcyclohexane	1.10	J	0.19	5.00	ug/L
P5371-03	SPLP-C10-3-M	WATER	Benzene	180	E	0.16	5.00	ug/L
P5371-03	SPLP-C10-3-M	WATER	Trichloroethene	3.20	J	0.32	5.00	ug/L
P5371-03	SPLP-C10-3-M	WATER	Toluene	280	E	0.18	5.00	ug/L
P5371-03	SPLP-C10-3-M	WATER	Ethyl Benzene	760	E	0.16	5.00	ug/L
P5371-03	SPLP-C10-3-M	WATER	m/p-Xylenes	270	E	0.31	10.0	ug/L
P5371-03	SPLP-C10-3-M	WATER	o-Xylene	190	E	0.14	5.00	ug/L
P5371-03	SPLP-C10-3-M	WATER	Isopropylbenzene	34.5		0.13	5.00	ug/L
Total Voc :				1780				
Total Concentration:				1780				
Client ID:	SPLP-C10-3-MDL							
P5371-03DL	SPLP-C10-3-MDL	WATER	cis-1,2-Dichloroethene	33.5	JD	5.00	100	ug/L
P5371-03DL	SPLP-C10-3-MDL	WATER	Benzene	160	D	3.20	100	ug/L
P5371-03DL	SPLP-C10-3-MDL	WATER	Toluene	250	D	3.60	100	ug/L
P5371-03DL	SPLP-C10-3-MDL	WATER	Ethyl Benzene	670	D	3.20	100	ug/L
P5371-03DL	SPLP-C10-3-MDL	WATER	m/p-Xylenes	240	D	6.20	200	ug/L
P5371-03DL	SPLP-C10-3-MDL	WATER	o-Xylene	160	D	2.80	100	ug/L
P5371-03DL	SPLP-C10-3-MDL	WATER	Isopropylbenzene	29.6	JD	2.60	100	ug/L

Hit Summary Sheet
SW-846

SDG No.: P5371

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Total Voc :				1540				
Total Concentration:				1540				
Client ID:	SPLP-C11-1-M							
P5371-04	SPLP-C11-1-M	WATER	Acetone	21.4	J	1.40	25.0	ug/L
P5371-04	SPLP-C11-1-M	WATER	cis-1,2-Dichloroethene	6.90		0.25	5.00	ug/L
P5371-04	SPLP-C11-1-M	WATER	Chloroform	3.60	J	0.26	5.00	ug/L
P5371-04	SPLP-C11-1-M	WATER	Benzene	19.8		0.16	5.00	ug/L
P5371-04	SPLP-C11-1-M	WATER	Trichloroethene	1.30	J	0.32	5.00	ug/L
P5371-04	SPLP-C11-1-M	WATER	Toluene	21.4		0.18	5.00	ug/L
P5371-04	SPLP-C11-1-M	WATER	Ethyl Benzene	150	E	0.16	5.00	ug/L
P5371-04	SPLP-C11-1-M	WATER	m/p-Xylenes	36.0		0.31	10.0	ug/L
P5371-04	SPLP-C11-1-M	WATER	o-Xylene	38.7		0.14	5.00	ug/L
P5371-04	SPLP-C11-1-M	WATER	Isopropylbenzene	13.7		0.13	5.00	ug/L
Total Voc :				313				
Total Concentration:				313				
Client ID:	SPLP-C11-1-MDL							
P5371-04DL	SPLP-C11-1-MDL	WATER	Acetone	27.2	JD	5.60	100	ug/L
P5371-04DL	SPLP-C11-1-MDL	WATER	cis-1,2-Dichloroethene	7.50	JD	1.00	20.0	ug/L
P5371-04DL	SPLP-C11-1-MDL	WATER	Chloroform	4.10	JD	1.00	20.0	ug/L
P5371-04DL	SPLP-C11-1-MDL	WATER	Benzene	21.3	D	0.64	20.0	ug/L
P5371-04DL	SPLP-C11-1-MDL	WATER	Toluene	22.7	D	0.72	20.0	ug/L
P5371-04DL	SPLP-C11-1-MDL	WATER	Ethyl Benzene	150	D	0.64	20.0	ug/L
P5371-04DL	SPLP-C11-1-MDL	WATER	m/p-Xylenes	37.2	JD	1.20	40.0	ug/L
P5371-04DL	SPLP-C11-1-MDL	WATER	o-Xylene	38.8	D	0.56	20.0	ug/L
P5371-04DL	SPLP-C11-1-MDL	WATER	Isopropylbenzene	13.8	JD	0.52	20.0	ug/L
Total Voc :				323				
Total Concentration:				323				
Client ID:	SPLP-C11-2-M							
P5371-05	SPLP-C11-2-M	WATER	Acetone	23.4	J	1.40	25.0	ug/L
P5371-05	SPLP-C11-2-M	WATER	cis-1,2-Dichloroethene	13.4		0.25	5.00	ug/L
P5371-05	SPLP-C11-2-M	WATER	Chloroform	3.40	J	0.26	5.00	ug/L
P5371-05	SPLP-C11-2-M	WATER	Methylcyclohexane	1.30	J	0.19	5.00	ug/L
P5371-05	SPLP-C11-2-M	WATER	Benzene	52.9		0.16	5.00	ug/L
P5371-05	SPLP-C11-2-M	WATER	Trichloroethene	1.90	J	0.32	5.00	ug/L
P5371-05	SPLP-C11-2-M	WATER	Toluene	32.3		0.18	5.00	ug/L
P5371-05	SPLP-C11-2-M	WATER	Ethyl Benzene	220	E	0.16	5.00	ug/L
P5371-05	SPLP-C11-2-M	WATER	m/p-Xylenes	49.3		0.31	10.0	ug/L
P5371-05	SPLP-C11-2-M	WATER	o-Xylene	50.3		0.14	5.00	ug/L

Hit Summary Sheet SW-846

SDG No.: P5371

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5371-05	SPLP-C11-2-M	WATER	Isopropylbenzene	16.4		0.13	5.00	ug/L
			Total Voc :			465		
			Total Concentration:			465		
Client ID:	SPLP-C11-2-MDL							
P5371-05DL	SPLP-C11-2-MDL	WATER	cis-1,2-Dichloroethene	20.4	JD	2.50	50.0	ug/L
P5371-05DL	SPLP-C11-2-MDL	WATER	Benzene	71.9	D	1.60	50.0	ug/L
P5371-05DL	SPLP-C11-2-MDL	WATER	Toluene	42.2	JD	1.80	50.0	ug/L
P5371-05DL	SPLP-C11-2-MDL	WATER	Ethyl Benzene	280	D	1.60	50.0	ug/L
P5371-05DL	SPLP-C11-2-MDL	WATER	m/p-Xylenes	62.6	JD	3.10	100	ug/L
P5371-05DL	SPLP-C11-2-MDL	WATER	o-Xylene	62.0	D	1.40	50.0	ug/L
P5371-05DL	SPLP-C11-2-MDL	WATER	Isopropylbenzene	22.5	JD	1.30	50.0	ug/L
			Total Voc :			562		
			Total Concentration:			562		
Client ID:	SPLP-C11-3-M							
P5371-06	SPLP-C11-3-M	WATER	Acetone	20.1	J	1.40	25.0	ug/L
P5371-06	SPLP-C11-3-M	WATER	cis-1,2-Dichloroethene	3.00	J	0.25	5.00	ug/L
P5371-06	SPLP-C11-3-M	WATER	Chloroform	2.70	J	0.26	5.00	ug/L
P5371-06	SPLP-C11-3-M	WATER	Benzene	4.50	J	0.16	5.00	ug/L
P5371-06	SPLP-C11-3-M	WATER	Toluene	6.80		0.18	5.00	ug/L
P5371-06	SPLP-C11-3-M	WATER	Ethyl Benzene	41.1		0.16	5.00	ug/L
P5371-06	SPLP-C11-3-M	WATER	m/p-Xylenes	11.0		0.31	10.0	ug/L
P5371-06	SPLP-C11-3-M	WATER	o-Xylene	11.4		0.14	5.00	ug/L
P5371-06	SPLP-C11-3-M	WATER	Isopropylbenzene	4.10	J	0.13	5.00	ug/L
			Total Voc :			105		
			Total Concentration:			105		
Client ID:	SPLP-C11-3-MRE							
P5371-06RE	SPLP-C11-3-MRE	WATER	Acetone	23.7	J	1.40	25.0	ug/L
P5371-06RE	SPLP-C11-3-MRE	WATER	cis-1,2-Dichloroethene	3.00	J	0.25	5.00	ug/L
P5371-06RE	SPLP-C11-3-MRE	WATER	Chloroform	3.00	J	0.26	5.00	ug/L
P5371-06RE	SPLP-C11-3-MRE	WATER	Benzene	4.80	J	0.16	5.00	ug/L
P5371-06RE	SPLP-C11-3-MRE	WATER	Toluene	7.10		0.18	5.00	ug/L
P5371-06RE	SPLP-C11-3-MRE	WATER	Ethyl Benzene	42.4		0.16	5.00	ug/L
P5371-06RE	SPLP-C11-3-MRE	WATER	m/p-Xylenes	11.3		0.31	10.0	ug/L
P5371-06RE	SPLP-C11-3-MRE	WATER	o-Xylene	11.3		0.14	5.00	ug/L
P5371-06RE	SPLP-C11-3-MRE	WATER	Isopropylbenzene	4.00	J	0.13	5.00	ug/L
			Total Voc :			111		
			Total Concentration:			111		
Client ID:	SPLP-C12-1-M							

Hit Summary Sheet
SW-846

SDG No.: P5371

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5371-07	SPLP-C12-1-M	WATER	Acetone	28.5		1.40	25.0	ug/L
P5371-07	SPLP-C12-1-M	WATER	cis-1,2-Dichloroethene	6.60		0.25	5.00	ug/L
P5371-07	SPLP-C12-1-M	WATER	Chloroform	2.80	J	0.26	5.00	ug/L
P5371-07	SPLP-C12-1-M	WATER	Benzene	4.50	J	0.16	5.00	ug/L
P5371-07	SPLP-C12-1-M	WATER	Trichloroethene	1.90	J	0.32	5.00	ug/L
P5371-07	SPLP-C12-1-M	WATER	Toluene	5.00		0.18	5.00	ug/L
P5371-07	SPLP-C12-1-M	WATER	Ethyl Benzene	19.6		0.16	5.00	ug/L
P5371-07	SPLP-C12-1-M	WATER	m/p-Xylenes	6.60	J	0.31	10.0	ug/L
P5371-07	SPLP-C12-1-M	WATER	o-Xylene	6.80		0.14	5.00	ug/L
P5371-07	SPLP-C12-1-M	WATER	Isopropylbenzene	1.70	J	0.13	5.00	ug/L
Total Voc :				84.0				
Total Concentration:				84.0				
Client ID:	SPLP-C12-1-MRE							
P5371-07RE	SPLP-C12-1-MRE	WATER	Acetone	31.6		1.40	25.0	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	2-Butanone	5.20	J	1.30	25.0	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	cis-1,2-Dichloroethene	6.60		0.25	5.00	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	Chloroform	3.00	J	0.26	5.00	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	Benzene	4.70	J	0.16	5.00	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	Trichloroethene	2.00	J	0.32	5.00	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	Toluene	5.20		0.18	5.00	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	Ethyl Benzene	20.4		0.16	5.00	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	m/p-Xylenes	7.00	J	0.31	10.0	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	o-Xylene	6.70		0.14	5.00	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	Isopropylbenzene	1.80	J	0.13	5.00	ug/L
Total Voc :				94.2				
Total Concentration:				94.2				
Client ID:	SPLP-C12-2-M							
P5371-08	SPLP-C12-2-M	WATER	Acetone	20.7	J	1.40	25.0	ug/L
P5371-08	SPLP-C12-2-M	WATER	cis-1,2-Dichloroethene	5.50		0.25	5.00	ug/L
P5371-08	SPLP-C12-2-M	WATER	Chloroform	3.00	J	0.26	5.00	ug/L
P5371-08	SPLP-C12-2-M	WATER	Benzene	9.60		0.16	5.00	ug/L
P5371-08	SPLP-C12-2-M	WATER	Trichloroethene	1.10	J	0.32	5.00	ug/L
P5371-08	SPLP-C12-2-M	WATER	Toluene	15.0		0.18	5.00	ug/L
P5371-08	SPLP-C12-2-M	WATER	Ethyl Benzene	75.3		0.16	5.00	ug/L
P5371-08	SPLP-C12-2-M	WATER	m/p-Xylenes	23.6		0.31	10.0	ug/L
P5371-08	SPLP-C12-2-M	WATER	o-Xylene	22.1		0.14	5.00	ug/L
P5371-08	SPLP-C12-2-M	WATER	Isopropylbenzene	6.30		0.13	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: P5371

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Total Voc :				182				
Total Concentration:				182				
Client ID:	SPLP-C12-2-MRE							
P5371-08RE	SPLP-C12-2-MRE	WATER	Acetone	23.5	J	1.40	25.0	ug/L
P5371-08RE	SPLP-C12-2-MRE	WATER	cis-1,2-Dichloroethene	5.40		0.25	5.00	ug/L
P5371-08RE	SPLP-C12-2-MRE	WATER	Chloroform	3.20	J	0.26	5.00	ug/L
P5371-08RE	SPLP-C12-2-MRE	WATER	Benzene	9.40		0.16	5.00	ug/L
P5371-08RE	SPLP-C12-2-MRE	WATER	Toluene	14.7		0.18	5.00	ug/L
P5371-08RE	SPLP-C12-2-MRE	WATER	Ethyl Benzene	72.7		0.16	5.00	ug/L
P5371-08RE	SPLP-C12-2-MRE	WATER	m/p-Xylenes	22.6		0.31	10.0	ug/L
P5371-08RE	SPLP-C12-2-MRE	WATER	o-Xylene	20.8		0.14	5.00	ug/L
P5371-08RE	SPLP-C12-2-MRE	WATER	Isopropylbenzene	6.00		0.13	5.00	ug/L
Total Voc :				178				
Total Concentration:				178				
Client ID:	SPLP-C12-3-M							
P5371-09	SPLP-C12-3-M	WATER	Acetone	21.3	J	1.40	25.0	ug/L
P5371-09	SPLP-C12-3-M	WATER	cis-1,2-Dichloroethene	4.60	J	0.25	5.00	ug/L
P5371-09	SPLP-C12-3-M	WATER	Chloroform	5.30		0.26	5.00	ug/L
P5371-09	SPLP-C12-3-M	WATER	Benzene	9.00		0.16	5.00	ug/L
P5371-09	SPLP-C12-3-M	WATER	Toluene	15.7		0.18	5.00	ug/L
P5371-09	SPLP-C12-3-M	WATER	Ethyl Benzene	81.3		0.16	5.00	ug/L
P5371-09	SPLP-C12-3-M	WATER	m/p-Xylenes	25.8		0.31	10.0	ug/L
P5371-09	SPLP-C12-3-M	WATER	o-Xylene	23.9		0.14	5.00	ug/L
P5371-09	SPLP-C12-3-M	WATER	Isopropylbenzene	6.80		0.13	5.00	ug/L
Total Voc :				194				
Total Concentration:				194				
Client ID:	SPLP-C12-3-MRE							
P5371-09RE	SPLP-C12-3-MRE	WATER	Acetone	24.8	J	1.40	25.0	ug/L
P5371-09RE	SPLP-C12-3-MRE	WATER	cis-1,2-Dichloroethene	4.80	J	0.25	5.00	ug/L
P5371-09RE	SPLP-C12-3-MRE	WATER	Chloroform	5.40		0.26	5.00	ug/L
P5371-09RE	SPLP-C12-3-MRE	WATER	Benzene	9.50		0.16	5.00	ug/L
P5371-09RE	SPLP-C12-3-MRE	WATER	Toluene	16.8		0.18	5.00	ug/L
P5371-09RE	SPLP-C12-3-MRE	WATER	Ethyl Benzene	83.9		0.16	5.00	ug/L
P5371-09RE	SPLP-C12-3-MRE	WATER	m/p-Xylenes	26.4		0.31	10.0	ug/L
P5371-09RE	SPLP-C12-3-MRE	WATER	o-Xylene	25.4		0.14	5.00	ug/L
P5371-09RE	SPLP-C12-3-MRE	WATER	Isopropylbenzene	7.00		0.13	5.00	ug/L
Total Voc :				204				
Total Concentration:				204				

Hit Summary Sheet
SW-846

SDG No.: P5371

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------