

Hit Summary Sheet
SW-846

SDG No.: P5371
Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	SPLP-C10-1-M							
P5371-01	SPLP-C10-1-M	WATER	Vinyl Chloride	1.20	J	0.34	5.00	ug/L
P5371-01	SPLP-C10-1-M	WATER	Acetone	18.1	J	1.40	25.0	ug/L
P5371-01	SPLP-C10-1-M	WATER	Carbon Disulfide	1.40	J	0.32	5.00	ug/L
P5371-01	SPLP-C10-1-M	WATER	cis-1,2-Dichloroethene	6.90		0.25	5.00	ug/L
P5371-01	SPLP-C10-1-M	WATER	Chloroform	4.60	J	0.26	5.00	ug/L
P5371-01	SPLP-C10-1-M	WATER	Benzene	15.7		0.16	5.00	ug/L
P5371-01	SPLP-C10-1-M	WATER	Trichloroethene	1.80	J	0.32	5.00	ug/L
P5371-01	SPLP-C10-1-M	WATER	Toluene	46.8		0.18	5.00	ug/L
P5371-01	SPLP-C10-1-M	WATER	Ethyl Benzene	160	E	0.16	5.00	ug/L
P5371-01	SPLP-C10-1-M	WATER	m/p-Xylenes	62.6		0.31	10.0	ug/L
P5371-01	SPLP-C10-1-M	WATER	o-Xylene	47.4		0.14	5.00	ug/L
P5371-01	SPLP-C10-1-M	WATER	Isopropylbenzene	7.60		0.13	5.00	ug/L
Total Voc :				374				
Total Concentration:				374				
Client ID:	SPLP-C10-1-MDL							
P5371-01DL	SPLP-C10-1-MDL	WATER	Acetone	22.5	JD	5.60	100	ug/L
P5371-01DL	SPLP-C10-1-MDL	WATER	cis-1,2-Dichloroethene	8.90	JD	1.00	20.0	ug/L
P5371-01DL	SPLP-C10-1-MDL	WATER	Chloroform	5.90	JD	1.00	20.0	ug/L
P5371-01DL	SPLP-C10-1-MDL	WATER	Benzene	17.7	JD	0.64	20.0	ug/L
P5371-01DL	SPLP-C10-1-MDL	WATER	Toluene	50.8	D	0.72	20.0	ug/L
P5371-01DL	SPLP-C10-1-MDL	WATER	Ethyl Benzene	170	D	0.64	20.0	ug/L
P5371-01DL	SPLP-C10-1-MDL	WATER	m/p-Xylenes	66.4	D	1.20	40.0	ug/L
P5371-01DL	SPLP-C10-1-MDL	WATER	o-Xylene	51.9	D	0.56	20.0	ug/L
P5371-01DL	SPLP-C10-1-MDL	WATER	Isopropylbenzene	10.0	JD	0.52	20.0	ug/L
Total Voc :				404				
Total Concentration:				404				
Client ID:	SPLP-C10-2-M							
P5371-02	SPLP-C10-2-M	WATER	Vinyl Chloride	1.90	J	0.34	5.00	ug/L
P5371-02	SPLP-C10-2-M	WATER	Acetone	19.5	J	1.40	25.0	ug/L
P5371-02	SPLP-C10-2-M	WATER	Carbon Disulfide	1.20	J	0.32	5.00	ug/L
P5371-02	SPLP-C10-2-M	WATER	cis-1,2-Dichloroethene	22.3		0.25	5.00	ug/L
P5371-02	SPLP-C10-2-M	WATER	Chloroform	4.30	J	0.26	5.00	ug/L
P5371-02	SPLP-C10-2-M	WATER	Benzene	97.9		0.16	5.00	ug/L
P5371-02	SPLP-C10-2-M	WATER	Trichloroethene	2.40	J	0.32	5.00	ug/L
P5371-02	SPLP-C10-2-M	WATER	Toluene	200	E	0.18	5.00	ug/L
P5371-02	SPLP-C10-2-M	WATER	Ethyl Benzene	460	E	0.16	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: P5371

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5371-02	SPLP-C10-2-M	WATER	m/p-Xylenes	180		0.31	10.0	ug/L
P5371-02	SPLP-C10-2-M	WATER	o-Xylene	130	E	0.14	5.00	ug/L
P5371-02	SPLP-C10-2-M	WATER	Isopropylbenzene	20.3		0.13	5.00	ug/L
Total Voc :				1140				
Total Concentration:				1140				
Client ID:	SPLP-C10-2-MDL							
P5371-02DL	SPLP-C10-2-MDL	WATER	cis-1,2-Dichloroethene	24.4	JD	2.50	50.0	ug/L
P5371-02DL	SPLP-C10-2-MDL	WATER	Benzene	110	D	1.60	50.0	ug/L
P5371-02DL	SPLP-C10-2-MDL	WATER	Toluene	210	D	1.80	50.0	ug/L
P5371-02DL	SPLP-C10-2-MDL	WATER	Ethyl Benzene	470	D	1.60	50.0	ug/L
P5371-02DL	SPLP-C10-2-MDL	WATER	m/p-Xylenes	190	D	3.10	100	ug/L
P5371-02DL	SPLP-C10-2-MDL	WATER	o-Xylene	130	D	1.40	50.0	ug/L
P5371-02DL	SPLP-C10-2-MDL	WATER	Isopropylbenzene	22.7	JD	1.30	50.0	ug/L
Total Voc :				1160				
Total Concentration:				1160				
Client ID:	SPLP-C10-3-M							
P5371-03	SPLP-C10-3-M	WATER	Vinyl Chloride	1.80	J	0.34	5.00	ug/L
P5371-03	SPLP-C10-3-M	WATER	Acetone	27.3		1.40	25.0	ug/L
P5371-03	SPLP-C10-3-M	WATER	cis-1,2-Dichloroethene	33.2		0.25	5.00	ug/L
P5371-03	SPLP-C10-3-M	WATER	Chloroform	3.00	J	0.26	5.00	ug/L
P5371-03	SPLP-C10-3-M	WATER	Methylcyclohexane	1.10	J	0.19	5.00	ug/L
P5371-03	SPLP-C10-3-M	WATER	Benzene	180	E	0.16	5.00	ug/L
P5371-03	SPLP-C10-3-M	WATER	Trichloroethene	3.20	J	0.32	5.00	ug/L
P5371-03	SPLP-C10-3-M	WATER	Toluene	280	E	0.18	5.00	ug/L
P5371-03	SPLP-C10-3-M	WATER	Ethyl Benzene	760	E	0.16	5.00	ug/L
P5371-03	SPLP-C10-3-M	WATER	m/p-Xylenes	270	E	0.31	10.0	ug/L
P5371-03	SPLP-C10-3-M	WATER	o-Xylene	190	E	0.14	5.00	ug/L
P5371-03	SPLP-C10-3-M	WATER	Isopropylbenzene	34.5		0.13	5.00	ug/L
Total Voc :				1780				
Total Concentration:				1780				
Client ID:	SPLP-C10-3-MDL							
P5371-03DL	SPLP-C10-3-MDL	WATER	cis-1,2-Dichloroethene	33.5	JD	5.00	100	ug/L
P5371-03DL	SPLP-C10-3-MDL	WATER	Benzene	160	D	3.20	100	ug/L
P5371-03DL	SPLP-C10-3-MDL	WATER	Toluene	250	D	3.60	100	ug/L
P5371-03DL	SPLP-C10-3-MDL	WATER	Ethyl Benzene	670	D	3.20	100	ug/L
P5371-03DL	SPLP-C10-3-MDL	WATER	m/p-Xylenes	240	D	6.20	200	ug/L
P5371-03DL	SPLP-C10-3-MDL	WATER	o-Xylene	160	D	2.80	100	ug/L
P5371-03DL	SPLP-C10-3-MDL	WATER	Isopropylbenzene	29.6	JD	2.60	100	ug/L

Hit Summary Sheet
SW-846

SDG No.: P5371

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Total Voc :				1540				
Total Concentration:				1540				
Client ID:	SPLP-C11-1-M							
P5371-04	SPLP-C11-1-M	WATER	Acetone	21.4	J	1.40	25.0	ug/L
P5371-04	SPLP-C11-1-M	WATER	cis-1,2-Dichloroethene	6.90		0.25	5.00	ug/L
P5371-04	SPLP-C11-1-M	WATER	Chloroform	3.60	J	0.26	5.00	ug/L
P5371-04	SPLP-C11-1-M	WATER	Benzene	19.8		0.16	5.00	ug/L
P5371-04	SPLP-C11-1-M	WATER	Trichloroethene	1.30	J	0.32	5.00	ug/L
P5371-04	SPLP-C11-1-M	WATER	Toluene	21.4		0.18	5.00	ug/L
P5371-04	SPLP-C11-1-M	WATER	Ethyl Benzene	150	E	0.16	5.00	ug/L
P5371-04	SPLP-C11-1-M	WATER	m/p-Xylenes	36.0		0.31	10.0	ug/L
P5371-04	SPLP-C11-1-M	WATER	o-Xylene	38.7		0.14	5.00	ug/L
P5371-04	SPLP-C11-1-M	WATER	Isopropylbenzene	13.7		0.13	5.00	ug/L
Total Voc :				313				
Total Concentration:				313				
Client ID:	SPLP-C11-1-MDL							
P5371-04DL	SPLP-C11-1-MDL	WATER	Acetone	27.2	JD	5.60	100	ug/L
P5371-04DL	SPLP-C11-1-MDL	WATER	cis-1,2-Dichloroethene	7.50	JD	1.00	20.0	ug/L
P5371-04DL	SPLP-C11-1-MDL	WATER	Chloroform	4.10	JD	1.00	20.0	ug/L
P5371-04DL	SPLP-C11-1-MDL	WATER	Benzene	21.3	D	0.64	20.0	ug/L
P5371-04DL	SPLP-C11-1-MDL	WATER	Toluene	22.7	D	0.72	20.0	ug/L
P5371-04DL	SPLP-C11-1-MDL	WATER	Ethyl Benzene	150	D	0.64	20.0	ug/L
P5371-04DL	SPLP-C11-1-MDL	WATER	m/p-Xylenes	37.2	JD	1.20	40.0	ug/L
P5371-04DL	SPLP-C11-1-MDL	WATER	o-Xylene	38.8	D	0.56	20.0	ug/L
P5371-04DL	SPLP-C11-1-MDL	WATER	Isopropylbenzene	13.8	JD	0.52	20.0	ug/L
Total Voc :				323				
Total Concentration:				323				
Client ID:	SPLP-C11-2-M							
P5371-05	SPLP-C11-2-M	WATER	Acetone	23.4	J	1.40	25.0	ug/L
P5371-05	SPLP-C11-2-M	WATER	cis-1,2-Dichloroethene	13.4		0.25	5.00	ug/L
P5371-05	SPLP-C11-2-M	WATER	Chloroform	3.40	J	0.26	5.00	ug/L
P5371-05	SPLP-C11-2-M	WATER	Methylcyclohexane	1.30	J	0.19	5.00	ug/L
P5371-05	SPLP-C11-2-M	WATER	Benzene	52.9		0.16	5.00	ug/L
P5371-05	SPLP-C11-2-M	WATER	Trichloroethene	1.90	J	0.32	5.00	ug/L
P5371-05	SPLP-C11-2-M	WATER	Toluene	32.3		0.18	5.00	ug/L
P5371-05	SPLP-C11-2-M	WATER	Ethyl Benzene	220	E	0.16	5.00	ug/L
P5371-05	SPLP-C11-2-M	WATER	m/p-Xylenes	49.3		0.31	10.0	ug/L
P5371-05	SPLP-C11-2-M	WATER	o-Xylene	50.3		0.14	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: P5371

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5371-05	SPLP-C11-2-M	WATER	Isopropylbenzene	16.4		0.13	5.00	ug/L
			Total Voc :			465		
			Total Concentration:			465		
Client ID:	SPLP-C11-2-MDL							
P5371-05DL	SPLP-C11-2-MDL	WATER	cis-1,2-Dichloroethene	20.4	JD	2.50	50.0	ug/L
P5371-05DL	SPLP-C11-2-MDL	WATER	Benzene	71.9	D	1.60	50.0	ug/L
P5371-05DL	SPLP-C11-2-MDL	WATER	Toluene	42.2	JD	1.80	50.0	ug/L
P5371-05DL	SPLP-C11-2-MDL	WATER	Ethyl Benzene	280	D	1.60	50.0	ug/L
P5371-05DL	SPLP-C11-2-MDL	WATER	m/p-Xylenes	62.6	JD	3.10	100	ug/L
P5371-05DL	SPLP-C11-2-MDL	WATER	o-Xylene	62.0	D	1.40	50.0	ug/L
P5371-05DL	SPLP-C11-2-MDL	WATER	Isopropylbenzene	22.5	JD	1.30	50.0	ug/L
			Total Voc :			562		
			Total Concentration:			562		
Client ID:	SPLP-C11-3-M							
P5371-06	SPLP-C11-3-M	WATER	Acetone	20.1	J	1.40	25.0	ug/L
P5371-06	SPLP-C11-3-M	WATER	cis-1,2-Dichloroethene	3.00	J	0.25	5.00	ug/L
P5371-06	SPLP-C11-3-M	WATER	Chloroform	2.70	J	0.26	5.00	ug/L
P5371-06	SPLP-C11-3-M	WATER	Benzene	4.50	J	0.16	5.00	ug/L
P5371-06	SPLP-C11-3-M	WATER	Toluene	6.80		0.18	5.00	ug/L
P5371-06	SPLP-C11-3-M	WATER	Ethyl Benzene	41.1		0.16	5.00	ug/L
P5371-06	SPLP-C11-3-M	WATER	m/p-Xylenes	11.0		0.31	10.0	ug/L
P5371-06	SPLP-C11-3-M	WATER	o-Xylene	11.4		0.14	5.00	ug/L
P5371-06	SPLP-C11-3-M	WATER	Isopropylbenzene	4.10	J	0.13	5.00	ug/L
			Total Voc :			105		
			Total Concentration:			105		
Client ID:	SPLP-C11-3-MRE							
P5371-06RE	SPLP-C11-3-MRE	WATER	Acetone	23.7	J	1.40	25.0	ug/L
P5371-06RE	SPLP-C11-3-MRE	WATER	cis-1,2-Dichloroethene	3.00	J	0.25	5.00	ug/L
P5371-06RE	SPLP-C11-3-MRE	WATER	Chloroform	3.00	J	0.26	5.00	ug/L
P5371-06RE	SPLP-C11-3-MRE	WATER	Benzene	4.80	J	0.16	5.00	ug/L
P5371-06RE	SPLP-C11-3-MRE	WATER	Toluene	7.10		0.18	5.00	ug/L
P5371-06RE	SPLP-C11-3-MRE	WATER	Ethyl Benzene	42.4		0.16	5.00	ug/L
P5371-06RE	SPLP-C11-3-MRE	WATER	m/p-Xylenes	11.3		0.31	10.0	ug/L
P5371-06RE	SPLP-C11-3-MRE	WATER	o-Xylene	11.3		0.14	5.00	ug/L
P5371-06RE	SPLP-C11-3-MRE	WATER	Isopropylbenzene	4.00	J	0.13	5.00	ug/L
			Total Voc :			111		
			Total Concentration:			111		
Client ID:	SPLP-C12-1-M							

Hit Summary Sheet
SW-846

SDG No.: P5371

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5371-07	SPLP-C12-1-M	WATER	Acetone	28.5		1.40	25.0	ug/L
P5371-07	SPLP-C12-1-M	WATER	cis-1,2-Dichloroethene	6.60		0.25	5.00	ug/L
P5371-07	SPLP-C12-1-M	WATER	Chloroform	2.80	J	0.26	5.00	ug/L
P5371-07	SPLP-C12-1-M	WATER	Benzene	4.50	J	0.16	5.00	ug/L
P5371-07	SPLP-C12-1-M	WATER	Trichloroethene	1.90	J	0.32	5.00	ug/L
P5371-07	SPLP-C12-1-M	WATER	Toluene	5.00		0.18	5.00	ug/L
P5371-07	SPLP-C12-1-M	WATER	Ethyl Benzene	19.6		0.16	5.00	ug/L
P5371-07	SPLP-C12-1-M	WATER	m/p-Xylenes	6.60	J	0.31	10.0	ug/L
P5371-07	SPLP-C12-1-M	WATER	o-Xylene	6.80		0.14	5.00	ug/L
P5371-07	SPLP-C12-1-M	WATER	Isopropylbenzene	1.70	J	0.13	5.00	ug/L
			Total Voc :	84.0				
			Total Concentration:	84.0				
Client ID:	SPLP-C12-1-MRE							
P5371-07RE	SPLP-C12-1-MRE	WATER	Acetone	31.6		1.40	25.0	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	2-Butanone	5.20	J	1.30	25.0	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	cis-1,2-Dichloroethene	6.60		0.25	5.00	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	Chloroform	3.00	J	0.26	5.00	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	Benzene	4.70	J	0.16	5.00	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	Trichloroethene	2.00	J	0.32	5.00	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	Toluene	5.20		0.18	5.00	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	Ethyl Benzene	20.4		0.16	5.00	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	m/p-Xylenes	7.00	J	0.31	10.0	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	o-Xylene	6.70		0.14	5.00	ug/L
P5371-07RE	SPLP-C12-1-MRE	WATER	Isopropylbenzene	1.80	J	0.13	5.00	ug/L
			Total Voc :	94.2				
			Total Concentration:	94.2				
Client ID:	SPLP-C12-2-M							
P5371-08	SPLP-C12-2-M	WATER	Acetone	20.7	J	1.40	25.0	ug/L
P5371-08	SPLP-C12-2-M	WATER	cis-1,2-Dichloroethene	5.50		0.25	5.00	ug/L
P5371-08	SPLP-C12-2-M	WATER	Chloroform	3.00	J	0.26	5.00	ug/L
P5371-08	SPLP-C12-2-M	WATER	Benzene	9.60		0.16	5.00	ug/L
P5371-08	SPLP-C12-2-M	WATER	Trichloroethene	1.10	J	0.32	5.00	ug/L
P5371-08	SPLP-C12-2-M	WATER	Toluene	15.0		0.18	5.00	ug/L
P5371-08	SPLP-C12-2-M	WATER	Ethyl Benzene	75.3		0.16	5.00	ug/L
P5371-08	SPLP-C12-2-M	WATER	m/p-Xylenes	23.6		0.31	10.0	ug/L
P5371-08	SPLP-C12-2-M	WATER	o-Xylene	22.1		0.14	5.00	ug/L
P5371-08	SPLP-C12-2-M	WATER	Isopropylbenzene	6.30		0.13	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: P5371

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Total Voc :				182				
Total Concentration:				182				
Client ID:	SPLP-C12-2-MRE							
P5371-08RE	SPLP-C12-2-MRE	WATER	Acetone	23.5	J	1.40	25.0	ug/L
P5371-08RE	SPLP-C12-2-MRE	WATER	cis-1,2-Dichloroethene	5.40		0.25	5.00	ug/L
P5371-08RE	SPLP-C12-2-MRE	WATER	Chloroform	3.20	J	0.26	5.00	ug/L
P5371-08RE	SPLP-C12-2-MRE	WATER	Benzene	9.40		0.16	5.00	ug/L
P5371-08RE	SPLP-C12-2-MRE	WATER	Toluene	14.7		0.18	5.00	ug/L
P5371-08RE	SPLP-C12-2-MRE	WATER	Ethyl Benzene	72.7		0.16	5.00	ug/L
P5371-08RE	SPLP-C12-2-MRE	WATER	m/p-Xylenes	22.6		0.31	10.0	ug/L
P5371-08RE	SPLP-C12-2-MRE	WATER	o-Xylene	20.8		0.14	5.00	ug/L
P5371-08RE	SPLP-C12-2-MRE	WATER	Isopropylbenzene	6.00		0.13	5.00	ug/L
Total Voc :				178				
Total Concentration:				178				
Client ID:	SPLP-C12-3-M							
P5371-09	SPLP-C12-3-M	WATER	Acetone	21.3	J	1.40	25.0	ug/L
P5371-09	SPLP-C12-3-M	WATER	cis-1,2-Dichloroethene	4.60	J	0.25	5.00	ug/L
P5371-09	SPLP-C12-3-M	WATER	Chloroform	5.30		0.26	5.00	ug/L
P5371-09	SPLP-C12-3-M	WATER	Benzene	9.00		0.16	5.00	ug/L
P5371-09	SPLP-C12-3-M	WATER	Toluene	15.7		0.18	5.00	ug/L
P5371-09	SPLP-C12-3-M	WATER	Ethyl Benzene	81.3		0.16	5.00	ug/L
P5371-09	SPLP-C12-3-M	WATER	m/p-Xylenes	25.8		0.31	10.0	ug/L
P5371-09	SPLP-C12-3-M	WATER	o-Xylene	23.9		0.14	5.00	ug/L
P5371-09	SPLP-C12-3-M	WATER	Isopropylbenzene	6.80		0.13	5.00	ug/L
Total Voc :				194				
Total Concentration:				194				
Client ID:	SPLP-C12-3-MRE							
P5371-09RE	SPLP-C12-3-MRE	WATER	Acetone	24.8	J	1.40	25.0	ug/L
P5371-09RE	SPLP-C12-3-MRE	WATER	cis-1,2-Dichloroethene	4.80	J	0.25	5.00	ug/L
P5371-09RE	SPLP-C12-3-MRE	WATER	Chloroform	5.40		0.26	5.00	ug/L
P5371-09RE	SPLP-C12-3-MRE	WATER	Benzene	9.50		0.16	5.00	ug/L
P5371-09RE	SPLP-C12-3-MRE	WATER	Toluene	16.8		0.18	5.00	ug/L
P5371-09RE	SPLP-C12-3-MRE	WATER	Ethyl Benzene	83.9		0.16	5.00	ug/L
P5371-09RE	SPLP-C12-3-MRE	WATER	m/p-Xylenes	26.4		0.31	10.0	ug/L
P5371-09RE	SPLP-C12-3-MRE	WATER	o-Xylene	25.4		0.14	5.00	ug/L
P5371-09RE	SPLP-C12-3-MRE	WATER	Isopropylbenzene	7.00		0.13	5.00	ug/L
Total Voc :				204				
Total Concentration:				204				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C10-1-M		SDG No.:	P5371	
Lab Sample ID:	P5371-01		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085293.D	1		12/23/24 14:50	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	1.20	J	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	18.1	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	1.40	J	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	6.90		0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	4.60	J	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	15.7		0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	1.80	J	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	46.8		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C10-1-M		SDG No.:	P5371	
Lab Sample ID:	P5371-01		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085293.D	1		12/23/24 14:50	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	160	E	0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	62.6		0.31	10.0	ug/L
95-47-6	o-Xylene	47.4		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	7.60		0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	46.7		70 (74) - 130 (125)	93%	SPK: 50
1868-53-7	Dibromofluoromethane	37.6		70 (75) - 130 (124)	75%	SPK: 50
2037-26-5	Toluene-d8	48.0		70 (86) - 130 (113)	96%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.5		70 (77) - 130 (121)	101%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	171000	8.218			
540-36-3	1,4-Difluorobenzene	315000	9.094			
3114-55-4	Chlorobenzene-d5	279000	11.859			
3855-82-1	1,4-Dichlorobenzene-d4	141000	13.788			

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C10-1-M		SDG No.:	P5371	
Lab Sample ID:	P5371-01		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085293.D	1		12/23/24 14:50	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C10-1-MDL		SDG No.:	P5371	
Lab Sample ID:	P5371-01DL		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085303.D	4		12/23/24 18:47	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.84	UD	0.84	20.0	ug/L
74-87-3	Chloromethane	1.40	UD	1.40	20.0	ug/L
75-01-4	Vinyl Chloride	1.40	UD	1.40	20.0	ug/L
74-83-9	Bromomethane	5.40	UD	5.40	20.0	ug/L
75-00-3	Chloroethane	2.20	UD	2.20	20.0	ug/L
75-69-4	Trichlorofluoromethane	1.40	UD	1.40	20.0	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	1.00	UD	1.00	20.0	ug/L
75-35-4	1,1-Dichloroethene	1.00	UD	1.00	20.0	ug/L
67-64-1	Acetone	22.5	JD	5.60	100	ug/L
75-15-0	Carbon Disulfide	1.30	UD	1.30	20.0	ug/L
1634-04-4	Methyl tert-butyl Ether	0.64	UD	0.64	20.0	ug/L
79-20-9	Methyl Acetate	2.40	UD	2.40	20.0	ug/L
75-09-2	Methylene Chloride	1.30	UD	1.30	20.0	ug/L
156-60-5	trans-1,2-Dichloroethene	1.00	UD	1.00	20.0	ug/L
75-34-3	1,1-Dichloroethane	0.92	UD	0.92	20.0	ug/L
110-82-7	Cyclohexane	6.50	UD	6.50	20.0	ug/L
78-93-3	2-Butanone	5.20	UD	5.20	100	ug/L
56-23-5	Carbon Tetrachloride	1.00	UD	1.00	20.0	ug/L
156-59-2	cis-1,2-Dichloroethene	8.90	JD	1.00	20.0	ug/L
74-97-5	Bromochloromethane	0.72	UD	0.72	20.0	ug/L
67-66-3	Chloroform	5.90	JD	1.00	20.0	ug/L
71-55-6	1,1,1-Trichloroethane	0.76	UD	0.76	20.0	ug/L
108-87-2	Methylcyclohexane	0.76	UD	0.76	20.0	ug/L
71-43-2	Benzene	17.7	JD	0.64	20.0	ug/L
107-06-2	1,2-Dichloroethane	0.96	UD	0.96	20.0	ug/L
79-01-6	Trichloroethene	1.30	UD	1.30	20.0	ug/L
78-87-5	1,2-Dichloropropane	0.76	UD	0.76	20.0	ug/L
75-27-4	Bromodichloromethane	0.96	UD	0.96	20.0	ug/L
108-10-1	4-Methyl-2-Pentanone	3.00	UD	3.00	100	ug/L
108-88-3	Toluene	50.8	D	0.72	20.0	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C10-1-MDL		SDG No.:	P5371	
Lab Sample ID:	P5371-01DL		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085303.D	4		12/23/24 18:47	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.84	UD	0.84	20.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.72	UD	0.72	20.0	ug/L
79-00-5	1,1,2-Trichloroethane	0.84	UD	0.84	20.0	ug/L
591-78-6	2-Hexanone	4.50	UD	4.50	100	ug/L
124-48-1	Dibromochloromethane	0.72	UD	0.72	20.0	ug/L
106-93-4	1,2-Dibromoethane	0.64	UD	0.64	20.0	ug/L
127-18-4	Tetrachloroethene	1.00	UD	1.00	20.0	ug/L
108-90-7	Chlorobenzene	0.52	UD	0.52	20.0	ug/L
100-41-4	Ethyl Benzene	170	D	0.64	20.0	ug/L
179601-23-1	m/p-Xylenes	66.4	D	1.20	40.0	ug/L
95-47-6	o-Xylene	51.9	D	0.56	20.0	ug/L
100-42-5	Styrene	0.64	UD	0.64	20.0	ug/L
75-25-2	Bromoform	0.84	UD	0.84	20.0	ug/L
98-82-8	Isopropylbenzene	10.0	JD	0.52	20.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	1.10	UD	1.10	20.0	ug/L
541-73-1	1,3-Dichlorobenzene	0.96	UD	0.96	20.0	ug/L
106-46-7	1,4-Dichlorobenzene	1.10	UD	1.10	20.0	ug/L
95-50-1	1,2-Dichlorobenzene	0.76	UD	0.76	20.0	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	1.80	UD	1.80	20.0	ug/L
120-82-1	1,2,4-Trichlorobenzene	1.70	UD	1.70	20.0	ug/L
87-61-6	1,2,3-Trichlorobenzene	2.00	UD	2.00	20.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	44.0		70 (74) - 130 (125)	88%	SPK: 50
1868-53-7	Dibromofluoromethane	45.2		70 (75) - 130 (124)	90%	SPK: 50
2037-26-5	Toluene-d8	48.5		70 (86) - 130 (113)	97%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.6		70 (77) - 130 (121)	99%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	130000	8.224			
540-36-3	1,4-Difluorobenzene	242000	9.1			
3114-55-4	Chlorobenzene-d5	214000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	97500	13.788			

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C10-1-MDL		SDG No.:	P5371	
Lab Sample ID:	P5371-01DL		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085303.D	4		12/23/24 18:47	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	12/20/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	12/20/24
Client Sample ID:	SPLP-C10-2-M	SDG No.:	P5371
Lab Sample ID:	P5371-02	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085294.D	1		12/23/24 15:14	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	1.90	J	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	19.5	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	1.20	J	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	22.3		0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	4.30	J	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	97.9		0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	2.40	J	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	200	E	0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C10-2-M		SDG No.:	P5371	
Lab Sample ID:	P5371-02		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085294.D	1		12/23/24 15:14	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	460	E	0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	180		0.31	10.0	ug/L
95-47-6	o-Xylene	130	E	0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	20.3		0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	42.7		70 (74) - 130 (125)	85%	SPK: 50
1868-53-7	Dibromofluoromethane	32.9	*	70 (75) - 130 (124)	66%	SPK: 50
2037-26-5	Toluene-d8	47.0		70 (86) - 130 (113)	94%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.1		70 (77) - 130 (121)	100%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	197000	8.218			
540-36-3	1,4-Difluorobenzene	350000	9.094			
3114-55-4	Chlorobenzene-d5	304000	11.859			
3855-82-1	1,4-Dichlorobenzene-d4	148000	13.788			

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C10-2-M		SDG No.:	P5371	
Lab Sample ID:	P5371-02		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085294.D	1		12/23/24 15:14	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	12/20/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	12/20/24
Client Sample ID:	SPLP-C10-2-MDL	SDG No.:	P5371
Lab Sample ID:	P5371-02DL	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085304.D	10		12/23/24 19:11	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	2.10	UD	2.10	50.0	ug/L
74-87-3	Chloromethane	3.50	UD	3.50	50.0	ug/L
75-01-4	Vinyl Chloride	3.40	UD	3.40	50.0	ug/L
74-83-9	Bromomethane	13.6	UD	13.6	50.0	ug/L
75-00-3	Chloroethane	5.60	UD	5.60	50.0	ug/L
75-69-4	Trichlorofluoromethane	3.40	UD	3.40	50.0	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	2.50	UD	2.50	50.0	ug/L
75-35-4	1,1-Dichloroethene	2.60	UD	2.60	50.0	ug/L
67-64-1	Acetone	13.9	UD	13.9	250	ug/L
75-15-0	Carbon Disulfide	3.20	UD	3.20	50.0	ug/L
1634-04-4	Methyl tert-butyl Ether	1.60	UD	1.60	50.0	ug/L
79-20-9	Methyl Acetate	6.00	UD	6.00	50.0	ug/L
75-09-2	Methylene Chloride	3.20	UD	3.20	50.0	ug/L
156-60-5	trans-1,2-Dichloroethene	2.50	UD	2.50	50.0	ug/L
75-34-3	1,1-Dichloroethane	2.30	UD	2.30	50.0	ug/L
110-82-7	Cyclohexane	16.2	UD	16.2	50.0	ug/L
78-93-3	2-Butanone	13.0	UD	13.0	250	ug/L
56-23-5	Carbon Tetrachloride	2.50	UD	2.50	50.0	ug/L
156-59-2	cis-1,2-Dichloroethene	24.4	JD	2.50	50.0	ug/L
74-97-5	Bromochloromethane	1.80	UD	1.80	50.0	ug/L
67-66-3	Chloroform	2.60	UD	2.60	50.0	ug/L
71-55-6	1,1,1-Trichloroethane	1.90	UD	1.90	50.0	ug/L
108-87-2	Methylcyclohexane	1.90	UD	1.90	50.0	ug/L
71-43-2	Benzene	110	D	1.60	50.0	ug/L
107-06-2	1,2-Dichloroethane	2.40	UD	2.40	50.0	ug/L
79-01-6	Trichloroethene	3.20	UD	3.20	50.0	ug/L
78-87-5	1,2-Dichloropropane	1.90	UD	1.90	50.0	ug/L
75-27-4	Bromodichloromethane	2.40	UD	2.40	50.0	ug/L
108-10-1	4-Methyl-2-Pentanone	7.50	UD	7.50	250	ug/L
108-88-3	Toluene	210	D	1.80	50.0	ug/L

Report of Analysis

Client:	ENTACT	Date Collected:	12/20/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	12/20/24
Client Sample ID:	SPLP-C10-2-MDL	SDG No.:	P5371
Lab Sample ID:	P5371-02DL	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085304.D	10		12/23/24 19:11	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	2.10	UD	2.10	50.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.80	UD	1.80	50.0	ug/L
79-00-5	1,1,2-Trichloroethane	2.10	UD	2.10	50.0	ug/L
591-78-6	2-Hexanone	11.3	UD	11.3	250	ug/L
124-48-1	Dibromochloromethane	1.80	UD	1.80	50.0	ug/L
106-93-4	1,2-Dibromoethane	1.60	UD	1.60	50.0	ug/L
127-18-4	Tetrachloroethene	2.50	UD	2.50	50.0	ug/L
108-90-7	Chlorobenzene	1.30	UD	1.30	50.0	ug/L
100-41-4	Ethyl Benzene	470	D	1.60	50.0	ug/L
179601-23-1	m/p-Xylenes	190	D	3.10	100	ug/L
95-47-6	o-Xylene	130	D	1.40	50.0	ug/L
100-42-5	Styrene	1.60	UD	1.60	50.0	ug/L
75-25-2	Bromoform	2.10	UD	2.10	50.0	ug/L
98-82-8	Isopropylbenzene	22.7	JD	1.30	50.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	2.70	UD	2.70	50.0	ug/L
541-73-1	1,3-Dichlorobenzene	2.40	UD	2.40	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	2.70	UD	2.70	50.0	ug/L
95-50-1	1,2-Dichlorobenzene	1.90	UD	1.90	50.0	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	4.60	UD	4.60	50.0	ug/L
120-82-1	1,2,4-Trichlorobenzene	4.20	UD	4.20	50.0	ug/L
87-61-6	1,2,3-Trichlorobenzene	5.10	UD	5.10	50.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	42.4		70 (74) - 130 (125)	85%	SPK: 50
1868-53-7	Dibromofluoromethane	45.4		70 (75) - 130 (124)	91%	SPK: 50
2037-26-5	Toluene-d8	47.7		70 (86) - 130 (113)	95%	SPK: 50
460-00-4	4-Bromofluorobenzene	48.1		70 (77) - 130 (121)	96%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	153000	8.218			
540-36-3	1,4-Difluorobenzene	276000	9.094			
3114-55-4	Chlorobenzene-d5	242000	11.859			
3855-82-1	1,4-Dichlorobenzene-d4	106000	13.788			

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C10-2-MDL		SDG No.:	P5371	
Lab Sample ID:	P5371-02DL		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085304.D	10		12/23/24 19:11	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C10-3-M		SDG No.:	P5371	
Lab Sample ID:	P5371-03		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085295.D	1		12/23/24 15:37	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	1.80	J	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	27.3		1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	33.2		0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	3.00	J	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	1.10	J	0.19	5.00	ug/L
71-43-2	Benzene	180	E	0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	3.20	J	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	280	E	0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C10-3-M		SDG No.:	P5371	
Lab Sample ID:	P5371-03		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085295.D	1		12/23/24 15:37	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	760	E	0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	270	E	0.31	10.0	ug/L
95-47-6	o-Xylene	190	E	0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	34.5		0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	41.4		70 (74) - 130 (125)	83%	SPK: 50
1868-53-7	Dibromofluoromethane	32.7	*	70 (75) - 130 (124)	65%	SPK: 50
2037-26-5	Toluene-d8	47.9		70 (86) - 130 (113)	96%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.1		70 (77) - 130 (121)	104%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	205000	8.218			
540-36-3	1,4-Difluorobenzene	354000	9.094			
3114-55-4	Chlorobenzene-d5	317000	11.859			
3855-82-1	1,4-Dichlorobenzene-d4	148000	13.788			

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C10-3-M		SDG No.:	P5371	
Lab Sample ID:	P5371-03		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085295.D	1		12/23/24 15:37	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	12/20/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	12/20/24
Client Sample ID:	SPLP-C10-3-MDL	SDG No.:	P5371
Lab Sample ID:	P5371-03DL	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085305.D	20		12/23/24 19:35	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	4.20	UD	4.20	100	ug/L
74-87-3	Chloromethane	7.00	UD	7.00	100	ug/L
75-01-4	Vinyl Chloride	6.80	UD	6.80	100	ug/L
74-83-9	Bromomethane	27.2	UD	27.2	100	ug/L
75-00-3	Chloroethane	11.2	UD	11.2	100	ug/L
75-69-4	Trichlorofluoromethane	6.80	UD	6.80	100	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	5.00	UD	5.00	100	ug/L
75-35-4	1,1-Dichloroethene	5.20	UD	5.20	100	ug/L
67-64-1	Acetone	27.8	UD	27.8	500	ug/L
75-15-0	Carbon Disulfide	6.40	UD	6.40	100	ug/L
1634-04-4	Methyl tert-butyl Ether	3.20	UD	3.20	100	ug/L
79-20-9	Methyl Acetate	12.0	UD	12.0	100	ug/L
75-09-2	Methylene Chloride	6.40	UD	6.40	100	ug/L
156-60-5	trans-1,2-Dichloroethene	5.00	UD	5.00	100	ug/L
75-34-3	1,1-Dichloroethane	4.60	UD	4.60	100	ug/L
110-82-7	Cyclohexane	32.4	UD	32.4	100	ug/L
78-93-3	2-Butanone	26.0	UD	26.0	500	ug/L
56-23-5	Carbon Tetrachloride	5.00	UD	5.00	100	ug/L
156-59-2	cis-1,2-Dichloroethene	33.5	JD	5.00	100	ug/L
74-97-5	Bromochloromethane	3.60	UD	3.60	100	ug/L
67-66-3	Chloroform	5.20	UD	5.20	100	ug/L
71-55-6	1,1,1-Trichloroethane	3.80	UD	3.80	100	ug/L
108-87-2	Methylcyclohexane	3.80	UD	3.80	100	ug/L
71-43-2	Benzene	160	D	3.20	100	ug/L
107-06-2	1,2-Dichloroethane	4.80	UD	4.80	100	ug/L
79-01-6	Trichloroethene	6.40	UD	6.40	100	ug/L
78-87-5	1,2-Dichloropropane	3.80	UD	3.80	100	ug/L
75-27-4	Bromodichloromethane	4.80	UD	4.80	100	ug/L
108-10-1	4-Methyl-2-Pentanone	15.0	UD	15.0	500	ug/L
108-88-3	Toluene	250	D	3.60	100	ug/L

Report of Analysis

Client:	ENTACT	Date Collected:	12/20/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	12/20/24
Client Sample ID:	SPLP-C10-3-MDL	SDG No.:	P5371
Lab Sample ID:	P5371-03DL	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085305.D	20		12/23/24 19:35	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	4.20	UD	4.20	100	ug/L
10061-01-5	cis-1,3-Dichloropropene	3.60	UD	3.60	100	ug/L
79-00-5	1,1,2-Trichloroethane	4.20	UD	4.20	100	ug/L
591-78-6	2-Hexanone	22.6	UD	22.6	500	ug/L
124-48-1	Dibromochloromethane	3.60	UD	3.60	100	ug/L
106-93-4	1,2-Dibromoethane	3.20	UD	3.20	100	ug/L
127-18-4	Tetrachloroethene	5.00	UD	5.00	100	ug/L
108-90-7	Chlorobenzene	2.60	UD	2.60	100	ug/L
100-41-4	Ethyl Benzene	670	D	3.20	100	ug/L
179601-23-1	m/p-Xylenes	240	D	6.20	200	ug/L
95-47-6	o-Xylene	160	D	2.80	100	ug/L
100-42-5	Styrene	3.20	UD	3.20	100	ug/L
75-25-2	Bromoform	4.20	UD	4.20	100	ug/L
98-82-8	Isopropylbenzene	29.6	JD	2.60	100	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	5.40	UD	5.40	100	ug/L
541-73-1	1,3-Dichlorobenzene	4.80	UD	4.80	100	ug/L
106-46-7	1,4-Dichlorobenzene	5.40	UD	5.40	100	ug/L
95-50-1	1,2-Dichlorobenzene	3.80	UD	3.80	100	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	9.20	UD	9.20	100	ug/L
120-82-1	1,2,4-Trichlorobenzene	8.40	UD	8.40	100	ug/L
87-61-6	1,2,3-Trichlorobenzene	10.2	UD	10.2	100	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	43.1		70 (74) - 130 (125)	86%	SPK: 50
1868-53-7	Dibromofluoromethane	44.5		70 (75) - 130 (124)	89%	SPK: 50
2037-26-5	Toluene-d8	47.0		70 (86) - 130 (113)	94%	SPK: 50
460-00-4	4-Bromofluorobenzene	43.3		70 (77) - 130 (121)	87%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	153000	8.224			
540-36-3	1,4-Difluorobenzene	286000	9.094			
3114-55-4	Chlorobenzene-d5	240000	11.859			
3855-82-1	1,4-Dichlorobenzene-d4	106000	13.788			

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C10-3-MDL		SDG No.:	P5371	
Lab Sample ID:	P5371-03DL		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085305.D	20		12/23/24 19:35	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C11-1-M		SDG No.:	P5371	
Lab Sample ID:	P5371-04		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085296.D	1		12/23/24 16:01	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	21.4	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	6.90		0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	3.60	J	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	19.8		0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	1.30	J	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	21.4		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C11-1-M		SDG No.:	P5371	
Lab Sample ID:	P5371-04		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085296.D	1		12/23/24 16:01	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	150	E	0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	36.0		0.31	10.0	ug/L
95-47-6	o-Xylene	38.7		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	13.7		0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	40.1		70 (74) - 130 (125)	80%	SPK: 50
1868-53-7	Dibromofluoromethane	30.5	*	70 (75) - 130 (124)	61%	SPK: 50
2037-26-5	Toluene-d8	47.3		70 (86) - 130 (113)	95%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.1		70 (77) - 130 (121)	98%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	190000	8.218			
540-36-3	1,4-Difluorobenzene	334000	9.1			
3114-55-4	Chlorobenzene-d5	292000	11.859			
3855-82-1	1,4-Dichlorobenzene-d4	136000	13.788			

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C11-1-M		SDG No.:	P5371	
Lab Sample ID:	P5371-04		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085296.D	1		12/23/24 16:01	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	12/20/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	12/20/24
Client Sample ID:	SPLP-C11-1-MDL	SDG No.:	P5371
Lab Sample ID:	P5371-04DL	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085306.D	4		12/23/24 19:59	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.84	UD	0.84	20.0	ug/L
74-87-3	Chloromethane	1.40	UD	1.40	20.0	ug/L
75-01-4	Vinyl Chloride	1.40	UD	1.40	20.0	ug/L
74-83-9	Bromomethane	5.40	UD	5.40	20.0	ug/L
75-00-3	Chloroethane	2.20	UD	2.20	20.0	ug/L
75-69-4	Trichlorofluoromethane	1.40	UD	1.40	20.0	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	1.00	UD	1.00	20.0	ug/L
75-35-4	1,1-Dichloroethene	1.00	UD	1.00	20.0	ug/L
67-64-1	Acetone	27.2	JD	5.60	100	ug/L
75-15-0	Carbon Disulfide	1.30	UD	1.30	20.0	ug/L
1634-04-4	Methyl tert-butyl Ether	0.64	UD	0.64	20.0	ug/L
79-20-9	Methyl Acetate	2.40	UD	2.40	20.0	ug/L
75-09-2	Methylene Chloride	1.30	UD	1.30	20.0	ug/L
156-60-5	trans-1,2-Dichloroethene	1.00	UD	1.00	20.0	ug/L
75-34-3	1,1-Dichloroethane	0.92	UD	0.92	20.0	ug/L
110-82-7	Cyclohexane	6.50	UD	6.50	20.0	ug/L
78-93-3	2-Butanone	5.20	UD	5.20	100	ug/L
56-23-5	Carbon Tetrachloride	1.00	UD	1.00	20.0	ug/L
156-59-2	cis-1,2-Dichloroethene	7.50	JD	1.00	20.0	ug/L
74-97-5	Bromochloromethane	0.72	UD	0.72	20.0	ug/L
67-66-3	Chloroform	4.10	JD	1.00	20.0	ug/L
71-55-6	1,1,1-Trichloroethane	0.76	UD	0.76	20.0	ug/L
108-87-2	Methylcyclohexane	0.76	UD	0.76	20.0	ug/L
71-43-2	Benzene	21.3	D	0.64	20.0	ug/L
107-06-2	1,2-Dichloroethane	0.96	UD	0.96	20.0	ug/L
79-01-6	Trichloroethene	1.30	UD	1.30	20.0	ug/L
78-87-5	1,2-Dichloropropane	0.76	UD	0.76	20.0	ug/L
75-27-4	Bromodichloromethane	0.96	UD	0.96	20.0	ug/L
108-10-1	4-Methyl-2-Pentanone	3.00	UD	3.00	100	ug/L
108-88-3	Toluene	22.7	D	0.72	20.0	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C11-1-MDL		SDG No.:	P5371	
Lab Sample ID:	P5371-04DL		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085306.D	4		12/23/24 19:59	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.84	UD	0.84	20.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.72	UD	0.72	20.0	ug/L
79-00-5	1,1,2-Trichloroethane	0.84	UD	0.84	20.0	ug/L
591-78-6	2-Hexanone	4.50	UD	4.50	100	ug/L
124-48-1	Dibromochloromethane	0.72	UD	0.72	20.0	ug/L
106-93-4	1,2-Dibromoethane	0.64	UD	0.64	20.0	ug/L
127-18-4	Tetrachloroethene	1.00	UD	1.00	20.0	ug/L
108-90-7	Chlorobenzene	0.52	UD	0.52	20.0	ug/L
100-41-4	Ethyl Benzene	150	D	0.64	20.0	ug/L
179601-23-1	m/p-Xylenes	37.2	JD	1.20	40.0	ug/L
95-47-6	o-Xylene	38.8	D	0.56	20.0	ug/L
100-42-5	Styrene	0.64	UD	0.64	20.0	ug/L
75-25-2	Bromoform	0.84	UD	0.84	20.0	ug/L
98-82-8	Isopropylbenzene	13.8	JD	0.52	20.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	1.10	UD	1.10	20.0	ug/L
541-73-1	1,3-Dichlorobenzene	0.96	UD	0.96	20.0	ug/L
106-46-7	1,4-Dichlorobenzene	1.10	UD	1.10	20.0	ug/L
95-50-1	1,2-Dichlorobenzene	0.76	UD	0.76	20.0	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	1.80	UD	1.80	20.0	ug/L
120-82-1	1,2,4-Trichlorobenzene	1.70	UD	1.70	20.0	ug/L
87-61-6	1,2,3-Trichlorobenzene	2.00	UD	2.00	20.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	43.5		70 (74) - 130 (125)	87%	SPK: 50
1868-53-7	Dibromofluoromethane	43.6		70 (75) - 130 (124)	87%	SPK: 50
2037-26-5	Toluene-d8	47.2		70 (86) - 130 (113)	94%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.4		70 (77) - 130 (121)	93%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	147000	8.224			
540-36-3	1,4-Difluorobenzene	268000	9.1			
3114-55-4	Chlorobenzene-d5	235000	11.859			
3855-82-1	1,4-Dichlorobenzene-d4	106000	13.788			

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C11-1-MDL		SDG No.:	P5371	
Lab Sample ID:	P5371-04DL		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085306.D	4		12/23/24 19:59	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	12/20/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	12/20/24
Client Sample ID:	SPLP-C11-2-M	SDG No.:	P5371
Lab Sample ID:	P5371-05	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085297.D	1		12/23/24 16:25	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	23.4	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	13.4		0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	3.40	J	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	1.30	J	0.19	5.00	ug/L
71-43-2	Benzene	52.9		0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	1.90	J	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	32.3		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C11-2-M		SDG No.:	P5371	
Lab Sample ID:	P5371-05		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085297.D	1		12/23/24 16:25	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	220	E	0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	49.3		0.31	10.0	ug/L
95-47-6	o-Xylene	50.3		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	16.4		0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	40.3		70 (74) - 130 (125)	81%	SPK: 50
1868-53-7	Dibromofluoromethane	31.6	*	70 (75) - 130 (124)	63%	SPK: 50
2037-26-5	Toluene-d8	47.1		70 (86) - 130 (113)	94%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.6		70 (77) - 130 (121)	99%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	182000	8.218			
540-36-3	1,4-Difluorobenzene	323000	9.094			
3114-55-4	Chlorobenzene-d5	281000	11.859			
3855-82-1	1,4-Dichlorobenzene-d4	135000	13.788			

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C11-2-M		SDG No.:	P5371	
Lab Sample ID:	P5371-05		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085297.D	1		12/23/24 16:25	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	12/20/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	12/20/24
Client Sample ID:	SPLP-C11-2-MDL	SDG No.:	P5371
Lab Sample ID:	P5371-05DL	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085314.D	10		12/26/24 13:49	VN122624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	2.10	UD	2.10	50.0	ug/L
74-87-3	Chloromethane	3.50	UD	3.50	50.0	ug/L
75-01-4	Vinyl Chloride	3.40	UD	3.40	50.0	ug/L
74-83-9	Bromomethane	13.6	UD	13.6	50.0	ug/L
75-00-3	Chloroethane	5.60	UD	5.60	50.0	ug/L
75-69-4	Trichlorofluoromethane	3.40	UD	3.40	50.0	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	2.50	UD	2.50	50.0	ug/L
75-35-4	1,1-Dichloroethene	2.60	UD	2.60	50.0	ug/L
67-64-1	Acetone	13.9	UD	13.9	250	ug/L
75-15-0	Carbon Disulfide	3.20	UD	3.20	50.0	ug/L
1634-04-4	Methyl tert-butyl Ether	1.60	UD	1.60	50.0	ug/L
79-20-9	Methyl Acetate	6.00	UD	6.00	50.0	ug/L
75-09-2	Methylene Chloride	3.20	UD	3.20	50.0	ug/L
156-60-5	trans-1,2-Dichloroethene	2.50	UD	2.50	50.0	ug/L
75-34-3	1,1-Dichloroethane	2.30	UD	2.30	50.0	ug/L
110-82-7	Cyclohexane	16.2	UD	16.2	50.0	ug/L
78-93-3	2-Butanone	13.0	UD	13.0	250	ug/L
56-23-5	Carbon Tetrachloride	2.50	UD	2.50	50.0	ug/L
156-59-2	cis-1,2-Dichloroethene	20.4	JD	2.50	50.0	ug/L
74-97-5	Bromochloromethane	1.80	UD	1.80	50.0	ug/L
67-66-3	Chloroform	2.60	UD	2.60	50.0	ug/L
71-55-6	1,1,1-Trichloroethane	1.90	UD	1.90	50.0	ug/L
108-87-2	Methylcyclohexane	1.90	UD	1.90	50.0	ug/L
71-43-2	Benzene	71.9	D	1.60	50.0	ug/L
107-06-2	1,2-Dichloroethane	2.40	UD	2.40	50.0	ug/L
79-01-6	Trichloroethene	3.20	UD	3.20	50.0	ug/L
78-87-5	1,2-Dichloropropane	1.90	UD	1.90	50.0	ug/L
75-27-4	Bromodichloromethane	2.40	UD	2.40	50.0	ug/L
108-10-1	4-Methyl-2-Pentanone	7.50	UD	7.50	250	ug/L
108-88-3	Toluene	42.2	JD	1.80	50.0	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C11-2-MDL		SDG No.:	P5371	
Lab Sample ID:	P5371-05DL		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085314.D	10		12/26/24 13:49	VN122624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	2.10	UD	2.10	50.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.80	UD	1.80	50.0	ug/L
79-00-5	1,1,2-Trichloroethane	2.10	UD	2.10	50.0	ug/L
591-78-6	2-Hexanone	11.3	UD	11.3	250	ug/L
124-48-1	Dibromochloromethane	1.80	UD	1.80	50.0	ug/L
106-93-4	1,2-Dibromoethane	1.60	UD	1.60	50.0	ug/L
127-18-4	Tetrachloroethene	2.50	UD	2.50	50.0	ug/L
108-90-7	Chlorobenzene	1.30	UD	1.30	50.0	ug/L
100-41-4	Ethyl Benzene	280	D	1.60	50.0	ug/L
179601-23-1	m/p-Xylenes	62.6	JD	3.10	100	ug/L
95-47-6	o-Xylene	62.0	D	1.40	50.0	ug/L
100-42-5	Styrene	1.60	UD	1.60	50.0	ug/L
75-25-2	Bromoform	2.10	UD	2.10	50.0	ug/L
98-82-8	Isopropylbenzene	22.5	JD	1.30	50.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	2.70	UD	2.70	50.0	ug/L
541-73-1	1,3-Dichlorobenzene	2.40	UD	2.40	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	2.70	UD	2.70	50.0	ug/L
95-50-1	1,2-Dichlorobenzene	1.90	UD	1.90	50.0	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	4.60	UD	4.60	50.0	ug/L
120-82-1	1,2,4-Trichlorobenzene	4.20	UD	4.20	50.0	ug/L
87-61-6	1,2,3-Trichlorobenzene	5.10	UD	5.10	50.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	45.8		70 (74) - 130 (125)	92%	SPK: 50
1868-53-7	Dibromofluoromethane	47.5		70 (75) - 130 (124)	95%	SPK: 50
2037-26-5	Toluene-d8	48.0		70 (86) - 130 (113)	96%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.6		70 (77) - 130 (121)	91%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	132000	8.224			
540-36-3	1,4-Difluorobenzene	242000	9.1			
3114-55-4	Chlorobenzene-d5	207000	11.859			
3855-82-1	1,4-Dichlorobenzene-d4	87900	13.788			

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C11-2-MDL		SDG No.:	P5371	
Lab Sample ID:	P5371-05DL		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085314.D	10		12/26/24 13:49	VN122624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	12/20/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	12/20/24
Client Sample ID:	SPLP-C11-3-M	SDG No.:	P5371
Lab Sample ID:	P5371-06	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085298.D	1		12/23/24 16:49	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	20.1	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	3.00	J	0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	2.70	J	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	4.50	J	0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	6.80		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C11-3-M		SDG No.:	P5371	
Lab Sample ID:	P5371-06		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085298.D	1		12/23/24 16:49	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	41.1		0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	11.0		0.31	10.0	ug/L
95-47-6	o-Xylene	11.4		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	4.10	J	0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	40.8		70 (74) - 130 (125)	82%	SPK: 50
1868-53-7	Dibromofluoromethane	32.0	*	70 (75) - 130 (124)	64%	SPK: 50
2037-26-5	Toluene-d8	47.4		70 (86) - 130 (113)	95%	SPK: 50
460-00-4	4-Bromofluorobenzene	48.0		70 (77) - 130 (121)	96%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	178000	8.224			
540-36-3	1,4-Difluorobenzene	314000	9.1			
3114-55-4	Chlorobenzene-d5	274000	11.859			
3855-82-1	1,4-Dichlorobenzene-d4	126000	13.788			

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C11-3-M		SDG No.:	P5371	
Lab Sample ID:	P5371-06		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085298.D	1		12/23/24 16:49	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	12/20/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	12/20/24
Client Sample ID:	SPLP-C11-3-MRE	SDG No.:	P5371
Lab Sample ID:	P5371-06RE	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085315.D	1		12/26/24 14:12	VN122624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	23.7	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	3.00	J	0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	3.00	J	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	4.80	J	0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	7.10		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C11-3-MRE		SDG No.:	P5371	
Lab Sample ID:	P5371-06RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085315.D	1		12/26/24 14:12	VN122624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	42.4		0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	11.3		0.31	10.0	ug/L
95-47-6	o-Xylene	11.3		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	4.00	J	0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	43.1		70 (74) - 130 (125)	86%	SPK: 50
1868-53-7	Dibromofluoromethane	32.7	*	70 (75) - 130 (124)	65%	SPK: 50
2037-26-5	Toluene-d8	47.9		70 (86) - 130 (113)	96%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.2		70 (77) - 130 (121)	98%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	152000	8.218			
540-36-3	1,4-Difluorobenzene	276000	9.1			
3114-55-4	Chlorobenzene-d5	242000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	109000	13.788			

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C11-3-MRE		SDG No.:	P5371	
Lab Sample ID:	P5371-06RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085315.D	1		12/26/24 14:12	VN122624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C12-1-M		SDG No.:	P5371	
Lab Sample ID:	P5371-07		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085299.D	1		12/23/24 17:13	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	28.5		1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	6.60		0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	2.80	J	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	4.50	J	0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	1.90	J	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	5.00		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C12-1-M		SDG No.:	P5371	
Lab Sample ID:	P5371-07		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085299.D	1		12/23/24 17:13	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	19.6		0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	6.60	J	0.31	10.0	ug/L
95-47-6	o-Xylene	6.80		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	1.70	J	0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	41.9		70 (74) - 130 (125)	84%	SPK: 50
1868-53-7	Dibromofluoromethane	31.5	*	70 (75) - 130 (124)	63%	SPK: 50
2037-26-5	Toluene-d8	46.9		70 (86) - 130 (113)	94%	SPK: 50
460-00-4	4-Bromofluorobenzene	47.5		70 (77) - 130 (121)	95%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	167000	8.224			
540-36-3	1,4-Difluorobenzene	305000	9.094			
3114-55-4	Chlorobenzene-d5	263000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	118000	13.788			

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C12-1-M		SDG No.:	P5371	
Lab Sample ID:	P5371-07		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085299.D	1		12/23/24 17:13	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C12-1-MRE		SDG No.:	P5371	
Lab Sample ID:	P5371-07RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085316.D	1		12/26/24 14:36	VN122624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	31.6		1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	5.20	J	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	6.60		0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	3.00	J	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	4.70	J	0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	2.00	J	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	5.20		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C12-1-MRE		SDG No.:	P5371	
Lab Sample ID:	P5371-07RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085316.D	1		12/26/24 14:36	VN122624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	20.4		0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	7.00	J	0.31	10.0	ug/L
95-47-6	o-Xylene	6.70		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	1.80	J	0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	44.2		70 (74) - 130 (125)	88%	SPK: 50
1868-53-7	Dibromofluoromethane	30.2	*	70 (75) - 130 (124)	60%	SPK: 50
2037-26-5	Toluene-d8	47.4		70 (86) - 130 (113)	95%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.0		70 (77) - 130 (121)	92%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	154000	8.224			
540-36-3	1,4-Difluorobenzene	278000	9.1			
3114-55-4	Chlorobenzene-d5	237000	11.864			
3855-82-1	1,4-Dichlorobenzene-d4	104000	13.788			

Report of Analysis

Client:	ENTACT	Date Collected:	12/20/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	12/20/24
Client Sample ID:	SPLP-C12-1-MRE	SDG No.:	P5371
Lab Sample ID:	P5371-07RE	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085316.D	1		12/26/24 14:36	VN122624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	12/20/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	12/20/24
Client Sample ID:	SPLP-C12-2-M	SDG No.:	P5371
Lab Sample ID:	P5371-08	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085300.D	1		12/23/24 17:36	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	20.7	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	5.50		0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	3.00	J	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	9.60		0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	1.10	J	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	15.0		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT	Date Collected:	12/20/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	12/20/24
Client Sample ID:	SPLP-C12-2-M	SDG No.:	P5371
Lab Sample ID:	P5371-08	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085300.D	1		12/23/24 17:36	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	75.3		0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	23.6		0.31	10.0	ug/L
95-47-6	o-Xylene	22.1		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	6.30		0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	42.7		70 (74) - 130 (125)	85%	SPK: 50
1868-53-7	Dibromofluoromethane	30.9	*	70 (75) - 130 (124)	62%	SPK: 50
2037-26-5	Toluene-d8	47.5		70 (86) - 130 (113)	95%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.1		70 (77) - 130 (121)	98%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	163000	8.218			
540-36-3	1,4-Difluorobenzene	295000	9.094			
3114-55-4	Chlorobenzene-d5	258000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	119000	13.788			

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C12-2-M		SDG No.:	P5371	
Lab Sample ID:	P5371-08		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085300.D	1		12/23/24 17:36	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C12-2-MRE		SDG No.:	P5371	
Lab Sample ID:	P5371-08RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085317.D	1		12/26/24 15:00	VN122624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	23.5	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	5.40		0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	3.20	J	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	9.40		0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	14.7		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C12-2-MRE		SDG No.:	P5371	
Lab Sample ID:	P5371-08RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085317.D	1		12/26/24 15:00	VN122624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	72.7		0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	22.6		0.31	10.0	ug/L
95-47-6	o-Xylene	20.8		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	6.00		0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	44.2		70 (74) - 130 (125)	88%	SPK: 50
1868-53-7	Dibromofluoromethane	30.5	*	70 (75) - 130 (124)	61%	SPK: 50
2037-26-5	Toluene-d8	47.7		70 (86) - 130 (113)	95%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.8		70 (77) - 130 (121)	100%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	150000	8.224			
540-36-3	1,4-Difluorobenzene	280000	9.1			
3114-55-4	Chlorobenzene-d5	247000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	114000	13.788			

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C12-2-MRE		SDG No.:	P5371	
Lab Sample ID:	P5371-08RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085317.D	1		12/26/24 15:00	VN122624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	12/20/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	12/20/24
Client Sample ID:	SPLP-C12-3-M	SDG No.:	P5371
Lab Sample ID:	P5371-09	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085301.D	1		12/23/24 18:00	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	21.3	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	4.60	J	0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	5.30		0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	9.00		0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	15.7		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C12-3-M		SDG No.:	P5371	
Lab Sample ID:	P5371-09		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085301.D	1		12/23/24 18:00	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	81.3		0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	25.8		0.31	10.0	ug/L
95-47-6	o-Xylene	23.9		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	6.80		0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	42.7		70 (74) - 130 (125)	85%	SPK: 50
1868-53-7	Dibromofluoromethane	31.8	*	70 (75) - 130 (124)	64%	SPK: 50
2037-26-5	Toluene-d8	47.3		70 (86) - 130 (113)	95%	SPK: 50
460-00-4	4-Bromofluorobenzene	48.9		70 (77) - 130 (121)	98%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	160000	8.224			
540-36-3	1,4-Difluorobenzene	295000	9.094			
3114-55-4	Chlorobenzene-d5	258000	11.859			
3855-82-1	1,4-Dichlorobenzene-d4	121000	13.788			

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C12-3-M		SDG No.:	P5371	
Lab Sample ID:	P5371-09		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085301.D	1		12/23/24 18:00	VN122324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	12/20/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	12/20/24
Client Sample ID:	SPLP-C12-3-MRE	SDG No.:	P5371
Lab Sample ID:	P5371-09RE	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085318.D	1		12/26/24 15:24	VN122624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	24.8	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	4.80	J	0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	5.40		0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	9.50		0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	16.8		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT	Date Collected:	12/20/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	12/20/24
Client Sample ID:	SPLP-C12-3-MRE	SDG No.:	P5371
Lab Sample ID:	P5371-09RE	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085318.D	1		12/26/24 15:24	VN122624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	83.9		0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	26.4		0.31	10.0	ug/L
95-47-6	o-Xylene	25.4		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	7.00		0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	43.4		70 (74) - 130 (125)	87%	SPK: 50
1868-53-7	Dibromofluoromethane	32.4	*	70 (75) - 130 (124)	65%	SPK: 50
2037-26-5	Toluene-d8	47.6		70 (86) - 130 (113)	95%	SPK: 50
460-00-4	4-Bromofluorobenzene	48.8		70 (77) - 130 (121)	98%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	149000	8.218			
540-36-3	1,4-Difluorobenzene	273000	9.1			
3114-55-4	Chlorobenzene-d5	240000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	111000	13.788			

Report of Analysis

Client:	ENTACT		Date Collected:	12/20/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	12/20/24	
Client Sample ID:	SPLP-C12-3-MRE		SDG No.:	P5371	
Lab Sample ID:	P5371-09RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085318.D	1		12/26/24 15:24	VN122624

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	P5371	OrderDate:	12/20/2024 1:36:03 PM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Jarod Stanfield	Location:	N23

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5371-01	SPLP-C10-1-M	Water			12/20/24			12/20/24
			SPLP VOA	8260D			12/23/24	
P5371-01DL	SPLP-C10-1-MDL	Water			12/20/24			12/20/24
			SPLP VOA	8260D			12/23/24	
P5371-02	SPLP-C10-2-M	Water			12/20/24			12/20/24
			SPLP VOA	8260D			12/23/24	
P5371-02DL	SPLP-C10-2-MDL	Water			12/20/24			12/20/24
			SPLP VOA	8260D			12/23/24	
P5371-03	SPLP-C10-3-M	Water			12/20/24			12/20/24
			SPLP VOA	8260D			12/23/24	
P5371-03DL	SPLP-C10-3-MDL	Water			12/20/24			12/20/24
			SPLP VOA	8260D			12/23/24	
P5371-04	SPLP-C11-1-M	Water			12/20/24			12/20/24
			SPLP VOA	8260D			12/23/24	
P5371-04DL	SPLP-C11-1-MDL	Water			12/20/24			12/20/24
			SPLP VOA	8260D			12/23/24	
P5371-05	SPLP-C11-2-M	Water			12/20/24			12/20/24
			SPLP VOA	8260D			12/23/24	
P5371-05DL	SPLP-C11-2-MDL	Water			12/20/24			12/20/24
			SPLP VOA	8260D			12/26/24	
P5371-06	SPLP-C11-3-M	Water			12/20/24			12/20/24
			SPLP VOA	8260D			12/23/24	
P5371-06RE	SPLP-C11-3-MRE	Water			12/20/24			12/20/24

LAB CHRONICLE

			SPLP VOA	8260D	12/26/24	
P5371-07	SPLP-C12-1-M	Water			12/20/24	12/20/24
			SPLP VOA	8260D	12/23/24	
P5371-07RE	SPLP-C12-1-MRE	Water			12/20/24	12/20/24
			SPLP VOA	8260D	12/26/24	
P5371-08	SPLP-C12-2-M	Water			12/20/24	12/20/24
			SPLP VOA	8260D	12/23/24	
P5371-08RE	SPLP-C12-2-MRE	Water			12/20/24	12/20/24
			SPLP VOA	8260D	12/26/24	
P5371-09	SPLP-C12-3-M	Water			12/20/24	12/20/24
			SPLP VOA	8260D	12/23/24	
P5371-09RE	SPLP-C12-3-MRE	Water			12/20/24	12/20/24
			SPLP VOA	8260D	12/26/24	