

SOP ID : M3010A-Digestion-17
SDG No : N/A
Matrix : WATER
Pipette ID: ICP A
Balance ID : N/A
Filter paper ID : N/A
pH Strip ID : M6069
Hood ID : #3
Block ID: 1. HOT BLOC K #1 2. N/A

Start Digest Date: 12/23/2024 Time : 16:05 Temp : 96 °C
End Digest Date: 12/23/2024 Time : 20:10 Temp : 96 °C
Digestion tube ID: M5595
Block thermometer ID: MET-DIG. # 1
Dig Technician Signature: *SKS*
Supervisor Signature: *[Signature]*
Temp : 1. 96°C 2. N/A

Standard Name	MLS USED	STD REF. # FROM LOG
LFS-1	0.25	M6000
LFS-2	0.25	M6009
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
Conc. HNO3	3.00	MP83498
1:1 HCL	5.00	M6126
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

HOT BLOCK#1 CELL #50 Temp: 96 C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
12/23/24 21:10	<i>SKS. mct digestion</i>	<i>[Signature]</i>
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	pH	Initial Vol (ml)	Final Vol (ml)	Color Before	Color After	Clarity Before	Clarity After	Comment	Prep Pos
P5375-01	TT-RW10A-IDWGW-202412 19	<2	50	25	White	Colorless	Cloudy	Clear	N/A	1
P5375-01MS	TT-RW10A-IDWGW-202412 19MS	<2	50	25	White	Colorless	Cloudy	Clear	M6000,M6009	3
P5375-01MSD	TT-RW10A-IDWGW-202412 19MSD	<2	50	25	White	Colorless	Cloudy	Clear	M6000,M6009	4
P5375-01DUP	TT-RW10A-IDWGW-202412 19DUP	<2	50	25	White	Colorless	Cloudy	Clear	N/A	2
PB165832BL	PBW832	<2	50	25	White	Colorless	Cloudy	Clear	N/A	5
PB165832BS	LCS832	<2	50	25	White	Colorless	Cloudy	Clear	M6000,M6009	6