

PESTICIDE CALIBRATION VERIFICATION SUMMARY

Contract: WEST04

Lab Code: CHEM Case No.: P5380 SAS No.: P5380 SDG NO.: P5380

GC Column: ZB-MR1 ID: 0.32 (mm) Initi. Calib. Date(s): 12/23/2024 12/23/2024

Client Sample No. (PEM): PEM - PL093482.D Date Analyzed: 12/23/2024

Lab Sample No.(PEM): PEM Time Analyzed: 12:47

PEM COMPOUND	RT	RT WINDOW		CALC	NOM	%D
		FROM	TO	AMOUNT(ng)	AMOUNT(ng)	
Decachlorobiphenyl	9.054	8.950	9.150	19.460	20.000	-2.7
Tetrachloro-m-xylene	3.541	3.490	3.590	19.200	20.000	-4.0
alpha-BHC	3.997	3.950	4.050	9.900	10.000	-1.0
beta-BHC	4.528	4.480	4.580	9.800	10.000	-2.0
gamma-BHC (Lindane)	4.329	4.280	4.380	9.720	10.000	-2.8
Endrin	6.575	6.500	6.650	42.660	50.000	-14.7
4,4'-DDT	7.025	6.950	7.100	85.450	100.000	-14.6
Methoxychlor	7.501	7.430	7.570	195.970	250.000	-21.6

GC Column: ZB-MR2 ID: 0.32 (mm) Initi. Calib. Date(s): 12/23/2024 12/23/2024

Client Sample No. (PEM): PEM - PL093482.D Date Analyzed: 12/23/2024

Lab Sample No.(PEM): PEM Time Analyzed: 12:47

PEM COMPOUND	RT	RT WINDOW		CALC	NOM	%D
		FROM	TO	AMOUNT(ng)	AMOUNT(ng)	
Decachlorobiphenyl	7.912	7.810	8.010	18.580	20.000	-7.1
Tetrachloro-m-xylene	2.777	2.730	2.830	18.650	20.000	-6.8
alpha-BHC	3.280	3.230	3.330	8.850	10.000	-11.5
beta-BHC	3.910	3.860	3.960	9.830	10.000	-1.7
gamma-BHC (Lindane)	3.609	3.560	3.660	8.480	10.000	-15.2
Endrin	5.639	5.570	5.710	44.360	50.000	-11.3
4,4'-DDT	6.038	5.970	6.110	99.160	100.000	-0.8
Methoxychlor	6.612	6.540	6.680	219.190	250.000	-12.3