

## **Report of Analysis**

Client:	Kleinfelder				Date Collected:	12/20/24	
Project:	Comegys Scho	ool			Date Received:	12/20/24	
Client Sample ID:	AU-06-122024	4MS			SDG No.:	P5382	
Lab Sample ID:	P5318-01MS				Matrix:	SOIL	
Analytical Metho	ethod: SW8082A				% Solid:	86.2 De	canted:
Sample Wt/Vol:	30.02 Un	iits: g			Final Vol:	10000	uL
Soil Aliquot Vol:		uL			Test:	PCB Group1	
Extraction Type:					Injection Volume :		
GPC Factor :	1.0	PH :					
Prep Method :	SW3541B						
File ID/Qc Batch:	Dilution:	Dilution: Prep Date			Date Analyzed	Prep Batch ID	
PO108767.D	1		12/26/24 08:30		12/26/24 13:34	PB165843	
CAS Number	Parameter	Con	c. Qualifier	MDL		LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	138		3.90		19.7	ug/kg
11097-69-1	Aroclor-1254	67.0	)	3.20		19.7	ug/kg
11096-82-5	Aroclor-1260	124		3.40		19.7	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	13.5	i	32 - 144		67%	SPK: 20
2051-24-3	Decachlorobiphenyl	12.1		32 - 175		61%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

- MDL = Method Detection Limit
- LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates > 25% difference for detected

concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

- J = Estimated Value
- B = Analyte Found in Associated Method Blank
- N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

 $\mathbf{S}=\mathbf{Indicates}$  estimated value where valid five-point calibration

was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit