

Report of Analysis

Client:	PSEG	Date Collected:	12/23/24
Project:	Oakland Gas and Appliance Service MA00006789	Date Received:	12/23/24
Client Sample ID:	OK-02-12232024	SDG No.:	P5383
Lab Sample ID:	P5383-01	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	92.4
Sample Wt/Vol:	50.02 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141013.D	1	12/26/24 09:10	12/27/24 22:36	PB165845

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	0.12	U	0.12	0.21	mg/Kg
108-95-2	Phenol	0.054	U	0.054	0.11	mg/Kg
111-44-4	bis(2-Chloroethyl)ether	0.054	U	0.054	0.11	mg/Kg
95-57-8	2-Chlorophenol	0.054	U	0.054	0.11	mg/Kg
95-48-7	2-Methylphenol	0.052	U	0.052	0.11	mg/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	0.059	U	0.059	0.11	mg/Kg
98-86-2	Acetophenone	0.056	U	0.056	0.11	mg/Kg
65794-96-9	3+4-Methylphenols	0.052	U	0.052	0.21	mg/Kg
621-64-7	n-Nitroso-di-n-propylamine	0.026	U	0.026	0.052	mg/Kg
67-72-1	Hexachloroethane	0.054	U	0.054	0.11	mg/Kg
98-95-3	Nitrobenzene	0.059	U	0.059	0.11	mg/Kg
78-59-1	Isophorone	0.055	U	0.055	0.11	mg/Kg
88-75-5	2-Nitrophenol	0.061	U	0.061	0.11	mg/Kg
105-67-9	2,4-Dimethylphenol	0.061	U	0.061	0.11	mg/Kg
111-91-1	bis(2-Chloroethoxy)methane	0.056	U	0.056	0.11	mg/Kg
120-83-2	2,4-Dichlorophenol	0.049	U	0.049	0.11	mg/Kg
91-20-3	Naphthalene	0.054	U	0.054	0.11	mg/Kg
106-47-8	4-Chloroaniline	0.054	U	0.054	0.11	mg/Kg
87-68-3	Hexachlorobutadiene	0.054	U	0.054	0.11	mg/Kg
105-60-2	Caprolactam	0.056	U	0.056	0.21	mg/Kg
59-50-7	4-Chloro-3-methylphenol	0.050	U	0.050	0.11	mg/Kg
91-57-6	2-Methylnaphthalene	0.054	U	0.054	0.11	mg/Kg
77-47-4	Hexachlorocyclopentadiene	0.10	U	0.10	0.21	mg/Kg
88-06-2	2,4,6-Trichlorophenol	0.046	U	0.046	0.11	mg/Kg
95-95-4	2,4,5-Trichlorophenol	0.048	U	0.048	0.11	mg/Kg
92-52-4	1,1-Biphenyl	0.057	U	0.057	0.11	mg/Kg
91-58-7	2-Chloronaphthalene	0.054	U	0.054	0.11	mg/Kg
88-74-4	2-Nitroaniline	0.062	U	0.062	0.11	mg/Kg
131-11-3	Dimethylphthalate	0.053	U	0.053	0.11	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	12/23/24
Project:	Oakland Gas and Appliance Service MA00006789	Date Received:	12/23/24
Client Sample ID:	OK-02-12232024	SDG No.:	P5383
Lab Sample ID:	P5383-01	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	92.4
Sample Wt/Vol:	50.02 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141013.D	1	12/26/24 09:10	12/27/24 22:36	PB165845

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	0.056	U	0.056	0.11	mg/Kg
606-20-2	2,6-Dinitrotoluene	0.054	U	0.054	0.11	mg/Kg
99-09-2	3-Nitroaniline	0.058	U	0.058	0.11	mg/Kg
83-32-9	Acenaphthene	0.053	U	0.053	0.11	mg/Kg
51-28-5	2,4-Dinitrophenol	0.16	U	0.16	0.21	mg/Kg
100-02-7	4-Nitrophenol	0.075	U	0.075	0.21	mg/Kg
132-64-9	Dibenzofuran	0.055	U	0.055	0.11	mg/Kg
121-14-2	2,4-Dinitrotoluene	0.056	U	0.056	0.11	mg/Kg
84-66-2	Diethylphthalate	0.052	U	0.052	0.11	mg/Kg
7005-72-3	4-Chlorophenyl-phenylether	0.056	U	0.056	0.11	mg/Kg
86-73-7	Fluorene	0.056	U	0.056	0.11	mg/Kg
100-01-6	4-Nitroaniline	0.070	U	0.070	0.11	mg/Kg
534-52-1	4,6-Dinitro-2-methylphenol	0.076	U	0.076	0.21	mg/Kg
86-30-6	n-Nitrosodiphenylamine	0.053	U	0.053	0.11	mg/Kg
101-55-3	4-Bromophenyl-phenylether	0.051	U	0.051	0.11	mg/Kg
118-74-1	Hexachlorobenzene	0.055	U	0.055	0.11	mg/Kg
1912-24-9	Atrazine	0.059	U	0.059	0.11	mg/Kg
87-86-5	Pentachlorophenol	0.050	U	0.050	0.21	mg/Kg
85-01-8	Phenanthrene	0.067	J	0.055	0.11	mg/Kg
120-12-7	Anthracene	0.055	U	0.055	0.11	mg/Kg
86-74-8	Carbazole	0.052	U	0.052	0.11	mg/Kg
84-74-2	Di-n-butylphthalate	0.055	U	0.055	0.11	mg/Kg
206-44-0	Fluoranthene	0.10	J	0.053	0.11	mg/Kg
129-00-0	Pyrene	0.097	J	0.054	0.11	mg/Kg
85-68-7	Butylbenzylphthalate	0.063	U	0.063	0.11	mg/Kg
91-94-1	3,3-Dichlorobenzidine	0.064	U	0.064	0.21	mg/Kg
56-55-3	Benzo(a)anthracene	0.052	J	0.052	0.11	mg/Kg
218-01-9	Chrysene	0.052	U	0.052	0.11	mg/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	0.059	U	0.059	0.11	mg/Kg
117-84-0	Di-n-octyl phthalate	0.071	U	0.071	0.21	mg/Kg
205-99-2	Benzo(b)fluoranthene	0.059	J	0.053	0.11	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	12/23/24
Project:	Oakland Gas and Appliance Service MA00006789	Date Received:	12/23/24
Client Sample ID:	OK-02-12232024	SDG No.:	P5383
Lab Sample ID:	P5383-01	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	92.4
Sample Wt/Vol:	50.02 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141013.D	1	12/26/24 09:10	12/27/24 22:36	PB165845

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	0.054	U	0.054	0.11	mg/Kg
50-32-8	Benzo(a)pyrene	0.060	U	0.060	0.11	mg/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	0.051	U	0.051	0.11	mg/Kg
53-70-3	Dibenzo(a,h)anthracene	0.053	U	0.053	0.11	mg/Kg
191-24-2	Benzo(g,h,i)perylene	0.052	U	0.052	0.11	mg/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	0.056	U	0.056	0.11	mg/Kg
123-91-1	1,4-Dioxane	0.071	U	0.071	0.11	mg/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	0.049	U	0.049	0.11	mg/Kg

SURROGATES

367-12-4	2-Fluorophenol	88.9		18 - 112	59%	SPK: 150
13127-88-3	Phenol-d6	85.5		15 - 107	57%	SPK: 150
4165-60-0	Nitrobenzene-d5	75.7		18 - 107	76%	SPK: 100
321-60-8	2-Fluorobiphenyl	67.8		20 - 109	68%	SPK: 100
118-79-6	2,4,6-Tribromophenol	84.5		10 - 116	56%	SPK: 150
1718-51-0	Terphenyl-d14	56.5		10 - 105	57%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	255000	6.822
1146-65-2	Naphthalene-d8	958000	8.104
15067-26-2	Acenaphthene-d10	431000	9.857
1517-22-2	Phenanthrene-d10	612000	11.339
1719-03-5	Chrysene-d12	451000	13.98
1520-96-3	Perylene-d12	351000	15.433

TENTATIVE IDENTIFIED COMPOUNDS

000119-61-9	Benzophenone	170	J	10.6	ug/Kg
000057-10-3	n-Hexadecanoic acid	150	J	11.9	ug/Kg
	unknown11.951	46.5	J	12.0	ug/Kg
002136-70-1	Ethanol, 2-(tetradecyloxy)-	95.6	J	13.8	ug/Kg

Report of Analysis

Client:	PSEG	Date Collected:	12/23/24
Project:	Oakland Gas and Appliance Service MA00006789	Date Received:	12/23/24
Client Sample ID:	OK-02-12232024	SDG No.:	P5383
Lab Sample ID:	P5383-01	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	92.4
Sample Wt/Vol:	50.02 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141013.D	1	12/26/24 09:10	12/27/24 22:36	PB165845

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
------------	-----------	-------	-----------	-----	------------	-------------------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products