

## Report of Analysis

Client:	PSEG	Date Collected:	12/26/24 09:15
Project:	Moorestown	Date Received:	12/26/24
Client Sample ID:	MOO-24-00398	SDG No.:	P5386
Lab Sample ID:	P5386-02	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	6.72	H	1	0	0	pH		12/26/24 16:45	9045D
Ignitability	NO		1	0	0	oC		12/27/24 08:45	1030
Reactive Cyanide	0.050	U	1	0.0088	0.050	mg/Kg	12/31/24 08:50	12/31/24 11:51	9012B
Reactive Sulfide	3.17	J	1	0.19	10.0	mg/Kg	12/30/24 08:45	12/30/24 13:43	9034

Comments: pH result reported at temperature 21.9 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits