

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MH2D27

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51811 MA No. : 3123.0 SDG No.: MH2D27
Matrix: Water Lab Sample ID: P5392-01
% Solids: _____ Date Received: 12/27/2024
Analytical Method: Hg
Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): $\mu\text{g/L}$

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.27		01/03/2025	1110

NOTE: Hardness (total) is reported in mg/L Comments:

EPA SAMPLE NO.

MH2D30

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEETLab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011Lab Code: ACE Case No.: 51811 MA No. : 3123.0 SDG No.: MH2D27Matrix: Water Lab Sample ID: P5392-02% Solids: _____ Date Received: 12/27/2024Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): $\mu\text{g/L}$

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.82		01/03/2025	1112

NOTE: Hardness (total) is reported in mg/L Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MH2D33

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51811 MA No. : 3123.0 SDG No.: MH2D27
Matrix: Water Lab Sample ID: P5392-03
% Solids: _____ Date Received: 12/27/2024
Analytical Method: Hg
Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): $\mu\text{g/L}$

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.079	J	01/03/2025	1114

NOTE: Hardness (total) is reported in mg/L Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MH2D36

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51811 MA No. : 3123.0 SDG No.: MH2D27
Matrix: Water Lab Sample ID: P5392-04
% Solids: _____ Date Received: 12/27/2024
Analytical Method: Hg
Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): $\mu\text{g/L}$

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.25		01/03/2025	1117

NOTE: Hardness (total) is reported in mg/L Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MH2D39

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51811 MA No. : 3123.0 SDG No.: MH2D27
Matrix: Water Lab Sample ID: P5392-05
% Solids: _____ Date Received: 12/27/2024

Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): $\mu\text{g/L}$

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.20	U	01/03/2025	1119

NOTE: Hardness (total) is reported in mg/L Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MH2D42

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51811 MA No. : 3123.0 SDG No.: MH2D27
Matrix: Water Lab Sample ID: P5392-06
% Solids: _____ Date Received: 12/27/2024
Analytical Method: Hg
Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): $\mu\text{g/L}$

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.25		01/03/2025	1121

NOTE: Hardness (total) is reported in mg/L Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MH2D45

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51811 MA No. : 3123.0 SDG No.: MH2D27
Matrix: Water Lab Sample ID: P5392-07
% Solids: _____ Date Received: 12/27/2024
Analytical Method: Hg
Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): $\mu\text{g/L}$

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.046	J	01/03/2025	1124

NOTE: Hardness (total) is reported in mg/L Comments:

EPA SAMPLE NO.

MH2D48

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEETLab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011Lab Code: ACE Case No.: 51811 MA No. : 3123.0 SDG No.: MH2D27Matrix: Water Lab Sample ID: P5392-08% Solids: _____ Date Received: 12/27/2024Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): $\mu\text{g/L}$

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.085	J	01/03/2025	1126

NOTE: Hardness (total) is reported in mg/L Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MH2D51

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51811 MA No. : 3123.0 SDG No.: MH2D27
Matrix: Water Lab Sample ID: P5392-09
% Solids: _____ Date Received: 12/27/2024
Analytical Method: Hg
Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): $\mu\text{g/L}$

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.14	J	01/03/2025	1128

NOTE: Hardness (total) is reported in mg/L Comments:

EPA SAMPLE NO.

MH2D54

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEETLab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011Lab Code: ACE Case No.: 51811 MA No. : 3123.0 SDG No.: MH2D27Matrix: Water Lab Sample ID: P5392-10% Solids: _____ Date Received: 12/27/2024Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): $\mu\text{g/L}$

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.20	U	01/03/2025	1130

NOTE: Hardness (total) is reported in mg/L Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MH2D57

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51811 MA No. : 3123.0 SDG No.: MH2D27
Matrix: Water Lab Sample ID: P5392-11
% Solids: _____ Date Received: 12/27/2024
Analytical Method: Hg
Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): $\mu\text{g/L}$

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.22		01/03/2025	1133

NOTE: Hardness (total) is reported in mg/L Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MH2D60

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51811 MA No. : 3123.0 SDG No.: MH2D27
Matrix: Water Lab Sample ID: P5392-12
% Solids: _____ Date Received: 12/27/2024

Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): $\mu\text{g/L}$

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.20	U	01/03/2025	1135

NOTE: Hardness (total) is reported in mg/L Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MH2D63

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51811 MA No. : 3123.0 SDG No.: MH2D27
Matrix: Water Lab Sample ID: P5392-13
% Solids: _____ Date Received: 12/27/2024

Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): $\mu\text{g/L}$

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.20	U	01/03/2025	1137

NOTE: Hardness (total) is reported in mg/L Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MH2D66

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51811 MA No. : 3123.0 SDG No.: MH2D27
Matrix: Water Lab Sample ID: P5392-14
% Solids: _____ Date Received: 12/27/2024

Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): $\mu\text{g/L}$

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.20	U	01/03/2025	1142

NOTE: Hardness (total) is reported in mg/L Comments:

EPA SAMPLE NO.

MH2D69

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEETLab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011Lab Code: ACE Case No.: 51811 MA No. : 3123.0 SDG No.: MH2D27Matrix: Water Lab Sample ID: P5392-15% Solids: _____ Date Received: 12/27/2024Analytical Method: HgConcentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): $\mu\text{g/L}$

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.20	U	01/03/2025	1144

NOTE: Hardness (total) is reported in mg/L Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MH2D72

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51811 MA No. : 3123.0 SDG No.: MH2D27
Matrix: Water Lab Sample ID: P5392-16
% Solids: _____ Date Received: 12/27/2024
Analytical Method: Hg
Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): $\mu\text{g/L}$

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.035	J	01/03/2025	1146

NOTE: Hardness (total) is reported in mg/L Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MH2D75

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51811 MA No. : 3123.0 SDG No.: MH2D27
Matrix: Water Lab Sample ID: P5392-17
% Solids: _____ Date Received: 12/27/2024
Analytical Method: Hg
Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): $\mu\text{g/L}$

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7439-97-6	Mercury	0.20	U	01/03/2025	1148


NOTE: Hardness (total) is reported in mg/L Comments:

LB134154

SFAM01.1

INSTRUMENT ID:CV1

Linear



A= 0.0000e+000
B= 2.3315e-004 *slope*
C= -6.8597e-002 *= intercept*
Rho= 0.9998685
Accept=Accepted

Std ID	Conc.	Calc.	Dev.	Mean	SD or %RSD	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	<i>%D</i>
0.00	0.000	-0.035	-0.035	145	0.000	145	0				
0.05	0.050					442	0				
0.20	0.200	0.203	0.003	1164	0.0 %	1164					
2.50	2.500	2.542	0.042	11195	0.0 %	11195					
5.00	5.000	4.953	-0.047	21536	0.0 %	21536					
7.50	7.500	7.607	0.107	32922	0.0 %	32922					
10.0	10.000	9.931	-0.069	42888	0.0 %	42888					

LBN134154
INSTRUMENT ID : CV1

Sample ID	Extended ID	μ Abs.	Conc.	Std Conc	Method	Units	Date	Type
	0 S0	145	-		0 SFAM01.1	PPB	1/3/2025 10:39	Std
	0.2 S01	1164	-		0.2 SFAM01.1	PPB	1/3/2025 10:41	Std
	2.5 S02	11195	-		2.5 SFAM01.1	PPB	1/3/2025 10:43	Std
	5 S03	21536	-		5 SFAM01.1	PPB	1/3/2025 10:46	Std
	7.5 S04	32922	-		7.5 SFAM01.1	PPB	1/3/2025 10:51	Std
	10 S05	42888	-		10 SFAM01.1	PPB	1/3/2025 10:56	Std
ICV041	ICV041	17183	3.9376 -		SFAM01.1	PPB	1/3/2025 10:59	SMPL
ICB041	ICB041	56	-0.0555 -		SFAM01.1	PPB	1/3/2025 11:01	SMPL
CCV096	CCV096	21829	5.0208 -		SFAM01.1	PPB	1/3/2025 11:03	SMPL
CCB096	CCB096	66	-0.0532 -		SFAM01.1	PPB	1/3/2025 11:05	SMPL
PB165948BL	PBW948	158	-0.0318 -		SFAM01.1	PPB	1/3/2025 11:08	SMPL
P5392-01	MH2D27	1438	0.2667 -		SFAM01.1	PPB	1/3/2025 11:10	SMPL
P5392-02	MH2D30	3826	0.8234 -		SFAM01.1	PPB	1/3/2025 11:12	SMPL
P5392-03	MH2D33	634	0.0792 -		SFAM01.1	PPB	1/3/2025 11:14	SMPL
P5392-04	MH2D36	1380	0.2532 -		SFAM01.1	PPB	1/3/2025 11:17	SMPL
P5392-05	MH2D39	236	-0.0136 -		SFAM01.1	PPB	1/3/2025 11:19	SMPL
P5392-06	MH2D42	1374	0.2518 -		SFAM01.1	PPB	1/3/2025 11:21	SMPL
P5392-07	MH2D45	491	0.0459 -		SFAM01.1	PPB	1/3/2025 11:24	SMPL
P5392-08	MH2D48	659	0.085 -		SFAM01.1	PPB	1/3/2025 11:26	SMPL
P5392-09	MH2D51	911	0.1438 -		SFAM01.1	PPB	1/3/2025 11:28	SMPL
P5392-10	MH2D54	186	-0.0252 -		SFAM01.1	PPB	1/3/2025 11:30	SMPL
P5392-11	MH2D57	1237	0.2198 -		SFAM01.1	PPB	1/3/2025 11:33	SMPL
P5392-12	MH2D60	151	-0.0334 -		SFAM01.1	PPB	1/3/2025 11:35	SMPL
P5392-13	MH2D63	186	-0.0252 -		SFAM01.1	PPB	1/3/2025 11:37	SMPL
P5392-14	MH2D66	274	-0.0047 -		SFAM01.1	PPB	1/3/2025 11:42	SMPL
P5392-15	MH2D69	112	-0.0425 -		SFAM01.1	PPB	1/3/2025 11:44	SMPL
P5392-16	MH2D72	442	0.0345 -		SFAM01.1	PPB	1/3/2025 11:46	SMPL
P5392-17	MH2D75	184	-0.0257 -		SFAM01.1	PPB	1/3/2025 11:48	SMPL
P5392-18	MH2D75D	224	-0.0164 -		SFAM01.1	PPB	1/3/2025 11:51	SMPL
P5392-19	MH2D75S	5039	1.1062 -		SFAM01.1	PPB	1/3/2025 11:53	SMPL
CCV097	CCV097	22369	5.1467 -		SFAM01.1	PPB	1/3/2025 11:55	SMPL
CCB097	CCB097	170	-0.029 -		SFAM01.1	PPB	1/3/2025 11:58	SMPL
PB165949BL	PBW949	180	-0.0266 -		SFAM01.1	PPB	1/3/2025 12:00	SMPL
P5393-01	MH2D28	461	0.0389 -		SFAM01.1	PPB	1/3/2025 12:02	SMPL
P5393-02	MH2D31	602	0.0718 -		SFAM01.1	PPB	1/3/2025 12:04	SMPL
P5393-03	MH2D34	387	0.0216 -		SFAM01.1	PPB	1/3/2025 12:07	SMPL
P5393-04	MH2D37	490	0.0456 -		SFAM01.1	PPB	1/3/2025 12:09	SMPL
P5393-05	MH2D40	276	-0.0042 -		SFAM01.1	PPB	1/3/2025 12:11	SMPL
P5393-06	MH2D43	404	0.0256 -		SFAM01.1	PPB	1/3/2025 12:13	SMPL
P5393-07	MH2D46	290	-0.001 -		SFAM01.1	PPB	1/3/2025 12:16	SMPL
P5393-08	MH2D49	384	0.0209 -		SFAM01.1	PPB	1/3/2025 12:18	SMPL
P5393-09	MH2D52	1144	0.1981 -		SFAM01.1	PPB	1/3/2025 12:20	SMPL
P5393-10	MH2D55	165	-0.0301 -		SFAM01.1	PPB	1/3/2025 12:23	SMPL
P5393-11	MH2D58	810	0.1203 -		SFAM01.1	PPB	1/3/2025 12:25	SMPL
P5393-12	MH2D61	169	-0.0292 -		SFAM01.1	PPB	1/3/2025 12:27	SMPL
P5393-13	MH2D64	134	-0.0374 -		SFAM01.1	PPB	1/3/2025 12:29	SMPL

LBN134154
INSTRUMENT ID : CV1

P5393-14	MH2D67	172	-0.0285 -	SFAM01.1	PPB	1/3/2025 12:32 SMPL
P5393-15	MH2D70	130	-0.0383 -	SFAM01.1	PPB	1/3/2025 12:34 SMPL
P5393-16	MH2D73	262	-0.0075 -	SFAM01.1	PPB	1/3/2025 12:36 SMPL
P5393-17	MH2D76	208	-0.0201 -	SFAM01.1	PPB	1/3/2025 12:38 SMPL
P5393-18	MH2D76D	173	-0.0283 -	SFAM01.1	PPB	1/3/2025 12:41 SMPL
P5393-19	MH2D76S	5423	1.1958 -	SFAM01.1	PPB	1/3/2025 12:43 SMPL
CCV098	CCV098	22453	5.1663 -	SFAM01.1	PPB	1/3/2025 12:45 SMPL
CCB098	CCB098	163	-0.0306 -	SFAM01.1	PPB	1/3/2025 12:47 SMPL
PB165948TB	LEB948	151	-0.0334 -	SFAM01.1	PPB	1/3/2025 12:50 SMPL
PB165949TB	LEB949	166	-0.0299 -	SFAM01.1	PPB	1/3/2025 12:52 SMPL
CCV099	CCV099	22341	5.1402 -	SFAM01.1	PPB	1/3/2025 12:54 SMPL
CCB099	CCB099	176	-0.0276 -	SFAM01.1	PPB	1/3/2025 12:56 SMPL

Prep Standard - Chemical Standard Summary

Order ID : P5392

Test : SPLP Mercury

Prepbatch ID : PB165948,

Sequence ID/Qc Batch ID: LB134154,

Standard ID :

MP83691,MP83692,MP83693,MP83694,MP83854,MP83855,MP83856,MP83857,MP83858,MP83859,MP83860,MP83861,MP83862,MP83863,MP83864,MP83868,

Chemical ID :

M4371,M4465,M4916,M5062,M5532,M5882,M5884,M6041,M6121,M6126,W3112,

Metals STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3965	2:1 H2SO4 : HNO3	MP83691	12/18/2024	06/03/2025	Mohan Bera	None	None	Sarabjit Jaswal
								12/18/2024

FROM 1600.00000ml of M6041 + 800.00000ml of M6126 = Final Quantity: 3200.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
65	POTASSIUM PERMANGANATE SOLUTION 5 %	MP83692	12/18/2024	06/18/2025	Mohan Bera	METALS_SCALE_3 (M SC-3)	None	Sarabjit Jaswal
								12/18/2024

FROM 100.00000gram of M4916 + 2000.00000ml of W3112 = Final Quantity: 2000.000 ml

Metals STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
66	POTASSIUM PERSULFATE SOLUTION 5 %	MP83693	12/18/2024	06/18/2025	Mohan Bera	METALS_SCALE_3 (M SC-3)	None	Sarabjit Jaswal
12/18/2024								

FROM 100.00000ml of M4465 + 2000.00000ml of W3112 = Final Quantity: 2000.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
67	SODIUM CHLORIDE - HYDROXYL- CHLORIDE SOLUTION	MP83694	12/18/2024	06/18/2025	Mohan Bera	METALS_SCALE_3 (M SC-3)	None	Sarabjit Jaswal
12/18/2024								

FROM 2000.00000ml of W3112 + 240.00000gram of M4371 + 240.00000gram of M5884 = Final Quantity: 2000.000 ml



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
871	MERCURY INTERMEDIATE B 250PPB WORKING STD.	MP83854	01/03/2025	01/04/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG A)	Sarabjit Jaswal 01/03/2025
<u>FROM</u>	1.00000ml of M6126 + 2.50000ml of M5062 + 96.50000ml of W3112 = Final Quantity: 100.000 ml							

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1340	Hg 0.00 PPB STD	MP83855	01/03/2025	01/04/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 01/03/2025
<u>FROM</u>	2.50000ml of M6126 + 247.50000ml of W3112 = Final Quantity: 250.000 ml							



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1341	Hg 0.2 PPB STD	MP83856	01/03/2025	01/04/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG)	Sarabjit Jaswal
FROM 2.50000ml of M6126 + 247.30000ml of W3112 + 0.20000ml of MP83854 = Final Quantity: 250.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1342	Hg 2.5 PPB STD	MP83857	01/03/2025	01/04/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 01/03/2025
<u>FROM</u>	2.50000ml of M6126 + 245.00000ml of W3112 + 2.50000ml of MP83854 = Final Quantity: 250.000 ml							



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1343	Hg 5.0 PPB STD	MP83858	01/03/2025	01/04/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG)	Sarabjit Jaswal
A)								
<u>FROM</u>	2.50000ml of M6126 + 242.50000ml of W3112 + 5.00000ml of MP83854 = Final Quantity: 250.000 ml							

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1344	Hg 7.5 PPB STD	MP83859	01/03/2025	01/04/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG A)	Sarabjit Jaswal 01/03/2025
<u>FROM</u>	2.50000ml of M6126 + 240.00000ml of W3112 + 7.50000ml of MP83854 = Final Quantity: 250.000 ml							



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1345	Hg 10.0 PPB STD	MP83860	01/03/2025	01/04/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG)	Sarabjit Jaswal
FROM 2.50000ml of M6126 + 237.50000ml of W3112 + 10.00000ml of MP83854 = Final Quantity: 250.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1346	Hg ICV SOLUTION	MP83861	01/03/2025	01/04/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG A)	Sarabjit Jaswal 01/03/2025
<u>FROM</u>	2.50000ml of M5532 + 2.50000ml of M6126 + 245.00000ml of W3112 = Final Quantity: 250.000 ml							



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1351	ICB (Hg 0.00 PPB SOLUTION)	MP83862	01/03/2025	01/04/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG	Sarabjit Jaswal 01/03/2025

FROM	TO	REMARKS
2.50000ml of M6126 + 247.50000ml of W3112	= Final Quantity: 250.000 ml	A)

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1358	CCV (Hg 5.0 PPB SOLUTION)	MP83863	01/03/2025	01/04/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG	Sarabjit Jaswal 01/03/2025

FROM		A)
485.00000ml of W3112 + 5.00000ml of M6126 + 10.00000ml of MP83854 = Final Quantity: 500.000 ml		



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1352	CCB (Hg 0.00 PPB SOLUTION)	MP83864	01/03/2025	01/04/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG)	Sarabjit Jaswal
FROM 495.00000ml of W3112 + 5.00000ml of M6126 = Final Quantity: 500.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipettelID</u>	<u>Supervised By</u>
68	STANNOUS CHLORIDE SOLUTION	MP83868	01/03/2025	01/04/2025	Mohan Bera	METALS_SCALE_3 (M SC-3)	None	Sarabjit Jaswal 01/03/2025
<u>FROM</u> 450.00000ml of W3112 + 50.00000gram of M5882 + 50.00000ml of M6121 = Final Quantity: 500.000 ml								

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-2196-01 / Hydroxylamine Hydrochloride, Crystal (cs/4x500g)	0000215387	06/25/2025	07/01/2019 / RICHARD	06/07/2019 / RICHARD	M4371

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-3238-05 / Potassium Persulfate (2.5kg)	0000234156	08/06/2025	07/23/2019 / jaswal	07/25/2019 / manojkumar	M4465

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-3227-05 / Potassium Permanganate (2.5kg)	210800	03/31/2026	11/30/2022 / mohan	07/28/2021 / mohan	M4916

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	MSHG-10PPM / MERCURY HCl 125mL 10ug/mL	S2-HG709270	09/22/2026	05/28/2022 / mohan	01/27/2022 / mohan	M5062

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
EPA	ICV-5 / ICV (HG) STOCK SOLN	ICV5-0415	02/28/2025	01/02/2025 / jaswal	03/30/2023 / mohan	M5532

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-3980-01 / Stannous Chloride (cs/4x500g)	232820	08/31/2028	04/30/2024 / mohan	04/25/2024 / mohan	M5882

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-3624-05 / Sodium Chloride, Crystal (cs/4x2.5kg)	0000281938	07/06/2026	04/30/2024 / mohan	04/25/2024 / mohan	M5884

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9673-33 / Sulfuric Acid, Instra-Analyzed (cs/6c2.5L)	23D2462010	03/20/2028	08/16/2024 / mohan	08/16/2024 / mohan	M6041

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	0000275677	05/13/2025	11/13/2024 / Eman	10/13/2024 / Eman	M6121

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L)	24D1062002	06/03/2025	12/03/2024 / Janvi	11/12/2024 / Janvi	M6126

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / lwona	07/03/2024 / lwona	W3112

M5882
 M3

Certificate of Analysis

1 Reagent Lane
 Fair Lawn, NJ 07410
 201.796.7100 tel
 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System
 Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120633

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	T142	Quality Test / Release Date	08/17/2023
Lot Number	232820		
Description	STANNOUS CHLORIDE, DIHYDRATE CERTIFIED ACS (Suitable for Mercury Determination)		
Country of Origin	United States	Suggested Retest Date	Aug/2028
Chemical Origin	Inorganic-non animal		
BSE/TSE Comment	No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product.		

N/A			
Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Clear crystals
ASSAY	%	Inclusive Between 98 - 103	100.65
CALCIUM	%	<= 0.005	0.0017
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST
IRON (Fe)	%	<= 0.003	0.0011
LEAD (Pb)	%	<= 0.01	0.0006
MERCURY (Hg)	ppm	<= 0.05	<0.05
POTASSIUM (K)	%	<= 0.005	0.0001
SODIUM (Na)	%	<= 0.01	<0.01
SOLUBILITY IN HCL	PASS/FAIL	= PASS TEST	PASS TEST
SULFATE (SO4)	PASS/FAIL	= P.T. (ABOUT 0.003%)	P.T. (ABOUT 0.003%)



Harout Sahagian - Quality Control Supervisor - Fair Lawn

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of this catalog number listed above.

If there are any questions with this certificate, please call at (800) 227-6701.

*Based on suggested storage condition.

M4371

Hydroxylamine Hydrochloride, Crystal
BAKER ANALYZED® A.C.S. Reagent
Suitable for Mercury Determination
(hydroxylammonium chloride)

Rec - 06.07.19



avantortm

Material No.: 2196-01
Batch No.: 0000215387
Manufactured Date: 2018/06/27
Retest Date: 2025/06/25
Revision No: 1

Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Assay (NH ₂ OH · HCl) (by KMnO ₄ titrn)	>= 96.0 %	99.1
Clarity of Alcohol Solution	Passes Test	PT
Residue after Ignition	<= 0.050 %	0.017
Titrate Free Acid (meq/g)	<= 0.25	0.19
Ammonium (NH ₄)	Passes Test	PT
Sulfur Compounds (as SO ₄)	<= 0.005 %	< 0.003
Trace Impurities - ACS - Heavy Metals (as Pb)	<= 5 ppm	4
Trace Impurities - Iron (Fe)	<= 5 ppm	< 3
Trace Impurities - Mercury (Hg)	<= 0.050 ppm	< 0.005

For Laboratory, Research or Manufacturing Use

Country of Origin: CN
Packaging Site: Paris Mfg Ctr & DC

ISO

Phillipsburg, NJ 9001:2015, FSSC22000
Paris, KY 9001:2008
Mexico City, Mexico 9001:2008
Gliwice, Poland 9001:2015, 13485:2012
Selangor, Malaysia 9001:2008
Dehradun, India, 9001:2008, 14001:2004, 13485:2003
Mumbai, India, 9001:2015, 17025:2005
Panoli, India 9001:2015

James Ethier

Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

M4913-16

MS

Certificate of Analysis

1 Reagent Lane
 Fair Lawn, NJ 07410
 201.796.7100 tel
 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System
 Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	P279	Quality Test / Release Date	01/12/2021
Lot Number	210306		
Description	POTASSIUM PERMANGANATE, A.C.S.		
Country of Origin	United States	Suggested Retest Date	Jan/2026

N/A			
Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Dark purple to purple green crystals
ASSAY	%	>= 99	99.3
CHLORIDE & CHLORATE	%	<= 0.005	<0.005
IDENTIFICATION	PASS/FAIL	= PASS TEST	pass test
INSOLUBLE MATTER	%	<= 0.2	<0.2
MERCURY (Hg)	ppm	<= 0.05	<0.004
SULFATE (SO4)	%	<= 0.02	<0.02

Julian Burton

Julian Burton - Quality Control Manager – Fair Lawn

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of this catalog number listed above.
 If there are any questions with this certificate, please call at (800) 227-6701.

*Based on suggested storage condition.

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

MS062
MS063
MB

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



2.0 PRODUCT DESCRIPTION

Product Code: Single Analyte Mass Spec Solution
Catalog Number: MSHG-10PPM
Lot Number: S2-HG709270
Matrix: 10% (v/v) HCl
Value / Analyte(s): 10 µg/mL ea:
Mercury
Starting Material: Hg metal
Starting Material Lot#: 1959
Starting Material Purity: 99.9994%

3.0 CERTIFIED VALUES AND UNCERTAINTIES

Certified Value: 10.001 ± 0.053 µg/mL
Density: 1.020 g/mL (measured at 20 ± 4 °C)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
Hg	ICP Assay	3133	160921
Hg	EDTA	928	928
Hg	Calculated		See Sec. 4.2

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$$X_{CRM/RM} = \sum (w_i) (X_i)$$

X_i = mean of Assay Method i with standard uncertainty $u_{char i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance.

$$w_i = (1/u_{char i}^2) / (\sum (1/(u_{char i}^2)))$$

$$CRM/RM \text{ Expanded Uncertainty } (\pm) = U_{CRM/RM} = k (u_{char}^2 + u_{bb}^2 + u_{lts}^2 + u_{ts}^2)^{1/2}$$

k = coverage factor = 2

$u_{char} = [\sum ((w_i)^2 (u_{char i}^2))]^{1/2}$ where $u_{char i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$$X_{CRM/RM} = (X_a) (u_{char a})$$

X_a = mean of Assay Method A with

$u_{char a}$ = the standard uncertainty of characterization Method A

$$CRM/RM \text{ Expanded Uncertainty } (\pm) = U_{CRM/RM} = k (u_{char a}^2 + u_{bb}^2 + u_{lts}^2 + u_{ts}^2)^{1/2}$$

k = coverage factor = 2

$u_{char a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an ULPA-Filtered Clean Room. An ULPA-Filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

O	Ag	0.000011	M	Eu	<	0.000201	O	Na	0.000004	M	Se	<	0.015915	O	Zn	<	0.001510	
O	Al	0.000001	O	Fe		0.000001	M	Nb	<	0.000201	O	Si		0.000005	M	Zr	<	0.000201
M	As	<	0.000402	M	Ga	<	0.000201	M	Nd	<	0.000201	M	Sm	<		0.000201		
M	Au	<	0.003631	M	Gd	<	0.000201	M	Ni	<	0.000402	M	Sn	<		0.001007		
M	B	<	0.001208	M	Ge	<	0.000201	M	Os	<	0.000605	M	Sr	<		0.000201		
M	Ba	<	0.000201	M	Hf	<	0.000201	O	P	<	0.032370	M	Ta	<		0.000201		
M	Be	<	0.000201	s	Hg	<		M	Pb	<	0.000201	M	Tb	<		0.000201		
M	Bi	<	0.000201	M	Ho	<	0.000201	M	Pd	<	0.000403	M	Te	<		0.002216		
O	Ca	0.000007	M	In	<	0.000201	M	Pr	<	0.000201	M	Th	<		0.000201			
M	Cd	<	0.000201	M	Ir	<	0.000201	M	Pt	<	0.000402	M	Ti	<		0.000402		
M	Ce	<	0.000201	O	K		0.000020	M	Rb	<	0.000201	O	Tl	<		0.016508		
M	Co	<	0.000201	M	La	<	0.000201	M	Re	<	0.000201	M	Tm	<		0.000201		
O	Cr	<	0.003021	O	Li	<	0.000107	M	Rh	<	0.000201	M	U	<		0.008058		
M	Cs	<	0.001208	M	Lu	<	0.000201	M	Ru	<	0.000201	M	V	<		0.000201		
M	Cu	<	0.000402	O	Mg		0.000001	O	S	<	0.053950	M	W	<		0.000604		
M	Dy	<	0.000201	M	Mn	<	0.000604	M	Sb	<	0.001208	M	Y	<		0.000201		
M	Er	<	0.000201	M	Mo		0.000009	M	Sc	<	0.000201	M	Yb	<		0.000201		

M - Checked by ICP-MS O - Checked by ICP-OES i - Spectral Interference
n - Not Checked For s - Solution Standard Element

6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit www.inorganicventures.com/TCT

Atomic Weight; Valence; Coordination Number; Chemical Form in Solution - 200.59 +2 4 Hg(OH)(aq) 1+

Chemical Compatibility - Stable in HNO₃. Avoid basic media forming insoluble carbonate. The sulfide, basic carbonate, oxalate, phosphate, arsenite, arsenate and iodide are insoluble in water.

Stability - 2-100 ppb levels not stable in 1% HNO₃ / LDPE container, stable in 10% HNO₃ packaged in borosilicate glass. 1-100 ppm levels stable in 7% HNO₃ packaged in borosilicate glass. 1000-10,000 ppm solutions are chemically stable for years in 5-10% HNO₃ / LDPE container.

Hg Containing Samples (Preparation and Solution) - Metal (soluble in HNO₃); Oxide (Soluble in HNO₃); Ores and Organic based (The literature has more references to the preparation of Hg containing samples than any other element. Please consult the literature for your specific sample type, since such preparations are prone to error. Or e-mail our technical staff and we will contact you to discuss your particular sample preparation questions in further detail.).

Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):

Technique/Line	Estimated D.L.	Order	Interferences (underlined indicates severe)
ICP-MS 202 amu	9 ppt	n/a	186W16O
ICP-OES 184.950 nm	0.03 / 0.005 µg/mL	1	
ICP-OES 194.227 nm	0.03 / 0.005 µg/mL	1	V
ICP-OES 253.652 nm	0.1 / 0.03 µg/mL	1	Ta, Co, Th ,Rh , Fe, U

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va, 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

September 22, 2021

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- **September 22, 2026**

- The date after which this CRM/RM should not be used.
- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Prepared By:

Uyen Truong
Supervisor, Product Documentation



Certificate Approved By:

Michael Booth
Director, Quality Control



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director





QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY
"An ISO 9001:2015 Certified Program"


Instructions for QATS Reference Material: *Inorganic ICV Solutions*

QATS LABORATORY INORGANIC REFERENCE MATERIAL
INITIAL CALIBRATION VERIFICATION SOLUTIONS
(ICV1, ICV5, AND ICV6)

NOTE: These instructions are for advisory purposes only. If any apparent conflict exists between these instructions and the analytical protocol or your contract, disregard these instructions.

APPLICATION: For use with the CLP SFAM01.0 SOW and revisions.

CAUTION: Read instructions carefully before opening bottle(s) and proceeding with the analyses.



(A) SAMPLE DESCRIPTION

Enclosed is a set of one (1) or more Aqueous Inorganic Reference Materials containing various analyte concentrations. ICV1 and ICV5 are in a matrix of dilute nitric acid. ICV6 is in a matrix of dilute basic solution. **For the reference material source in reporting ICVs use "USEPA". For the reference material lot number for the ICV1, ICV5, and ICV6 solutions use "ICV1-1014", "ICV5-0415", and "ICV6-0400", respectively.**

(B) BREAKAGE OR MISSING ITEMS

Check the contents of the shipment carefully for any broken, leaking, or missing items. Check that the seal is intact on each bottle. Refer to the enclosed chain of custody record. Report any problems to Mr. Keith Strout, APTIM Federal Services, LLC, at (702) 895-8722. If requested, return the chain-of-custody record with appropriate annotations and signatures to the address provided below.

QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY
APTIM Federal Services, LLC
2700 Chandler Avenue - Building C
Las Vegas, NV 89120

(C) ANALYSIS OF SAMPLES

The Initial Calibration Verification Solutions (ICVs) are to be used to evaluate the accuracy of the initial calibrations of ICP, AA, and Cyanide colorimetric instruments, and are to be used with the CLP SOWs and revisions. The values for each element in the ICVs are listed below in µg/L (ppb) for the resulting solution(s) after the dilution of the concentrate(s) according to the following instructions. Use Class 'A' glassware to prepare the solution(s).

ICV1-1014 For ICP-AES analysis, use a 10-fold dilution by pipetting 10 mL of the ICV1 concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric acid.





QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY
"An ISO 9001:2015 Certified Program"

Instructions for QATS Reference Material: *Inorganic ICV Solutions*

ICV1-1014 For ICP-MS analysis, use a 50-fold dilution by pipetting 2 mL of the ICV1 concentrate into a 100 mL volumetric flask and dilute to volume with 1% (v/v) nitric acid.

ICV5-0415 For the cold vapor analysis of mercury by AA, use a 100-fold dilution by pipetting 1 mL of the ICV5 concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric acid. The ICV5 concentrate is prepared in 0.05% (w/v) K₂Cr₂O₇ and 5% (v/v) nitric acid.

ICV6-0400 For the analysis of cyanide, use a 100-fold dilution by pipetting 1 mL of the ICV6 concentrate into a 100 mL volumetric flask and dilute to volume with Type II water. Distill this solution along with the samples before analysis. The cyanide concentrate is prepared from K₃Fe(CN)₆, Type II water, and 0.1 % sodium hydroxide, and will decompose rapidly if exposed to light.

NOTE: USE TYPE II WATER AND HIGH-PURITY ACIDS FOR ALL DILUTIONS.

(D) CERTIFIED CONCENTRATIONS OF QATS ICV1, ICV5, AND ICV6 SOLUTIONS

ICV1-1014		
Element	Concentration (µg/L) (after 10-fold dilution)	Concentration (µg/L) (after 50-fold dilution)
Al	2500	500
Sb	1000	200
As	1000	200
Ba	520	100
Be	510	100
Cd	510	100
Ca	10000	2000
Cr	520	100
Co	520	100
Cu	510	100
Fe	10000	2000
Pb	1000	200
Mg	6000	1200
Mn	520	100
Ni	530	110
K	9900	2000
Se	1000	200
Ag	250	50
Na	10000	2000
Tl	1000	210
V	500	100
Zn	1000	200

ICV5-0415		ICV6-0400	
Element	Concentration (µg/L) (after 100-fold dilution)	Analyte	Concentration (µg/L) (after 100-fold dilution)
Hg	4.0	CN ⁻	99

Sodium Chloride, Crystal
BAKER ANALYZED® A.C.S. Reagent



MS824
MB

Material No.: 3624-01

Batch No.: 0000281938

Manufactured Date: 2021-06-07


Retest Date: 2026-06-07

Revision No.: 1

Certificate of Analysis

Test	Specification	Result
Assay (NaCl) (by Ag titrn)	$\geq 99.0 \%$	100.0 %
pH of 5% Solution at 25°C	5.0 - 9.0	6.3
Insoluble Matter	$\leq 0.005 \%$	0.003 %
Iodide (I)	$\leq 0.002 \%$	< 0.002 %
Bromide (Br)	$\leq 0.01 \%$	< 0.01 %
Chlorate and Nitrate (as NO ₃)	$\leq 0.003 \%$	< 0.001 %
ACS - Phosphate (PO ₄)	$\leq 5 \text{ ppm}$	< 5 ppm
Sulfate (SO ₄)	$\leq 0.004 \%$	< 0.004 %
Barium (Ba)	Passes Test	Passes Test
ACS - Heavy Metals (as Pb)	$\leq 5 \text{ ppm}$	< 5 ppm
Iron (Fe)	$\leq 2 \text{ ppm}$	< 1 ppm
Calcium (Ca)	$\leq 0.002 \%$	< 0.001 %
Magnesium (Mg)	$\leq 0.001 \%$	< 0.001 %
Potassium (K)	$\leq 0.005 \%$	0.001 %

For Laboratory, Research, or Manufacturing Use
Meets Reagent Specifications for testing USP/NF monographs
Country of Origin: USA
Packaging Site: Paris Mfg Ctr & DC


Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

100 Mansford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone 610.386.1700

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium

avantor™



M 6041-4b
MS

Material No.: 9673-33
Batch No.: 23D2462010
Manufactured Date: 2023-03-22
Retest Date: 2028-03-20
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
ACS – Assay (H ₂ SO ₄)	95.0 – 98.0 %	96.1 %
Appearance	Passes Test	Passes Test
ACS – Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS – Substances Reducing Permanganate (as SO ₂)	≤ 2 ppm	< 2 ppm
Ammonium (NH ₄)	≤ 1 ppm	1 ppm
Chloride (Cl)	≤ 0.1 ppm	< 0.1 ppm
Nitrate (NO ₃)	≤ 0.2 ppm	< 0.1 ppm
Phosphate (PO ₄)	≤ 0.5 ppm	< 0.1 ppm
Trace Impurities – Aluminum (Al)	≤ 30.0 ppb	< 5.0 ppb
Arsenic and Antimony (as As)	≤ 4.0 ppb	< 2.0 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	8.5 ppb
Trace Impurities – Cadmium (Cd)	≤ 2.0 ppb	< 0.3 ppb
Trace Impurities – Chromium (Cr)	≤ 6.0 ppb	< 0.4 ppb
Trace Impurities – Cobalt (Co)	≤ 0.5 ppb	< 0.3 ppb
Trace Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gold (Au)	≤ 10.0 ppb	0.5 ppb
Heavy Metals (as Pb)	≤ 500.0 ppb	< 100.0 ppb
Trace Impurities – Iron (Fe)	≤ 50.0 ppb	1.3 ppb
Trace Impurities – Lead (Pb)	≤ 0.5 ppb	< 0.5 ppb
Trace Impurities – Magnesium (Mg)	≤ 7.0 ppb	0.8 ppb
Trace Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	< 0.1 ppb
Trace Impurities – Nickel (Ni)	≤ 2.0 ppb	0.3 ppb
Trace Impurities – Potassium (K)	≤ 500.0 ppb	< 2.0 ppb
Trace Impurities – Selenium (Se)	≤ 50.0 ppb	< 0.1 ppb
Trace Impurities – Silicon (Si)	≤ 100.0 ppb	31.5 ppb
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	< 0.3 ppb

>>> Continued on page 2 >>>

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium

 **avantorsm**




Material No.: 9673-33
Batch No.: 23D2462010

Test	Specification	Result
Trace Impurities - Sodium (Na)	≤ 500.0 ppb	5.4 ppb
Trace Impurities - Strontium (Sr)	≤ 5.0 ppb	< 0.2 ppb
Trace Impurities - Tin (Sn)	≤ 5.0 ppb	< 0.8 ppb
Trace Impurities - Zinc (Zn)	≤ 5.0 ppb	0.4 ppb

For Laboratory, Research, or Manufacturing Use

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC


Jamie Ethier
Vice President Global Quality

Hydrochloric Acid, 36.5-38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis

avantor™



R → 16/13/24
Met dig

M 6121

Material No.: 9530-33
Batch No.: 0000275677
Manufactured Date: 2020/12/16
Retest Date: 2025/12/15
Revision No: 1

Certificate of Analysis

Test	Specification	Result
ACS - Assay (as HCl) (by acid-base titrn)	36.5 - 38.0 %	37.6
ACS - Color (APHA)	<= 10	5
ACS - Residue after Ignition	<= 3 ppm	1
ACS - Specific Gravity at 60°/60°F	1.185 - 1.192	1.190
ACS - Bromide (Br)	<= 0.005 %	< 0.005
ACS - Extractable Organic Substances	<= 5 ppm	1
ACS - Free Chlorine (as Cl ₂)	<= 0.5 ppm	< 0.5
Phosphate (PO ₄)	<= 0.05 ppm	< 0.03
Sulfate (SO ₄)	<= 0.5 ppm	< 0.3
Sulfite (SO ₃)	<= 0.8 ppm	0.3
Ammonium (NH ₄)	<= 3 ppm	< 1
Trace Impurities - Arsenic (As)	<= 0.010 ppm	< 0.003
Trace Impurities - Aluminum (Al)	<= 10.0 ppb	< 0.2
Arsenic and Antimony (as As)	<= 5 ppb	< 3
Trace Impurities - Barium (Ba)	<= 1.0 ppb	< 0.2
Trace Impurities - Beryllium (Be)	<= 1.0 ppb	< 0.2
Trace Impurities - Bismuth (Bi)	<= 10.0 ppb	< 1.0
Trace Impurities - Boron (B)	<= 20.0 ppb	< 5.0
Trace Impurities - Cadmium (Cd)	<= 1.0 ppb	< 0.3
Trace Impurities - Calcium (Ca)	<= 50.0 ppb	29.7
Trace Impurities - Chromium (Cr)	<= 1.0 ppb	< 0.4
Trace Impurities - Cobalt (Co)	<= 1.0 ppb	< 0.3
Trace Impurities - Copper (Cu)	<= 1.0 ppb	< 0.1
Trace Impurities - Gallium (Ga)	<= 1.0 ppb	< 0.2

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

Material No.: 9530-33
Batch No.: 0000275677

Test	Specification	Result
Trace Impurities – Germanium (Ge)	<= 3.0 ppb	< 2.0
Trace Impurities – Gold (Au)	<= 4.0 ppb	< 0.2
Heavy Metals (as Pb)	<= 100 ppb	< 50
Trace Impurities – Iron (Fe)	<= 15.0 ppb	< 1
Trace Impurities – Lead (Pb)	<= 1.0 ppb	< 0.5
Trace Impurities – Lithium (Li)	<= 1.0 ppb	0.2
Trace Impurities – Magnesium (Mg)	<= 10.0 ppb	0.4
Trace Impurities – Manganese (Mn)	<= 1.0 ppb	< 0.4
Trace Impurities – Mercury (Hg)	<= 0.5 ppb	0.1
Trace Impurities – Molybdenum (Mo)	<= 10.0 ppb	< 5.0
Trace Impurities – Nickel (Ni)	<= 4.0 ppb	< 0.3
Trace Impurities – Niobium (Nb)	<= 1.0 ppb	< 0.2
Trace Impurities – Potassium (K)	<= 9.0 ppb	< 2.0
Trace Impurities – Selenium (Se), For Information Only	ppb	1.0
Trace Impurities – Silicon (Si)	<= 100.0 ppb	< 10.0
Trace Impurities – Silver (Ag)	<= 1.0 ppb	< 0.3
Trace Impurities – Sodium (Na)	<= 100.0 ppb	< 5.0
Trace Impurities – Strontium (Sr)	<= 1.0 ppb	< 0.2
Trace Impurities – Tantalum (Ta)	<= 1.0 ppb	< 0.9
Trace Impurities – Thallium (Tl)	<= 5.0 ppb	< 2.0
Trace Impurities – Tin (Sn)	<= 5.0 ppb	< 0.8
Trace Impurities – Titanium (Ti)	<= 1.0 ppb	0.2
Trace Impurities – Vanadium (V)	<= 1.0 ppb	< 0.2
Trace Impurities – Zinc (Zn)	<= 5.0 ppb	0.3
Trace Impurities – Zirconium (Zr)	<= 1.0 ppb	< 0.1

For Laboratory, Research or Manufacturing Use


Product Information (not specifications):

Appearance (clear, fuming liquid)

Meets ACS Specifications

Country of Origin: US

Packaging Site: Phillipsburg Mfg Ctr & DC


Jamie Ethier

Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

Nitric Acid 69%
CMOS



R → 11/12/24

M6126

Material No.: 9606-03
Batch No.: 24D1062002
Manufactured Date: 2024-03-26
Retest Date: 2029-03-25
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay (HNO ₃)	69.0 – 70.0 %	69.7 %
Appearance	Passes Test	Passes Test
Color (APHA)	≤ 10	5
Residue after Ignition	≤ 2 ppm	1 ppm
Chloride (Cl)	≤ 0.08 ppm	< 0.03 ppm
Phosphate (PO ₄)	≤ 0.10 ppm	< 0.03 ppm
Sulfate (SO ₄)	≤ 0.2 ppm	< 0.2 ppm
Trace Impurities – Aluminum (Al)	≤ 40.0 ppb	< 1.0 ppb
Arsenic and Antimony (as As)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities – Barium (Ba)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Beryllium (Be)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Bismuth (Bi)	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities – Cadmium (Cd)	≤ 50 ppb	< 1 ppb
Trace Impurities – Calcium (Ca)	≤ 50.0 ppb	2.3 ppb
Trace Impurities – Chromium (Cr)	≤ 30.0 ppb	< 1.0 ppb
Trace Impurities – Cobalt (Co)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Copper (Cu)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Gallium (Ga)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Germanium (Ge)	≤ 20 ppb	< 10 ppb
Trace Impurities – Gold (Au)	≤ 20 ppb	< 5 ppb
Heavy Metals (as Pb)	≤ 100 ppb	100 ppb
Trace Impurities – Iron (Fe)	≤ 40.0 ppb	< 1.0 ppb
Trace Impurities – Lead (Pb)	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities – Lithium (Li)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Magnesium (Mg)	≤ 20 ppb	< 1 ppb
Trace Impurities – Manganese (Mn)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Nickel (Ni)	≤ 20.0 ppb	< 5.0 ppb

>>> Continued on page 2 >>>

Nitric Acid 69%
CMOS

 **avantor**TM



Material No.: 9606-03
Batch No.: 24D1062002

Test	Specification	Result
------	---------------	--------

For Microelectronic Use

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC



Jamie Croak
Director Quality Operations, Bioscience Production

SOP ID : M7470A-Mercury-19, MSFAM01.1-Mercury in Water-2
SDG No : MH2D27 **Start Digest Date:** 01/03/2025 **Time :** 07:20 **Temp :** 93 °C
Matrix : WATER **End Digest Date:** 01/03/2025 **Time :** 09:20 **Temp :** 94 °C
Pipette ID: HG A **Digestion tube ID:** M6054
Balance ID : N/A **Block thermometer ID:** HG-DIG#1
Filter paper ID : NA **Dig Technician Signature:** MB
pH Strip ID : M6069 **Supervisor Signature:** 12
Hood ID : #1 **Temp :** 1. 93°C 2. N/A
Block ID: 1. HG HOT BLOCK#1 2. N/A

Standardized Name	MLS USED	STD REF. # FROM LOG
ICV	100mL	MP83861
CCV	100mL	MP83863
Matrix Spike	0.40mL	MP83854
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
HNO3/H2SO4(1:2)	7.5mL	MP83691
KMnO4 (5%)	15.0mL	MP83692
K2S2O8 (5%)	8.0mL	MP83693
Hydroxylamine HCL (12%)	6.0mL	MP83694
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Wt(g)/Vol(ml)	Comment
0.0 ppb	S0	100mL	MP83855
0.05 ppb	S0.05	N/A	N/A
0.2 ppb	S0.2	100mL	MP83856
2.5 ppb	S2.5	100mL	MP83857
5.0 ppb	S5.0	100mL	MP83858
7.5 ppb	S7.5	100mL	MP83859
10.0 ppb	S10.0	100mL	MP83860
ICV	ICV	100mL	MP83861
ICB	ICB	100mL	MP83862
CCV	CCV	100mL	MP83863
CCB	CCB	100mL	MP83864
CRI	CRI	N/A	N/A
CHK STD	CHK STD	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A		
Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
1/3/25 @ 9:10	MB - Dig. Lab	MB - metal Lab
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	pH	Comment	Prep Pos
P5392-01	MH2D27	100	100	<2	N/A	1-1
P5392-02	MH2D30	100	100	<2	N/A	2
P5392-03	MH2D33	100	100	<2	N/A	3
P5392-04	MH2D36	100	100	<2	N/A	4
P5392-05	MH2D39	100	100	<2	N/A	5
P5392-06	MH2D42	100	100	<2	N/A	6
P5392-07	MH2D45	100	100	<2	N/A	7
P5392-08	MH2D48	100	100	<2	N/A	8
P5392-09	MH2D51	100	100	<2	N/A	9
P5392-10	MH2D54	100	100	<2	N/A	10
P5392-11	MH2D57	100	100	<2	N/A	11
P5392-12	MH2D60	100	100	<2	N/A	12
P5392-13	MH2D63	100	100	<2	N/A	13
P5392-14	MH2D66	100	100	<2	N/A	14
P5392-15	MH2D69	100	100	<2	N/A	15
P5392-16	MH2D72	100	100	<2	N/A	16
P5392-17	MH2D75	100	100	<2	N/A	17
P5392-18	MH2D75D	100	100	<2	N/A	18
P5392-19	MH2D75S	100	100	<2	MP83854	19
PB165948BL	PBW948	100	100	<2	N/A	20
PB165948TB	LEB948	100	100	<2	N/A	21

Instrument ID: CV1

Daily Analysis Runlog For Sequence/QC Batch ID # LB134154

Review By	Sarabjit Jaswal	Review On	1/3/2025 9:52:12 PM
Supervise By	Mohan Bera	Supervise On	1/3/2025 9:53:44 PM
STD. NAME	STD REF.#		
ICAL Standard	MP83855,MP83856,MP83857,MP83858,MP83859,MP83860		
ICV Standard	MP83861		
CCV Standard	MP83863		
ICSA Standard			
CRI Standard			
LCS Standard			
Chk Standard	MP83862,MP83864,MP83868		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	S0	S0	CAL1	01/03/25 10:39		Mohan	OK
2	S0.2	S01	CAL2	01/03/25 10:41		Mohan	OK
3	S2.5	S02	CAL3	01/03/25 10:43		Mohan	OK
4	S5	S03	CAL4	01/03/25 10:46		Mohan	OK
5	S7.5	S04	CAL5	01/03/25 10:51		Mohan	OK
6	S10	S05	CAL6	01/03/25 10:56		Mohan	OK
7	ICV041	ICV041	ICV	01/03/25 10:59		Mohan	OK
8	ICB041	ICB041	ICB	01/03/25 11:01		Mohan	OK
9	CCV096	CCV096	CCV	01/03/25 11:03		Mohan	OK
10	CCB096	CCB096	CCB	01/03/25 11:05		Mohan	OK
11	PB165948BL	PBW948	MB	01/03/25 11:08		Mohan	OK
12	P5392-01	MH2D27	SAM	01/03/25 11:10		Mohan	OK
13	P5392-02	MH2D30	SAM	01/03/25 11:12		Mohan	OK
14	P5392-03	MH2D33	SAM	01/03/25 11:14		Mohan	OK
15	P5392-04	MH2D36	SAM	01/03/25 11:17		Mohan	OK
16	P5392-05	MH2D39	SAM	01/03/25 11:19		Mohan	OK
17	P5392-06	MH2D42	SAM	01/03/25 11:21		Mohan	OK
18	P5392-07	MH2D45	SAM	01/03/25 11:24		Mohan	OK

Instrument ID: CV1

Daily Analysis Runlog For Sequence/QC Batch ID # LB134154

Review By	Sarabjit Jaswal	Review On	1/3/2025 9:52:12 PM
Supervise By	Mohan Bera	Supervise On	1/3/2025 9:53:44 PM
STD. NAME	STD REF.#		
ICAL Standard	MP83855,MP83856,MP83857,MP83858,MP83859,MP83860		
ICV Standard	MP83861		
CCV Standard	MP83863		
ICSA Standard			
CRI Standard			
LCS Standard			
Chk Standard	MP83862,MP83864,MP83868		

19	P5392-08	MH2D48	SAM	01/03/25 11:26		Mohan	OK
20	P5392-09	MH2D51	SAM	01/03/25 11:28		Mohan	OK
21	P5392-10	MH2D54	SAM	01/03/25 11:30		Mohan	OK
22	P5392-11	MH2D57	SAM	01/03/25 11:33		Mohan	OK
23	P5392-12	MH2D60	SAM	01/03/25 11:35		Mohan	OK
24	P5392-13	MH2D63	SAM	01/03/25 11:37		Mohan	OK
25	P5392-14	MH2D66	SAM	01/03/25 11:42		Mohan	OK
26	P5392-15	MH2D69	SAM	01/03/25 11:44		Mohan	OK
27	P5392-16	MH2D72	SAM	01/03/25 11:46		Mohan	OK
28	P5392-17	MH2D75	SAM	01/03/25 11:48		Mohan	OK
29	P5392-18	MH2D75D	DUP	01/03/25 11:51		Mohan	OK
30	P5392-19	MH2D75S	MS	01/03/25 11:53		Mohan	OK
31	CCV097	CCV097	CCV	01/03/25 11:55		Mohan	OK
32	CCB097	CCB097	CCB	01/03/25 11:58		Mohan	OK
33	PB165949BL	PBW949	MB	01/03/25 12:00		Mohan	OK
34	P5393-01	MH2D28	SAM	01/03/25 12:02		Mohan	OK
35	P5393-02	MH2D31	SAM	01/03/25 12:04		Mohan	OK
36	P5393-03	MH2D34	SAM	01/03/25 12:07		Mohan	OK
37	P5393-04	MH2D37	SAM	01/03/25 12:09		Mohan	OK
38	P5393-05	MH2D40	SAM	01/03/25 12:11		Mohan	OK

Instrument ID: CV1

Daily Analysis Runlog For Sequence/QC Batch ID # LB134154

Review By	Sarabjit Jaswal	Review On	1/3/2025 9:52:12 PM
Supervise By	Mohan Bera	Supervise On	1/3/2025 9:53:44 PM
STD. NAME	STD REF.#		
ICAL Standard	MP83855,MP83856,MP83857,MP83858,MP83859,MP83860		
ICV Standard	MP83861		
CCV Standard	MP83863		
ICSA Standard			
CRI Standard			
LCS Standard			
Chk Standard	MP83862,MP83864,MP83868		

39	P5393-06	MH2D43	SAM	01/03/25 12:13		Mohan	OK
40	P5393-07	MH2D46	SAM	01/03/25 12:16		Mohan	OK
41	P5393-08	MH2D49	SAM	01/03/25 12:18		Mohan	OK
42	P5393-09	MH2D52	SAM	01/03/25 12:20		Mohan	OK
43	P5393-10	MH2D55	SAM	01/03/25 12:23		Mohan	OK
44	P5393-11	MH2D58	SAM	01/03/25 12:25		Mohan	OK
45	P5393-12	MH2D61	SAM	01/03/25 12:27		Mohan	OK
46	P5393-13	MH2D64	SAM	01/03/25 12:29		Mohan	OK
47	P5393-14	MH2D67	SAM	01/03/25 12:32		Mohan	OK
48	P5393-15	MH2D70	SAM	01/03/25 12:34		Mohan	OK
49	P5393-16	MH2D73	SAM	01/03/25 12:36		Mohan	OK
50	P5393-17	MH2D76	SAM	01/03/25 12:38		Mohan	OK
51	P5393-18	MH2D76D	DUP	01/03/25 12:41		Mohan	OK
52	P5393-19	MH2D76S	MS	01/03/25 12:43		Mohan	OK
53	CCV098	CCV098	CCV	01/03/25 12:45		Mohan	OK
54	CCB098	CCB098	CCB	01/03/25 12:47		Mohan	OK
55	PB165948TB	LEB948	MB	01/03/25 12:50		Mohan	OK
56	PB165949TB	LEB949	MB	01/03/25 12:52		Mohan	OK
57	CCV099	CCV099	CCV	01/03/25 12:54		Mohan	OK
58	CCB099	CCB099	CCB	01/03/25 12:56		Mohan	OK

SOP ID : M1312-SPLP-10

SDG No : MH2D27

Weigh By : RM

Balance ID : WC SC-7

pH Meter ID : WC PH METER-1

Extraction By : RM

Filter By : RM

Pippete ID : WC

Tumbler ID : T-1/T-2

TCLP Filter ID : 114771

Start Prep Date : 12/30/2024 **Time :** 15:00

End Prep Date : 12/31/2024 **Time :** 08:30

Combination Ratio : 20

ZHE Cleaning Batch : N/A

Initial Room Temperature: 24 °C

Final Room Temperature: 22 °C

TCLP Technician Signature : RM

Supervisor By : 12

Standarded Name	MLS USED	STD REF. # FROM LOG
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE U	Lot Number
SPLP FLUID	N/A	WP110806
N/A	N/A	N/A
HNO3-TCLP,1N	N/A	WP110804
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
120ml Plastic bottle	N/A	405130101
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

TUBLER T-1/T-2 checked,30 rpm.

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
12/31/24 10:40	RM TCIPRoom	SKG. Det Dig
	Preparation Group	Analysis Group

Sample ID	ClientID	TCLP Vessel ID	Sample Wt (g)	Volume Extraction Fluid #1 (mL)	Multi phasic	Phase Miscible	Phases Combined	Final Leachate PH	Metals Leachate Adj. PH	Prep Pos
P5392-01	MH2D27	1	100.03	329	N/A	N/A	N/A	2.16	1.08	T-1
P5392-02	MH2D30	2	100.01	344	N/A	N/A	N/A	2.37	1.36	T-1
P5392-03	MH2D33	3	100.03	355	N/A	N/A	N/A	1.93	N/A	T-1
P5392-04	MH2D36	4	100.03	330	N/A	N/A	N/A	2.61	1.36	T-1
P5392-05	MH2D39	5	100.02	329	N/A	N/A	N/A	6.35	1.44	T-1
P5392-06	MH2D42	6	100.02	294	N/A	N/A	N/A	1.97	N/A	T-1
P5392-07	MH2D45	7	100.03	337	N/A	N/A	N/A	1.87	N/A	T-1
P5392-08	MH2D48	8	100.02	353	N/A	N/A	N/A	1.86	N/A	T-1
P5392-09	MH2D51	9	100.04	360	N/A	N/A	N/A	1.93	N/A	T-1
P5392-10	MH2D54	10	100.02	372	N/A	N/A	N/A	1.94	N/A	T-1
P5392-11	MH2D57	11	100.04	295	N/A	N/A	N/A	1.94	N/A	T-2
P5392-12	MH2D60	12	100.04	342	N/A	N/A	N/A	1.92	N/A	T-2
P5392-13	MH2D63	13	100.03	369	N/A	N/A	N/A	1.89	N/A	T-2
P5392-14	MH2D66	14	100.02	357	N/A	N/A	N/A	3.94	1.18	T-2
P5392-15	MH2D69	15	100.03	250	N/A	N/A	N/A	5.64	1.22	T-2
P5392-16	MH2D72	16	100.03	359	N/A	N/A	N/A	1.99	N/A	T-2
P5392-17	MH2D75	17	100.02	360	N/A	N/A	N/A	2.12	1.09	T-2
P5392-18	MH2D75D	17	100.02	360	N/A	N/A	N/A	2.12	1.09	T-2
P5392-19	MH2D75S	17	100.02	360	N/A	N/A	N/A	2.12	1.09	T-2
PB165908TB	LEB908	18	N/A	2000	N/A	N/A	N/A	4.23	1.03	T-2

SampleID	ClientID	Sample Weight (g)	Filter Weight (g)	Filtrate (mL)	Filter + Solid (After 100°C)	% solids	% Dry Solids
P5392-01	MH2D27	N/A	N/A	N/A	N/A	100	N/A
P5392-02	MH2D30	N/A	N/A	N/A	N/A	100	N/A
P5392-03	MH2D33	N/A	N/A	N/A	N/A	100	N/A
P5392-04	MH2D36	N/A	N/A	N/A	N/A	100	N/A
P5392-05	MH2D39	N/A	N/A	N/A	N/A	100	N/A
P5392-06	MH2D42	N/A	N/A	N/A	N/A	100	N/A
P5392-07	MH2D45	N/A	N/A	N/A	N/A	100	N/A
P5392-08	MH2D48	N/A	N/A	N/A	N/A	100	N/A
P5392-09	MH2D51	N/A	N/A	N/A	N/A	100	N/A
P5392-10	MH2D54	N/A	N/A	N/A	N/A	100	N/A
P5392-11	MH2D57	N/A	N/A	N/A	N/A	100	N/A
P5392-12	MH2D60	N/A	N/A	N/A	N/A	100	N/A
P5392-13	MH2D63	N/A	N/A	N/A	N/A	100	N/A
P5392-14	MH2D66	N/A	N/A	N/A	N/A	100	N/A
P5392-15	MH2D69	N/A	N/A	N/A	N/A	100	N/A
P5392-16	MH2D72	N/A	N/A	N/A	N/A	100	N/A
P5392-17	MH2D75	N/A	N/A	N/A	N/A	100	N/A
P5392-18	MH2D75D	N/A	N/A	N/A	N/A	100	N/A
P5392-19	MH2D75S	N/A	N/A	N/A	N/A	100	N/A
PB165908TB	LEB908	N/A	N/A	N/A	N/A	N/A	N/A

Hot Block ID : WC S-1 /WC S-2
Thermometer ID : FLASHPOINT

SampleID	ClientID	Sample Weight (g)	Volume DI Water (mL)	PH after 5 min stir	PH after 10 min stir	Extraction Fluid 1 or 2	pH Extraction Fluid
P5392-01	MH2D27	N/A	N/A	N/A	N/A	#1	4.23
P5392-02	MH2D30	N/A	N/A	N/A	N/A	#1	4.23
P5392-03	MH2D33	N/A	N/A	N/A	N/A	#1	4.23
P5392-04	MH2D36	N/A	N/A	N/A	N/A	#1	4.23
P5392-05	MH2D39	N/A	N/A	N/A	N/A	#1	4.23
P5392-06	MH2D42	N/A	N/A	N/A	N/A	#1	4.23
P5392-07	MH2D45	N/A	N/A	N/A	N/A	#1	4.23
P5392-08	MH2D48	N/A	N/A	N/A	N/A	#1	4.23
P5392-09	MH2D51	N/A	N/A	N/A	N/A	#1	4.23
P5392-10	MH2D54	N/A	N/A	N/A	N/A	#1	4.23
P5392-11	MH2D57	N/A	N/A	N/A	N/A	#1	4.23
P5392-12	MH2D60	N/A	N/A	N/A	N/A	#1	4.23
P5392-13	MH2D63	N/A	N/A	N/A	N/A	#1	4.23
P5392-14	MH2D66	N/A	N/A	N/A	N/A	#1	4.23
P5392-15	MH2D69	N/A	N/A	N/A	N/A	#1	4.23
P5392-16	MH2D72	N/A	N/A	N/A	N/A	#1	4.23
P5392-17	MH2D75	N/A	N/A	N/A	N/A	#1	4.23
P5392-18	MH2D75D	N/A	N/A	N/A	N/A	#1	4.23
P5392-19	MH2D75S	N/A	N/A	N/A	N/A	#1	4.23
PB165908TB	LEB908	N/A	N/A	N/A	N/A	#1	4.23