



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2412035				Courier : F. Galdun				1 of 4 COCs			
Client ID : GFELO1				Project ID : 262 Tangle PL, Brooklyn NY				Sampler Name(s) : FRANK GILDUN				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GILDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 75-02 51ST AVE, ELMHURST, NY											
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY							
State : NJ				Standard : 10 Business days OR											
Zip Code : 07034				Rush (Specify): 5 Days				EDD Type : PDF							
Country :															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SVI	12/18/24	9:28	11:29	29.5	5.5	68	68	-30	5.5	10550	10410	6 L	50	VL041544.D	1		1

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) [Signature]

**** Submittal of this COC indicates approval of the analysis based on existing conditions.**

REPORT ONLY THOSE COMPOUNDS LISTED ON THE ATTACHED PAGE

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: 0.0

Sampling site (State):

Quick Connector required : **N J**

Canisters Shipped by: SGM	Date/Time: 12/18/24	Canisters Received by:	Date/Time: 12:55
Samples Relinquished by: FM	Date/Time: 12/19/24	Received by: R. Molard	Date/Time: 12 27 24
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2412035 - 2

Client Contact Information				Bottle Order ID : B2412035				Courier : FGALDUN				2 of 4 COCs			
Client ID : GFELO1				Project ID : 262 Tamm PL, Brooklyn NY				Sampler Name(s) : FRANK G. ALDUN				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : FRANK G. ALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 75-02 51ST AVE ELMHURST, NY											
				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY							
				Standard : 10 business days OR				EDD Type : PDF							
Country :				Rush (Specify): 5 Days											

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas
IA1	12/18/24	9:30	11:30	00.5	5	68	68	-30	-5.9	10226	10266	6 L	50	VL041543.D	1	1	

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) Sue

****Submittal of this COC indicates approval of the analysis based on existing conditions.**

REPORT ONLY THOSE COMPOUNDS ON THE ATTACHED LIST

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: **0.0**

Sampling site (State):

Quick Connector required : **No**

Canisters Shipped by: SAM	Date/Time: 12/18/24	Canisters Received by:	Date/Time: 12/18/24
Samples Relinquished by: FOR	Date/Time: 12/19/24	Received by: R. Murphy	Date/Time: 12/27/24
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2412035 - 1

Client Contact Information				Bottle Order ID : B2412026				Courier : FGALDUN				7 of 7 COCs																	
Client ID : GFEL01 Project ID : 262-262-262 Brooklyn NY				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix																	
Customer GFE LLC Name : Address : 58 Nokomis Ave				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 75-02 51ST AVE ELMHURST, NY																									
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				RESULTS ONLY PDF																					
State : NJ				Standard : 10 Business days OR																									
Zip Code : 07034				Rush (Specify): 5 Days																									
Country :				Data Package Type				EDD Type :																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
IA2	2/24/24	9:41	11:41	30	5	68	68	-30	6.3	10503	10303	6 L	50	VL041544.D	1	1													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE COMPOUNDS ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: 0.0																													
Sampling site (State):																													
Quick Connector required : NO																													
Canisters Shipped by: SPRINT				Date/Time: 12/18/24				Canisters Received by:				Date/Time: 12:55				B2412026 - 2													
Samples Relinquished by: FRANK				Date/Time: 12/18/24				Received by: R. Mohendey				Date/Time: 12-27-24																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

Client Contact Information				Bottle Order ID : B2412026				Courier : FGALDUN				<u>3</u> of <u>4</u> COCs					
Client ID : GFEL01 Project ID : 262-1000-11 Brooklyn, NY				Sampler Name(s) : FRANK GILDUN				Analysis				Matrix					
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GILDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
City : Lake Hiawatha				Site Details: 75-02 51ST AVE ELMHURST, NY													
State : NJ				Analysis Turnaround Time 5 DAY													
Zip Code : 07034				Standard : 5 business days OR				Data Package Type : RESULTS ONLY									
Country :				Rush (Specify): 5 Days				EDD Type : PDF									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SV2	12/24/24	9:40	10:40	30.5	1.5	68	68	-30	-6.3	10648	10268	6 L	50	VL041692.D	1		1
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u>																	
Sampling site (State):																	
Quick Connector required : <u>NO</u>																	
Canisters Shipped by: <u>Sam</u>				Date/Time: <u>12/18/24</u>				Canisters Received by:				Date/Time: <u>12:55 12/27/24</u>					
Samples Relinquished by: <u>Frank</u>				Date/Time: <u>12/27/24</u>				Received by: <u>Raymond Malendy</u>				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample	
Laboratory: <u>Chemtech</u>	Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u>
<u>QA612</u> :	Title: <u>Sample Custodian</u>
Field Sample Seal No. <u>P5395</u>	Date Broken: <u>12/27/2024</u> Military Time Seal Broken: <u>12:55:00</u>
Case No.: <u>75-02 51st Ave Elmhurst, N</u>	Analytical Parameter/Fraction: <u>MOCMS Group 2</u>

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
P5395-01	SV1		
P5395-02	IA1		
P5395-03	IA2		
P5395-04	SV2		

Date	Time	Relinquished By		Received By		Purpose of Change of Custody
<u>12-27-24</u>	<u>0823</u>	Signature		Signature		
		Printed Name	<u>Jahmir Davis</u>	Printed Name	<u>Security</u>	
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy