



SAMPLE DATA

A

B

C

Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	04/26/24 11:15
Project:	24120422	Date Received:	12/31/24
Client Sample ID:	244661	SDG No.:	P5404
Lab Sample ID:	P5404-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	8.60	H	1	0.19	1.00	mg/L		01/03/25 12:46	SM 5310 B-14

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	04/26/24 11:15
Project:	24120422	Date Received:	12/31/24
Client Sample ID:	244662	SDG No.:	P5404
Lab Sample ID:	P5404-02	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	4.90	H	1	0.19	1.00	mg/L		01/03/25 14:32	SM 5310 B-14

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	04/29/24 15:52
Project:	24120422	Date Received:	12/31/24
Client Sample ID:	244663	SDG No.:	P5404
Lab Sample ID:	P5404-03	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	14.7	H	1	0.19	1.00	mg/L		01/03/25 15:00	SM 5310 B-14

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	04/29/24 16:22
Project:	24120422	Date Received:	12/31/24
Client Sample ID:	244664	SDG No.:	P5404
Lab Sample ID:	P5404-04	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	15.9	H	1	0.19	1.00	mg/L		01/03/25 15:29	SM 5310 B-14

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	05/03/24 08:57
Project:	24120422	Date Received:	12/31/24
Client Sample ID:	244665	SDG No.:	P5404
Lab Sample ID:	P5404-05	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	12.6	H	1	0.19	1.00	mg/L		01/03/25 18:53	SM 5310 B-14

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	05/03/24 09:07
Project:	24120422	Date Received:	12/31/24
Client Sample ID:	244666	SDG No.:	P5404
Lab Sample ID:	P5404-06	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	15.9	H	1	0.19	1.00	mg/L		01/03/25 19:23	SM 5310 B-14

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	05/08/24 14:18
Project:	24120422	Date Received:	12/31/24
Client Sample ID:	244667	SDG No.:	P5404
Lab Sample ID:	P5404-07	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	13.3	H	1	0.19	1.00	mg/L		01/03/25 19:52	SM 5310 B-14

Comments: _____

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	05/08/24 14:37
Project:	24120422	Date Received:	12/31/24
Client Sample ID:	244668	SDG No.:	P5404
Lab Sample ID:	P5404-08	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	15.5	H	1	0.19	1.00	mg/L		01/03/25 20:22	SM 5310 B-14

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	06/07/24 10:55
Project:	24120422	Date Received:	12/31/24
Client Sample ID:	244669	SDG No.:	P5404
Lab Sample ID:	P5404-09	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	16.9	H	1	0.19	1.00	mg/L		01/08/25 12:11	SM 5310 B-14

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	06/07/24 11:15
Project:	24120422	Date Received:	12/31/24
Client Sample ID:	244670	SDG No.:	P5404
Lab Sample ID:	P5404-10	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	10.5	H	1	0.19	1.00	mg/L		01/08/25 12:36	SM 5310 B-14

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	07/03/24 09:35
Project:	24120422	Date Received:	12/31/24
Client Sample ID:	244671	SDG No.:	P5404
Lab Sample ID:	P5404-11	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	9.90	H	1	0.19	1.00	mg/L		01/08/25 13:01	SM 5310 B-14

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	07/03/24 10:04
Project:	24120422	Date Received:	12/31/24
Client Sample ID:	244672	SDG No.:	P5404
Lab Sample ID:	P5404-12	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	10.1	H	1	0.19	1.00	mg/L		01/08/25 13:27	SM 5310 B-14

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	07/06/24 06:58
Project:	24120422	Date Received:	12/31/24
Client Sample ID:	244673	SDG No.:	P5404
Lab Sample ID:	P5404-13	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	7.40	H	1	0.19	1.00	mg/L		01/08/25 13:53	SM 5310 B-14

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	07/06/24 07:29
Project:	24120422	Date Received:	12/31/24
Client Sample ID:	244674	SDG No.:	P5404
Lab Sample ID:	P5404-14	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	6.40	H	1	0.19	1.00	mg/L		01/04/25 04:44	SM 5310 B-14

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	07/08/24 12:57
Project:	24120422	Date Received:	12/31/24
Client Sample ID:	244675	SDG No.:	P5404
Lab Sample ID:	P5404-15	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	11.1	H	1	0.19	1.00	mg/L		01/04/25 05:11	SM 5310 B-14

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	08/16/24 10:11
Project:	24120422	Date Received:	12/31/24
Client Sample ID:	244677	SDG No.:	P5404
Lab Sample ID:	P5404-17	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	4.80	H	1	0.19	1.00	mg/L		01/04/25 05:35	SM 5310 B-14

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	11/05/24 06:17
Project:	24120422	Date Received:	12/31/24
Client Sample ID:	244680	SDG No.:	P5404
Lab Sample ID:	P5404-20	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	9.70	H	1	0.19	1.00	mg/L		01/04/25 06:02	SM 5310 B-14

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	P5404	OrderDate:	12/31/2024 10:16:00 AM
Client:	Summit Environmental Technologies, LLC	Project:	24120422
Contact:	Jennifer Woolf	Location:	L11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5404-01	244661	WATER	TOC	SM5310B	04/26/24 11:15		01/03/25 12:46	12/31/24
P5404-02	244662	WATER	TOC	SM5310B	04/26/24 11:15		01/03/25 14:32	12/31/24
P5404-03	244663	WATER	TOC	SM5310B	04/29/24 15:52		01/03/25 15:00	12/31/24
P5404-04	244664	WATER	TOC	SM5310B	04/29/24 16:22		01/03/25 15:29	12/31/24
P5404-05	244665	WATER	TOC	SM5310B	05/03/24 08:57		01/03/25 18:53	12/31/24
P5404-06	244666	WATER	TOC	SM5310B	05/03/24 09:07		01/03/25 19:23	12/31/24
P5404-07	244667	WATER	TOC	SM5310B	05/08/24 14:18		01/03/25 19:52	12/31/24

LAB CHRONICLE

P5404-08	244668	WATER			05/08/24 14:37		12/31/24
			TOC	SM5310B		01/03/25 20:22	
P5404-09	244669	WATER			06/07/24 10:55		12/31/24
			TOC	SM5310B		01/08/25 12:11	
P5404-10	244670	WATER			06/07/24 11:15		12/31/24
			TOC	SM5310B		01/08/25 12:36	
P5404-11	244671	WATER			07/03/24 09:35		12/31/24
			TOC	SM5310B		01/08/25 13:01	
P5404-12	244672	WATER			07/03/24 10:04		12/31/24
			TOC	SM5310B		01/08/25 13:27	
P5404-13	244673	WATER			07/06/24 06:58		12/31/24
			TOC	SM5310B		01/08/25 13:53	
P5404-14	244674	WATER			07/06/24 07:29		12/31/24
			TOC	SM5310B		01/04/25 04:44	
P5404-15	244675	WATER			07/08/24 12:57		12/31/24
			TOC	SM5310B		01/04/25 05:11	
P5404-17	244677	WATER			08/16/24 10:11		12/31/24

LAB CHRONICLE

P5404-20	244680	WATER	TOC	SM5310B		01/04/25 05:35	12/31/24
			TOC	SM5310B	11/05/24 06:17	01/04/25 06:02	