

## **DATA PACKAGE**

GENERAL CHEMISTRY

**PROJECT NAME : 24121544**

**SUMMIT ENVIRONMENTAL TECHNOLOGIES, LLC**

**3310 Win Street**

**Cuyahoga Falls, OH - 44223**

**Phone No: 614.582.4966**

**ORDER ID : P5407**

**ATTENTION : Jennifer Woolf**



**Laboratory Certification ID # 20012**



1) Signature Page	3
2) Case Narrative	4
2.1) Genchem- Case Narrative	4
3) Qualifier Page	5
4) QA Checklist	6
5) Genchem Data	7
6) Shipping Document	18
6.1) CHAIN OF CUSTODY	19
6.2) ROC	20
6.3) Lab Certificate	26

## Cover Page

**Order ID :** P5407

**Project ID :** 24121544

**Client :** Summit Environmental Technologies, LLC

### Lab Sample Number

P5407-01  
P5407-02  
P5407-03  
P5407-04  
P5407-05  
P5407-06  
P5407-07

### Client Sample Number

2412-0430-001  
2412-0430-002  
2412-0430-003  
2412-0430-004  
2412-0430-005  
2412-0430-006  
2412-0430-007

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 3:09 pm, Jan 13, 2025*

Date: 1/10/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

**Summit Environmental Technologies, LLC**

**Project Name: 24121544**

**Project # N/A**

**Chemtech Project # P5407**

**Test Name: TOC**

### **A. Number of Samples and Date of Receipt:**

7 Water samples were received on 12/31/2024.

### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: TOC. This data package contains results for TOC.

### **C. Analytical Techniques:**

The analysis of TOC was based on method SM5310B.

### **D. QA/ QC Samples:**

The Holding Times were met for all samples except for 2412-0430-001 of TOC, for 2412-0430-002 of TOC, for 2412-0430-003 of TOC, for 2412-0430-004 of TOC, for 2412-0430-005 of TOC, for 2412-0430-006 of TOC, for 2412-0430-007 of TOC as samples were received out of holding time.

Sample 2412-0430-007 was diluted due to high concentrations for TOC.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

### **E. Additional Comments:**

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 3:09 pm, Jan 13, 2025*

## DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

<b>J</b>	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
<b>U</b>	Indicates the analyte was analyzed for, but not detected.
<b>ND</b>	Indicates the analyte was analyzed for, but not detected
<b>E</b>	Indicates the reported value is estimated because of the presence of interference
<b>M</b>	Indicates Duplicate injection precision not met.
<b>N</b>	Indicates the spiked sample recovery is not within control limits.
<b>S</b>	Indicates the reported value was determined by the Method of Standard Addition (MSA).
<b>*</b>	Indicates that the duplicate analysis is not within control limits.
<b>+</b>	Indicates the correlation coefficient for the MSA is less than 0.995.
<b>D</b>	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
<b>M</b>	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
<b>OR</b>	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
<b>Q</b>	Indicates the LCS did not meet the control limits requirements
<b>H</b>	Sample Analysis Out Of Hold Time

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: P5407

Completed

For thorough review, the report must have the following:

#### GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

#### COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

#### CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

#### ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: MOHAMMAD AHMED

Date: 01/10/2025



# SAMPLE DATA

## Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	02/17/24 08:55
Project:	24121544	Date Received:	12/31/24
Client Sample ID:	2412-0430-001	SDG No.:	P5407
Lab Sample ID:	P5407-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	9.60	H	1	0.19	1.00	mg/L		01/08/25 17:38	SM 5310 B-14

Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements  
 H = Sample Analysis Out Of Hold Time

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N = Spiked sample recovery not within control limits



## Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	02/17/24 13:09
Project:	24121544	Date Received:	12/31/24
Client Sample ID:	2412-0430-002	SDG No.:	P5407
Lab Sample ID:	P5407-02	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	3.80	H	1	0.19	1.00	mg/L		01/08/25 19:01	SM 5310 B-14

Comments:

U = Not Detected  
LOQ = Limit of Quantitation  
MDL = Method Detection Limit  
LOD = Limit of Detection  
D = Dilution  
Q = indicates LCS control criteria did not meet requirements  
H = Sample Analysis Out Of Hold Time

J = Estimated Value  
B = Analyte Found in Associated Method Blank  
\* = indicates the duplicate analysis is not within control limits.  
E = Indicates the reported value is estimated because of the presence of interference.  
OR = Over Range  
N = Spiked sample recovery not within control limits

## Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	02/17/24 09:37
Project:	24121544	Date Received:	12/31/24
Client Sample ID:	2412-0430-003	SDG No.:	P5407
Lab Sample ID:	P5407-03	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	2.60	H	1	0.19	1.00	mg/L		01/08/25 20:18	SM 5310 B-14

Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements  
 H = Sample Analysis Out Of Hold Time

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N =Spiked sample recovery not within control limits

## Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	02/17/24 10:33
Project:	24121544	Date Received:	12/31/24
Client Sample ID:	2412-0430-004	SDG No.:	P5407
Lab Sample ID:	P5407-04	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	2.80	H	1	0.19	1.00	mg/L		01/08/25 20:43	SM 5310 B-14

Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements  
 H = Sample Analysis Out Of Hold Time

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N = Spiked sample recovery not within control limits

## Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	02/17/24 10:52
Project:	24121544	Date Received:	12/31/24
Client Sample ID:	2412-0430-005	SDG No.:	P5407
Lab Sample ID:	P5407-05	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	13.7	H	1	0.19	1.00	mg/L		01/08/25 21:09	SM 5310 B-14

Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements  
 H = Sample Analysis Out Of Hold Time

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N = Spiked sample recovery not within control limits

## Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	02/17/24 12:19
Project:	24121544	Date Received:	12/31/24
Client Sample ID:	2412-0430-006	SDG No.:	P5407
Lab Sample ID:	P5407-06	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	16.5	H	1	0.19	1.00	mg/L		01/08/25 21:35	SM 5310 B-14

Comments: \_\_\_\_\_

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements  
 H = Sample Analysis Out Of Hold Time

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N = Spiked sample recovery not within control limits

## Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	02/17/24 11:32
Project:	24121544	Date Received:	12/31/24
Client Sample ID:	2412-0430-007	SDG No.:	P5407
Lab Sample ID:	P5407-07	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	24.8	HOR	1	0.19	1.00	mg/L		01/09/25 00:03	SM 5310 B-14

Comments:

U = Not Detected  
LOQ = Limit of Quantitation  
MDL = Method Detection Limit  
LOD = Limit of Detection  
D = Dilution  
Q = indicates LCS control criteria did not meet requirements  
H = Sample Analysis Out Of Hold Time

J = Estimated Value  
B = Analyte Found in Associated Method Blank  
\* = indicates the duplicate analysis is not within control limits.  
E = Indicates the reported value is estimated because of the presence of interference.  
OR = Over Range  
N = Spiked sample recovery not within control limits

## Report of Analysis

Client:	Summit Environmental Technologies, LLC	Date Collected:	02/17/24 11:32
Project:	24121544	Date Received:	12/31/24
Client Sample ID:	2412-0430-007DL	SDG No.:	P5407
Lab Sample ID:	P5407-07DL	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TOC	27.0	HD	2	0.38	2.00	mg/L		01/09/25 09:49	SM 5310 B-14

Comments:

U = Not Detected  
LOQ = Limit of Quantitation  
MDL = Method Detection Limit  
LOD = Limit of Detection  
D = Dilution  
Q = indicates LCS control criteria did not meet requirements  
H = Sample Analysis Out Of Hold Time

J = Estimated Value  
B = Analyte Found in Associated Method Blank  
\* = indicates the duplicate analysis is not within control limits.  
E = Indicates the reported value is estimated because of the presence of interference.  
OR = Over Range  
N = Spiked sample recovery not within control limits

## LAB CHRONICLE

<b>OrderID:</b>	P5407	<b>OrderDate:</b>	12/31/2024 10:34:00 AM
<b>Client:</b>	Summit Environmental Technologies, LLC	<b>Project:</b>	24121544
<b>Contact:</b>	Jennifer Woolf	<b>Location:</b>	K11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5407-01	2412-0430-001	WATER	TOC	SM5310B	02/17/24 08:55		01/08/25 17:38	12/31/24
P5407-02	2412-0430-002	WATER	TOC	SM5310B	02/17/24 13:09		01/08/25 19:01	12/31/24
P5407-03	2412-0430-003	WATER	TOC	SM5310B	02/17/24 09:37		01/08/25 20:18	12/31/24
P5407-04	2412-0430-004	WATER	TOC	SM5310B	02/17/24 10:33		01/08/25 20:43	12/31/24
P5407-05	2412-0430-005	WATER	TOC	SM5310B	02/17/24 10:52		01/08/25 21:09	12/31/24
P5407-06	2412-0430-006	WATER	TOC	SM5310B	02/17/24 12:19		01/08/25 21:35	12/31/24
P5407-07	2412-0430-007	WATER	TOC	SM5310B	02/17/24 11:32		01/09/25 00:03	12/31/24



LAB CHRONICLE

P5407-07DL	2412-0430-007DL	WATER			02/17/24 11:32	12/31/24
			TOC	SM5310B		01/09/25 09:49



# SHIPPING DOCUMENTS

**Summit Environmental  
Technologies, Inc.**  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211  
FAX: (330) 253-4489  
Website: <http://www.settek.com>

P5407

SUB CONTRACTOR:	Chemtech NJ	COMPANY:	Chemtech
ADDRESS:	284 Sheffield St., Ste 1		
CITY, STATE, ZIP:	Mountainside, NJ 07092		
PHONE:	(908) 789-8900	FAX:	
ACCOUNT #:			

ITEM #	SAMPLE ID	Client Sample ID	Bottle Type	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS
1	24121544-00	2412-0430-001	40ML-AMB-	Non-Potabl	2/17/2024 8:55:00 AM	1
2	24121544-00	2412-0430-002	40ML-AMB-	Non-Potabl	2/17/2024 1:09:00 PM	1
3	24121544-00	2412-0430-003	40ML-AMB-	Non-Potabl	2/17/2024 9:37:00 AM	1
4	24121544-00	2412-0430-004	40ML-AMB-	Non-Potabl	2/17/2024 10:33:00 AM	1
5	24121544-00	2412-0430-005	40ML-AMB-	Non-Potabl	2/17/2024 10:52:00 AM	1
6	24121544-00	2412-0430-006	40ML-AMB-	Non-Potabl	2/17/2024 12:19:00 PM	1
7	24121544-00	2412-0430-007	40ML-AMB-	Non-Potabl	2/17/2024 11:32:00 AM	1

SPECIAL INSTRUCTIONS / COMMENTS:

Report to Holly Florea.

PQ 24121544

EMAIL:

FAX:



(908) 789-8900

ACCOUNT #

ANALYTICAL PARAMETERS

TOC (SM5310)

COMMENTS  
Methanol Preserved Weights  
HOT Sample Notation  
Additional Sample Description,  
etc.

Relinquished By: 	Date: 12/30/24	Time: 10:10	Received By: 	Date: 12-31-24	Time: 9:46
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

**TAT:** ☒ Standard ☐ Rush **Next BD** ☐ 2nd BD ☐ 3rd BD ☐

Note: RUSH requests will incur surcharges!

**From:** Holly Florea <hflorea@settek.com>  
**Sent:** Thursday, January 02, 2025 2:33 PM  
**Subject:** RE: TOC from Summit coming  
**Attachments:** SubCOC\_24120422\_24120422\_v1.pdf; P5410-TR (1).pdf; P5407-TR.pdf; P5406-TR.pdf

See revised COCs. I only checked the collection dates for the COCs you attached to the original email. It would be best if you included our sample IDs or job numbers as we won't be able to cross reference them with your numbers in our system. I appreciate all your help and you can proceed with the expired samples.

*Please note, in the near future my email address will be updated to [Holly.Florea@AllianceTG.com](mailto:Holly.Florea@AllianceTG.com). Please ask your IT department to whitelist the following domain from which you could receive email contact from Alliance to ensure emails do not go into your SPAM file: [AllianceTG.com](http://AllianceTG.com).*



**SUMMIT**  
 ENVIRONMENTAL TECHNOLOGIES, INC.  
 An Alliance Technical Group Company

**Holly Florea**  
 Senior Project Manager  
 Mobile: 937-409-3646  
 Address: 3310 Win Street, Cuyahoga Falls, Ohio 44223  
[www.settek.com](http://www.settek.com)

PLEASE NOTE: This email, including any attachments, may include privileged, confidential, and/or inside information that may only be reviewed by the intended recipient. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If this email has been received in error, please notify the sender immediately by replying to this message and delete the contents of this email from your files.

Please let us know how we are doing by participating in an online survey at <https://www.surveymonkey.com/r/S25XFKG>

**From:** Kiran Saleem <Kiran.Saleem@alliancetg.com>  
**Sent:** Thursday, January 2, 2025 2:17 PM  
**To:** Holly Florea <hflorea@settek.com>; Christina Gemma <CGemma@settek.com>  
**Cc:** Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Jennifer Woolf <jwoolf@settek.com>  
**Subject:** Re: TOC from Summit coming

Holly & Christina,

The holding time for TOC is 28 days. If the collection date falls in December, the sample remains within the holding time. However, the Chain of Custody (COC) forms show varying collection dates. For example, in P5404, Sample 3 has a collection date of **4/29/2024**, Sample 6 has a collection date of **5/3/2024**, and Sample 8 has a collection date of **5/8/2024**. This indicates that these samples are outside the required holding time.

Please let me know, should we update the collection dates, if yes:

- To what date?
- And for all Projects?

Please let me know, Thanks!

SUB CONTRACTOR: <b>Chemtech NJ</b>		COMPANY: <b>Chemtech</b>		SPECIAL INSTRUCTIONS / COMMENTS: <b>Report to Holly Florea (hflorea@)</b> <b>PO: 24120422</b>	
ADDRESS: <b>284 Sheffield St., Ste 1</b>					
CITY, STATE, ZIP: <b>Mountainside, NJ 07092</b>					
PHONE: <b>(908) 789-8900</b>		FAX:		EMAIL:	
ACCOUNT #:				ANALYTICAL PARAMETERS	

ITEM #	SAMPLE ID	Client Sample ID	Bottle Type	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS	TQC (SM310)	HAR	Temp	Comm
1	24120422-00	244661	40ML-AMB-	Non-Potabl	4/26/2024 11:15:00 AM	4	✓			
2	24120422-00	244662	40ML-AMB-	Non-Potabl	4/26/2024 11:15:00 AM	4	✓			
3	24120422-00	244663	40ML-AMB-	Non-Potabl	4/29/2024 3:52:00 PM	1	✓			
4	24120422-00	244664	40ML-AMB-	Non-Potabl	4/29/2024 4:22:00 PM	1	✓			
5	24120422-00	244665	40ML-AMB-	Non-Potabl	5/3/2024 8:57:00 AM	1	✓			
6	24120422-00	244666	40ML-AMB-	Non-Potabl	5/3/2024 9:07:00 AM	1	✓			
7	24120422-00	244667	40ML-AMB-	Non-Potabl	5/8/2024 2:18:00 PM	1	✓			
8	24120422-00	244668	40ML-AMB-	Non-Potabl	5/8/2024 2:37:00 PM	1	✓			
9	24120422-00	244669	40ML-AMB-	Non-Potabl	6/7/2024 10:55:00 AM	1	✓			
10	24120422-01	244670	40ML-AMB-	Non-Potabl	6/7/2024 11:15:00 AM	1	✓			
11	24120422-01	244671	40ML-AMB-	Non-Potabl	7/3/2024 9:35:00 AM	1	✓			
12	24120422-01	244672	40ML-AMB-	Non-Potabl	7/3/2024 10:04:00 AM	1	✓			

Relinquished By: <i>C. [Signature]</i>	Date: 12/30/24	Time: 1040	Received By: <i>CR</i>	Date: 12-31-24	Time: 9:46
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

TAT: <input type="checkbox"/> Standard	RUSH	Next BD <input type="checkbox"/> 2nd BD <input type="checkbox"/> 3rd BD <input type="checkbox"/>
Note: RUSH requests will incur surcharges!		

*Thank you!*

**NOTE:** Chemtech is now an Alliance Technical Group company. Please add [AllianceTG.com](http://AllianceTG.com) to your safe senders list to ensure receipt of important emails.

Regards,



**Kiran Saleem**  
**Project Manager**  
**Alliance Technical Group**  
**Main:** 908-789-8900  
**Direct:** 908-728-3148  
**Address:** 284 Sheffield St, Ste 1, Mountainside, NJ 07092  
[www.alliancetg.com](http://www.alliancetg.com)

---

**From:** Christina Gemma <[CGemma@settek.com](mailto:CGemma@settek.com)>  
**Sent:** Thursday, January 2, 2025 1:22 PM  
**To:** Kiran Saleem <[Kiran.Saleem@alliancetg.com](mailto:Kiran.Saleem@alliancetg.com)>; Jennifer Woolf <[jwoolf@settek.com](mailto:jwoolf@settek.com)>  
**Cc:** Yazmeen Gomez <[Yazmeen.Gomez@alliancetg.com](mailto:Yazmeen.Gomez@alliancetg.com)>  
**Subject:** Re: TOC from Summit coming

Hello Kiran,

The collection month for all of the samples is December.

---

**From:** Kiran Saleem <[Kiran.Saleem@alliancetg.com](mailto:Kiran.Saleem@alliancetg.com)>  
**Sent:** Thursday, January 2, 2025 12:54 PM  
**To:** Christina Gemma <[CGemma@settek.com](mailto:CGemma@settek.com)>; Jennifer Woolf <[jwoolf@settek.com](mailto:jwoolf@settek.com)>  
**Cc:** Yazmeen Gomez <[Yazmeen.Gomez@alliancetg.com](mailto:Yazmeen.Gomez@alliancetg.com)>  
**Subject:** Re: TOC from Summit coming

Good Afternoon Christina,

I am reaching out regarding the followings:

- Can you please confirm the Sample Collection Dates for the above mentioned COCs, they are not clear.
- The samples for these projects were out of holding time - P5404 ; P5406 ; P5407 ;P5408 ; P5409 ; P5410. It's a standard procedure to inform the client.

*Happy New Year to you & your team - Thank you!*

**NOTE:** Chemtech is now an Alliance Technical Group company. Please add [AllianceTG.com](http://AllianceTG.com) to your safe senders list to ensure receipt of important emails.

Regards,



**Kiran Saleem**  
**Project Manager**  
**Alliance Technical Group**  
**Main:** 908-789-8900  
**Direct:** 908-728-3148  
**Address:** 284 Sheffield St, Ste 1, Mountainside, NJ 07092  
[www.alliancetg.com](http://www.alliancetg.com)

---

**From:** Christina Gemma <[CGemma@settek.com](mailto:CGemma@settek.com)>  
**Sent:** Tuesday, December 31, 2024 1:00 PM  
**To:** Kiran Saleem <[Kiran.Saleem@alliancetg.com](mailto:Kiran.Saleem@alliancetg.com)>; Jennifer Woolf <[jwoolf@settek.com](mailto:jwoolf@settek.com)>  
**Subject:** Re: TOC from Summit coming

Kiran,

Sorry for that! Collection date for all of those samples is 12/10. Please let me know if you need anything else.

---

**From:** Kiran Saleem <[Kiran.Saleem@alliancetg.com](mailto:Kiran.Saleem@alliancetg.com)>  
**Sent:** Tuesday, December 31, 2024 12:38 PM  
**To:** Christina Gemma <[CGemma@settek.com](mailto:CGemma@settek.com)>; Jennifer Woolf <[jwoolf@settek.com](mailto:jwoolf@settek.com)>  
**Subject:** Re: TOC from Summit coming

Christina, thank you! Can you please let me the collection dates of the above-mentioned, it's not visible.

Our office will be **CLOSED** on the following dates:

**January 1<sup>st</sup> for the Holiday**

**NOTE:** Chemtech is now an Alliance Technical Group company. Please add [AllianceTG.com](http://AllianceTG.com) to your safe senders list to ensure receipt of important emails.

Regards,



**Kiran Saleem**  
**Project Manager**  
**Alliance Technical Group**  
**Main:** 908-789-8900  
**Direct:** 908-728-3148  
**Address:** 284 Sheffield St, Ste 1, Mountainside, NJ 07092  
[www.alliancetg.com](http://www.alliancetg.com)

---

**From:** Christina Gemma <[CGemma@settek.com](mailto:CGemma@settek.com)>  
**Sent:** Tuesday, December 31, 2024 11:06 AM  
**To:** Kiran Saleem <[Kiran.Saleem@alliancetg.com](mailto:Kiran.Saleem@alliancetg.com)>; Jennifer Woolf <[jwoolf@settek.com](mailto:jwoolf@settek.com)>

**Cc:** jordan <[jordan@chemtech.net](mailto:jordan@chemtech.net)>; Mohammad Ahmed <[mohammad.ahmed@alliancetg.com](mailto:mohammad.ahmed@alliancetg.com)>

**Subject:** Re: TOC from Summit coming

Hi Kiran,

I apologize for the confusion. We did not have enough residual volume to send for those samples - they can be disregarded on the COC.

---

**From:** Kiran Saleem <[Kiran.Saleem@alliancetg.com](mailto:Kiran.Saleem@alliancetg.com)>

**Sent:** Tuesday, December 31, 2024 10:43 AM

**To:** Jennifer Woolf <[jwoolf@settek.com](mailto:jwoolf@settek.com)>

**Cc:** jordan <[jordan@chemtech.net](mailto:jordan@chemtech.net)>; Christina Gemma <[CGemma@settek.com](mailto:CGemma@settek.com)>; Mohammad Ahmed <[mohammad.ahmed@alliancetg.com](mailto:mohammad.ahmed@alliancetg.com)>

**Subject:** Re: TOC from Summit coming

Hello Jennifer,

We received the samples. Writing to let you know; sample management just informed me that for the attached COC, sample number 16, 18 and 19 are missing.

Our office will be **CLOSED** on the following dates:

**January 1<sup>st</sup> for the Holiday**

**NOTE:** Chemtech is now an Alliance Technical Group company. Please add [AllianceTG.com](http://AllianceTG.com) to your safe senders list to ensure receipt of important emails.

Regards,



**Kiran Saleem**  
**Project Manager**  
**Alliance Technical Group**

**Main:** 908-789-8900

**Direct:** 908-728-3148

**Address:** 284 Sheffield St, Ste 1, Mountainside, NJ 07092

**[www.alliancetg.com](http://www.alliancetg.com)**

---

**From:** Jennifer Woolf <[jwoolf@settek.com](mailto:jwoolf@settek.com)>

**Sent:** Monday, December 30, 2024 10:57 AM

**To:** yazmeen <[yazmeen@chemtech.net](mailto:yazmeen@chemtech.net)>; Kiran Saleem <[Kiran.Saleem@alliancetg.com](mailto:Kiran.Saleem@alliancetg.com)>

**Cc:** jordan <[jordan@chemtech.net](mailto:jordan@chemtech.net)>; Christina Gemma <[CGemma@settek.com](mailto:CGemma@settek.com)>

**Subject:** TOC from Summit coming

We have more TOCs coming tomorrow. Just wanted to check on your receiving hours for tomorrow. My shipping department is trying to figure out what shipping priority to use to get them there while you are still open. (One of the samples is rush.)

Thanks,





**SUMMIT**  
ENVIRONMENTAL TECHNOLOGIES, INC.  
An Alliance Technical Group Company

**Jennifer Woolf**  
Project Manager  
Office: 330.253.8211  
Address: 3310 Win Street, Cuyahoga Falls, Ohio 44223  
[www.settek.com](http://www.settek.com)

**PLEASE NOTE:** This email, including any attachments, may include privileged, confidential, and/or inside information that may only be reviewed by the intended recipient. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If this email has been received in error, please notify the sender immediately by replying to this message and delete the contents of this email from your files.

*Please note, my new email address will be [jennifer.woolf@alliancetg.com](mailto:jennifer.woolf@alliancetg.com). Please ask your IT department to whitelist the following domain from which you could receive email contact from Alliance to ensure emails do not go into the SPAM file: [AllianceTG.com](http://AllianceTG.com)*

Please let us know how we are doing by participating in an online survey at <https://www.surveymonkey.com/r/S25XFKG>.

**Laboratory Certification**

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488