

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1062

Client: Tetra Tech NUS, Inc.

Analytical Method: SW8260-Low

Datafile : VN085451.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VN0115WBSD01	Chloromethane	20	19.5	ug/L	98	5		50	139	20
	Vinyl chloride	20	19.1	ug/L	96	5		58	137	20
	Bromomethane	20	19.3	ug/L	97	4		53	141	20
	Chloroethane	20	18.5	ug/L	93	4		60	138	20
	Trichlorofluoromethane	20	19.7	ug/L	99	5		65	141	20
	1,1,2-Trichlorotrifluoroethane	20	19.6	ug/L	98	3		70	136	20
	1,1-Dichloroethene	20	19.3	ug/L	97	4		71	131	20
	Acetone	100	94.9	ug/L	95	8		39	160	20
	Carbon disulfide	20	18.1	ug/L	91	4		64	133	20
	Methyl tert-butyl Ether	20	21.1	ug/L	106	12		71	124	20
	Methylene Chloride	20	20.1	ug/L	101	10		74	124	20
	trans-1,2-Dichloroethene	20	19.9	ug/L	100	7		75	124	20
	1,1-Dichloroethane	20	20.0	ug/L	100	7		77	125	20
	2-Butanone	100	97.6	ug/L	98	7		56	143	20
	Carbon Tetrachloride	20	19.9	ug/L	100	5		72	136	20
	cis-1,2-Dichloroethene	20	19.7	ug/L	99	5		78	123	20
	Chloroform	20	20.1	ug/L	101	9		79	124	20
	1,1,1-Trichloroethane	20	19.9	ug/L	100	7		74	131	20
	Methylcyclohexane	20	20.0	ug/L	100	1		72	132	20
	Benzene	20	20.1	ug/L	101	5		79	120	20
	1,2-Dichloroethane	20	20.7	ug/L	104	10		73	128	20
	Trichloroethene	20	20.1	ug/L	101	5		79	123	20
	1,2-Dichloropropane	20	20.2	ug/L	101	6		78	122	20
	Bromodichloromethane	20	20.9	ug/L	104	5		79	125	20
	4-Methyl-2-Pentanone	100	100	ug/L	100	5		67	130	20
	Toluene	20	21.5	ug/L	108	7		80	121	20
	t-1,3-Dichloropropene	20	20.3	ug/L	102	7		73	127	20
	cis-1,3-Dichloropropene	20	21.0	ug/L	105	5		75	124	20
	1,1,2-Trichloroethane	20	20.9	ug/L	104	9		80	119	20
	2-Hexanone	100	100	ug/L	100	3		57	139	20
	Dibromochloromethane	20	20.2	ug/L	101	5		74	126	20
	Tetrachloroethene	20	20.7	ug/L	104	3		74	129	20
	Chlorobenzene	20	19.5	ug/L	98	1		82	118	20
	Ethyl Benzene	20	20.4	ug/L	102	2		79	121	20
	m/p-Xylenes	40	42.5	ug/L	106	3		80	121	20
	o-Xylene	20	20.9	ug/L	104	3		78	122	20
	Styrene	20	20.8	ug/L	104	2		78	123	20
	Bromoform	20	20.6	ug/L	103	4		66	130	20
	Isopropylbenzene	20	20.6	ug/L	103	1		72	131	20
	1,1,2,2-Tetrachloroethane	20	19.0	ug/L	95	2		71	121	20
	1,3-Dichlorobenzene	20	20.1	ug/L	101	3		80	119	20
	1,4-Dichlorobenzene	20	19.1	ug/L	96	2		79	118	20
	1,2-Dichlorobenzene	20	19.0	ug/L	95	0		80	119	20