

B2501005 - 8

Client Contact Information		Bottle Order ID : B2501005		Courier : <u>F. GARDUN</u>		1 of 6 COCs																					
Client ID : GFELO1		Project ID : 10 Woodbridge Ct, Forest Park, NY		Sampler Name(s) : <u>FRANK GARDUN</u>		Analysis Matrix																					
Customer Name : GFE LLC		Project Manager : FRANK GARDUN		AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																							
Address : 58 Nokomis Ave		Phone Number : 646-542-3465																									
		Fax Number : 973-334-1692																									
City : Lake Hiawatha		Analysis Turnaround Time : 5 DAY																									
State : NJ		Standard : 10 Business days OR		Data Package Type : RESULTS ONLY																							
Zip Code : 07034		Rush (Specify): 5 Days		EDD Type : RDE																							
Country :																											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor/Ambient Air	Soil Gas												
SVI	11/24/18	8:38	10:30	5	5	69	69	-30	-5.5	10616	10439	50	VL041612.D		1												
<table border="1"> <thead> <tr> <th colspan="3">Temperature (Fahrenheit)</th> </tr> <tr> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> </tr> </thead> <tbody> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </tbody> </table>																Temperature (Fahrenheit)			Ambient	Maximum	Minimum	Start			Stop		
Temperature (Fahrenheit)																											
Ambient	Maximum	Minimum																									
Start																											
Stop																											
<table border="1"> <thead> <tr> <th colspan="3">Pressure (Inches of Hg)</th> </tr> <tr> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> </tr> </thead> <tbody> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </tbody> </table>																Pressure (Inches of Hg)			Ambient	Maximum	Minimum	Start			Stop		
Pressure (Inches of Hg)																											
Ambient	Maximum	Minimum																									
Start																											
Stop																											
GC/MS Analyst Signature (TO-15) <u>Sub</u>																											
** Submittal of this COC indicates approval of the analysis based on existing conditions. <u>REPORT ONLY PCE, TCE, cis-1,2-DCE, 1,1,1-TCA, 1,1-DCE, VINYL CHLORIDE</u>																											
Please follow the instructions on the back of this COC.																											
Special Instructions/QC Requirements & Comments :																											
Suspected Contamination: High Medium Low																											
Sampling site (State):																											
Quick Connector required : <u>NO</u>																											
Canisters Shipped by: <u>Sub</u>																											
Samples Relinquished by: <u>Sub</u>																											
Relinquished by:																											
Date/Time: 1-13-25 0800																											
Date/Time:																											
Date/Time:																											
B2501005 - 7																											

Client Contact Information		Bottle Order ID : B2501005	Courier : FRANK GILDUN	2 of 6 COCs																				
Client ID : GFE01	Project ID : 10-Workline CT, Mount Park	Sampler Name(s) : FRANK GILDUN																						
Customer Name : GFE LLC	Project Manager : FRANK GILDUN	Analysis																						
Address : 58 Nokomis Ave	Phone Number : 646-542-3465	Matrix																						
	Fax Number : 973-334-1692																							
	Site Details: 720 W. 18th St NY, NY																							
City : Lake Hiawatha	Analysis Turnaround Time 5 DAY																							
State : NJ	Standard : 10-business days OR 5 Days																							
Zip Code : 07034	Rush (Specify):																							
Country :																								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor/Ambient Air	Soil Gas									
SUZ	11/24/08	10:40	3:5	30	3.5	69	69	-30	-6.7	10109	10321	50	VL041612.D		1									
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																						
Start																								
Stop																								
Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																						
Start																								
Stop																								
GC/MS Analyst Signature (TO-15) <i>[Signature]</i>																								
** Submittal of this COC Indicates approval of the analysis based on existing conditions. Report only: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, UNV L C T U R D E Please follow the instructions on the back of this COC.																								
Special Instructions/QC Requirements & Comments :																								
Suspected Contamination: High Medium Low PID Readings: 0.0																								
Sampling site (State):																								
Quick Connector required : No																								
Canisters Shipped by: <i>[Signature]</i> Date/Time: 11-13-25 0700																								
Samples Relinquished by: <i>[Signature]</i> Date/Time: 11/25																								
Relinquished by: <i>[Signature]</i> Date/Time: 11/25																								
B2501005 - 5																								

Client Contact Information		Bottle Order ID : B2501005	Courier : F. Galdun	3 of 6 COCs																				
Client ID : GFELO1	Project ID : 10-woodbine-st, Forest Park-NY	Sampler Name(s) : FRANK Galdun																						
Customer Name : GFE LLC	Project Manager : FRANK Galdun	AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																						
Address : 58 Nokomis Ave	Phone Number : 646-542-3465																							
	Fax Number : 973-334-1692																							
	Site Details: 120 W. 181st St. NY, NY																							
City : Lake Hiawatha	Analysis Turnaround Time : 5 DAY																							
State : NJ	Standard : 10-business days OR 5 Days																							
Zip Code : 07034	Rush (Specify): 5 Days																							
Country : USA																								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor/Ambient Air	Soil Gas									
SV3	11/15/05	8:55	10:55	5	5	70	70	-30	-6.7	10185	10602	50	VL041612.D		1									
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																						
Start																								
Stop																								
Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																						
Start																								
Stop																								
Special Instructions/QC Requirements & Comments : PID Readings: 0.0 GC/MS Analyst Signature (TO-15) [Signature] ** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: TCE, PCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC.																								
Suspected Contamination: High Medium Low																								
Sampling site (State):																								
Quick Connector required : No																								
Canisters Shipped by: [Signature]																								
Samples Relinquished by: [Signature]																								
Relinquished by:																								
Date/Time: 1-13-25 0700																								
Date/Time:																								
Date/Time:																								
B2501005 - 11																								

Client Contact Information		Bottle Order ID : B2501005		Courier : F GALDUN		5 of 6 COCs	
Client ID : GFEL01		Project ID : 10 Woodbine CT, Morristown, NJ		Sampler Name(s) : FRANK GALDUN		Analysis	
Customer Name : GFE LLC		Project Manager : FRANK GALDUN		AIR ANALYSIS		Matrix	
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY			
City : Lake Hiawatha		Fax Number : 973-334-1692		Batch Certified			
State : NJ		Site Details: 720 W. 181st St. NY, NY					
Zip Code : 07034		Analysis Turnaround Time 5 DAY					
Country :		Standard : 10-business days OR		Data Package Type : RESULTS ONLY			
		Rush (Specify): 5 Days		EDD Type :			
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)
IA2	11/16/25	8:21	4:21	30	4	69	69
				Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Controller Readout (ml/min)	Can Cert ID
				-30	-4.3	12.5	VL041612.D
				Flow Reg. ID	Can ID	Can Cert ID	
				10514	10296	6 L	1
Temperature (Fahrenheit)							
Start		Ambient		Maximum		Minimum	
Stop		Ambient		Maximum		Minimum	
Pressure (Inches of Hg)							
Start		Ambient		Maximum		Minimum	
Stop		Ambient		Maximum		Minimum	
GC/MS Analyst Signature (TO-15)							
** Submittal of this COC indicates approval of the analysis based on existing conditions. Report only: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC.							
Special Instructions/QC Requirements & Comments :							
Suspected Contamination: High Medium Low							
Sampling site (State):							
Quick Connector required : N/A							
Canisters Shipped by: SAMP		Date/Time: 11/16/25		Canisters Received by: SA		Date/Time: 11-13-25 0700	
Samples Relinquished by: FSN		Date/Time: 11/16/25		Received by:		Date/Time:	
Relinquished by:		Date/Time:		Received by:		Date/Time:	
B2501005 - 3							

Client Contact Information		Bottle Order ID : B2501005		Courier : F Galdun		6 of 6 COCs																		
Client ID : GFEL01		Project ID : 10 Woodbine CT, Floral Park NY		Sampler Name(s) : FRANK Galdun		Analysis Matrix																		
Customer Name : GFE LLC		Project Manager : FRANK Galdun		AIR ANALYSIS																				
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY																				
		Fax Number : 973-334-1692		Batch Certified																				
City : Lake Hiawatha		Site Details : 120 W. 181st St. NY, NY																						
State : NJ		Analysis Turnaround Time : 5 DAY																						
Zip Code : 07034		Standard : 10 Business Days OR		Data Package Type : Results only																				
Country : USA		Rush (Specify) : 5 Days		EDD Type : RDE																				
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor Ambient Air	Soil Gas									
11/16/11 8:23	11/16/11 10:23	10:23	10:23	6	6	70	70	-30	-7.1	10485	10333	12.5	VL041612.D	(	(									
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																						
Start																								
Stop																								
Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																						
Start																								
Stop																								
GC/MS Analyst Signature (TO-15) <i>[Signature]</i>																								
**Submittal of this COC indicates approval of the analysis based on existing conditions. Report only: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC.																								
Special Instructions/QC Requirements & Comments :																								
Suspected Contamination: High Medium Low PID Readings: 0.0																								
Sampling site (State):																								
Quick Connector required : No																								
Canisters Shipped by: Sony																								
Samples Relinquished by: Sony																								
Relinquished by:																								
Date/Time: 11/16/11																								
Date/Time: 11/16/11																								
Date/Time: 11/16/11																								
Date/Time: 11-13-25 0900																								
Date/Time: 11-13-25 0900																								
Date/Time: 11-13-25 0900																								
B2501005 - 6																								

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

GORSE

Title: Sample Custodian

Field Sample Seal No. Q1073


Date Broken 1/13/2025

Military Time Seal Broken: 07:00:00

Case No.: 720 W. 181st NY, NY

Analytical Parameter/Fraction WOCMS Group3

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q1073-01	SV1		
Q1073-02	SV2		
Q1073-03	SV3		
Q1073-04	IA1		
Q1073-05	IA2		
Q1073-06	IA3		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
1/13	1050	Signature 	Signature 	
		Printed Name <u>GORSE N</u>	Printed Name <u>Sample Custodian</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy

Analyst Signature:

Supervisor Signature:

Pressure Gauge ID:

Document Control # A3041228

Process Report

284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Order ID : Q1073

Date	Bottle ID	Lab Sample Number	InComing Vacuum	Canister ID	Can Size	Reg ID	Reg Size	Batch Code	Certification ID
01/13/2025	B2501005	Q1073-06	-7.1	10333	6 L	10485		C2409001	VL041612.D Seq :vl091824 TUNE : VL041600.D ICAL : VL041597.D CCAL : VL041601.D MB : VL041602.D
01/13/2025	B2501005	Q1073-01	-5.5	10439	6 L	10616		C2409001	VL041612.D Seq :vl091824 TUNE : VL041600.D ICAL : VL041597.D CCAL : VL041601.D MB : VL041602.D
01/13/2025	B2501005	Q1073-03	-6.7	10602	6 L	10185		C2409001	VL041612.D Seq :vl091824 TUNE : VL041600.D ICAL : VL041597.D CCAL : VL041601.D MB : VL041602.D
01/13/2025	B2501005	Q1073-04	-3.1	10596	6 L	10690		C2408001	VL041507.D Seq :VL080824 TUNE : VL041502.D ICAL : VL041404.D CCAL : VL041503.D MB : VL041504.D
01/13/2025	B2501005	Q1073-02	-6.7	10321	6 L	10109		C2409001	VL041612.D Seq :vl091824 TUNE : VL041600.D ICAL : VL041597.D CCAL : VL041601.D MB : VL041602.D
01/13/2025	B2501005	Q1073-05	-4.3	10296	6 L	10514		C2409001	VL041612.D Seq :vl091824 TUNE : VL041600.D ICAL : VL041597.D CCAL : VL041601.D MB : VL041602.D

96506 -3.1

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900

Client Sample ID #: IA1
Client Name: GFE
Project Name: W-181ST
Date: 11/11 Time: 10-15
Analysis: 10-15
Comments: 10-15

CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration Date: _____ Date of D: _____

Storage Location: VOA Lab
Sample: Q1073-04
Cust #: IA1

132501005

10296 -4.3

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900

Client Sample ID #: IA2
Client Name: GFE
Project Name: W-181ST
Date: 11/11 Time: 10-15
Analysis: 10-15
Comments: 10-15

CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration Date: _____ Date of D: _____

Storage Location: VOA Lab
Sample: Q1073-05
Cust #: IA2

1.7

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900

Client Sample ID #: IA3
Client Name: GFE
Project Name: 720 W 181ST
Date: 11/11 Time: 10-15
Analysis: 10-15
Comments: 10-15

CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration Date: _____ Date of D: _____

Storage Location: VOA Lab
Sample: Q1073-06
Cust #: IA3

132501005

10439

-55

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Client Sample ID #: SV1
Client Name: W 181ST ST
Project Name: W 181ST ST
Date: 11/11 Time: 10-15
Analysis: 11/11
Comments: 11/11
CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration Date: _____ Date: _____

Storage Location: VOA Lab
Sample: Q1073-01
Cust #: SV1

B2501005

10321

-67

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Client Sample ID #: SV2
Client Name: W 181ST ST
Project Name: W 181ST ST
Date: 11/11 Time: 10-15
Analysis: 11/11
Comments: 11/11
CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration Date: _____ Date: _____

Storage Location: VOA Lab
Sample: Q1073-02
Cust #: SV2

B2501005

10439

20901

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Client Sample ID #: SV3
Client Name: W 181ST ST
Project Name: W 181ST ST
Date: 11/11 Time: 10-15
Analysis: 11/11
Comments: 11/11
CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration Date: _____ Date: _____

Storage Location: VOA Lab
Sample: Q1073-03
Cust #: SV3

89-8922

B2501005