



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2501005				Courier : <u>FGALDUN</u>				1 of 6 COCs			
Client ID : GFEL01				Project ID : 10 Woodbine CT, Floral Park NY				Sampler Name(s) : <u>FRANK GALDUN</u>				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: <u>720 W. 181ST ST. NY, NY</u>											
City : Lake Hiawatha				Analysis Turnaround Time <u>5 DAY</u>				Data Package Type : <u>RESULTS ONLY</u>							
State : NJ				Standard : 10 business days OR											
Zip Code : 07034				Rush (Specify): <u>5</u> Days				EDD Type : <u>PDF</u>							
Country :															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	(TO-15)			Indoor/Ambinet Air	Soil Gas
SV1	11/1/24	8:38	10:30	30	5	69	69	-30	-5.5	10616	10439	6 L	50	VL041612.D	1				1

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

REPORT ONLY PCE, TCE, cis-1,2-DCE, 1,1,1-TCA, 1,1-DCE, VINYL CHLORIDE

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: 0.0

Sampling site (State):

Quick Connector required : NO


Canisters Shipped by: <u>Sally</u>	Date/Time: <u>01/10/25</u>	Canisters Received by: <u>[Signature]</u>	Date/Time: <u>1-13-25 0700</u>
Samples Relinquished by: <u>[Signature]</u>	Date/Time: <u>1/11/25</u>	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2501005 - 7

Client Contact Information				Bottle Order ID : B2501005				Courier : FGALDUN				2 of 6 COCs				
Client ID : GFEL01 Project ID : 10 Woodbine CT, Floral Park NY				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix				
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
				Phone Number : 646-542-3465												
				Fax Number : 973-334-1692												
				Site Details: 720 W. 181st ST NY, NY												
Analysis Turnaround Time 5 DAY				Standard : 10 business days OR				Data Package Type : RESULTS ONLY								
Rush (Specify): 5 Days				EDD Type : PDF												
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SUZ	11/24/2010	8:40	10:40	30	3.5	69	69	-30	-67	10109	10321	6 L	50	VL041612.D		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) Suz						
		Ambient	Maximum	Minimum												
Start																
Stop																
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start																
Stop																
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings: 0.0																
Sampling site (State):																
Quick Connector required : NO																
Canisters Shipped by: SUZ				Date/Time: 11/10/25				Canisters Received by: SUZ				Date/Time: 1-13-25 0700				
Samples Relinquished by: FRANK				Date/Time: 11/11/25				Received by:				Date/Time:				
Relinquished by:				Date/Time:				Received by:				Date/Time:				

Client Contact Information				Bottle Order ID : B2501005				Courier : <u>FGALDUN</u>				<u>3</u> of <u>6</u> COCs					
Client ID : GFEL01 Project ID : 10 Woodbine CT, Floral Park NY				Sampler Name(s) : <u>FRANK GALDUN</u>				Analysis				Matrix					
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: <u>720 W. 181ST ST. NY, NY</u>													
Analysis Turnaround Time <u>5 DAY</u>				Standard : 10-business days OR				Data Package Type : <u>RESULTS ONLY</u>									
Rush (Specify): <u>5</u> Days				EDD Type : <u>IDE</u>													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	<u>TO-15</u>	Indoor/Ambient Air	Soil Gas
<u>SV3</u>	<u>11/12/25</u>	<u>8:55</u>	<u>10:55</u>	<u>30</u>	<u>5</u>	<u>70</u>	<u>70</u>	<u>-30</u>	<u>-6.7</u>	<u>10185</u>	<u>10602</u>	<u>6 L</u>	<u>50</u>	<u>VL041612.D</u>	<u>1</u>		<u>1</u>
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <u>[Signature]</u>							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <u>REPORT ONLY: TCE, PCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE</u> Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u>																	
Sampling site (State):																	
Quick Connector required : <u>NO</u>																	
Canisters Shipped by: <u>Sam</u>				Date/Time: <u>11/12/25</u>				Canisters Received by: <u>[Signature]</u>				Date/Time: <u>1-13-25 0700</u>				B2501005 - 11	
Samples Relinquished by: <u>[Signature]</u>				Date/Time: <u>11/12/25</u>				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2501005				Courier : F GALDUN				4 of 6 COCs					
Client ID : GFEL01 Project ID : 10 Woodbine CT, Floral Park NY				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix					
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: 720 W. 181ST ST. NY, NY													
				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY									
				Standard : 10-business days OR				EDD Type : RDF									
Rush (Specify): 5 Days																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas	
IA1	11/25	8:19	11:19	29	0	69	69	-30	-3.1	10690	10596	6 L	12.5	VL041507.D	1	1	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYLCHLORIDE Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: 0, 0																	
Sampling site (State):																	
Quick Connector required : N/D																	
Canisters Shipped by: [Signature]				Date/Time: 11/19/25				Canisters Received by: [Signature]				Date/Time: 1-13-25 0700				B2501005 - 8	
Samples Relinquished by: [Signature]				Date/Time: 11/19/25				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					



Q1073

Client Contact Information						Bottle Order ID : B2501005				Courier : F GALDUN				5 of 6 COCs					
Client ID : GFEL01 Project ID : 10 Woodbine Ct, Floral Park NY						Sampler Name(s) : FRANK GALDUN				Analysis				Matrix					
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :						Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
						Phone Number : 646-542-3465													
						Fax Number : 973-334-1692													
						Site Details: 720 W. 181ST ST. NY, NY													
Analysis Turnaround Time 5 DAY						Standard : 10 business days OR				Data Package Type : RESULTS ONLY				Indoor Ambient Air Soil Gas					
Rush (Specify): 5 Days						EDD Type : PDF													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				
IA2	11/13/25	8:21	4:21	OVER 30	4	69	69	-30	-4.3	10514	10296	6 L	12.5	VL041612.D	1				
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <div>Sue</div>									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PLE, TOE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: 0,0																			
Sampling site (State):																			
Quick Connector required :																			
Canisters Shipped by: Sam					Date/Time: 11/13/25					Canisters Received by: JA					Date/Time: 1-13-25 0700				
Samples Relinquished by: EN					Date/Time: 11/13/25					Received by:					Date/Time:				
Relinquished by:					Date/Time:					Received by:					Date/Time:				
B2501005 - 3																			

Client Contact Information				Bottle Order ID : B2501005				Courier : F GALDUN				6 of 6 COCs							
Client ID : GFEL01 Project ID : 10 Woodbine CT, Floral Park NY				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix							
Customer GFE LLC Name : Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified											
				Phone Number : 646-542-3465															
				Fax Number : 973-334-1692															
				Site Details: 720 W. 181ST ST. NY, NY															
Analysis Turnaround Time 5 DAY				Standard : 10 business days OR				Data Package Type : RESULTS ONLY											
Rush (Specify): 5 Days				EDD Type : PDF															
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas		
IA3	11/15/25	8:23	10:23	30	6	70	70	-30	-7.1	10485	10333	6 L	12.5	VL041612.D	1	1			
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: 0.0																			
Sampling site (State):																			
Quick Connector required : No																			
Canisters Shipped by: Sam				Date/Time: 11/10/25				Canisters Received by: [Signature]				Date/Time: 11-13-25 0700				B2501005 - 6			
Samples Relinquished by: F.R.				Date/Time: 11/11/25				Received by:				Date/Time:							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

From: frankg4@optonline.net
Sent: Monday, January 20, 2025 10:27 AM
Subject: Re: Re: Chemtech/Alliance - Q1073-720 W. 181st NY, NY

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

All samples for this project were collected on 1/14/25 and dropped off at the lab on 1/15/25

----- Original Message -----

From: Kiran.Saleem@alliancetg.com
To: frankg4@optonline.net
Sent: Monday, January 20th 2025, 08:54 AM
Subject: Re: Chemtech/Alliance - Q1073-720 W. 181st NY, NY

Same for Sample 03 of Q1090 - 71-02 Myrtle Ave, Glendale NY, (IA1) - collect date on coc is 1/14/25 while relinquished date says 1/15/25. Please let me know.

Thank you!

NOTE: Chemtech is now an Alliance Technical Group company. Please add [AllianceTG.com](https://www.alliancetg.com) to your safe senders list to ensure receipt of important emails.

Regards,



Kiran Saleem
Project Manager
Alliance Technical Group
Main: 908-789-8900
Direct: 908-728-3148
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com

From: Kiran Saleem <Kiran.Saleem@alliancetg.com>
Sent: Monday, January 20, 2025 8:51 AM
To: frankg4 <frankg4@optonline.net>
Subject: Chemtech/Alliance - Q1073-720 W. 181st NY, NY

Good Morning Frank,

I am reaching out regarding the collection date of sample 01 & 02. It could be a mistake; COC says 1-11-24, but relinquished date says 1-11-25. Please confirm the collect date.

Thanks.

NOTE: Chemtech is now an Alliance Technical Group company. Please add AllianceTG.com to your safe senders list to ensure receipt of important emails.

Regards,



Kiran Saleem
Project Manager
Alliance Technical Group
Main: 908-789-8900
Direct: 908-728-3148
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

~~Seal~~

Field Sample Seal No. Q1073

Case No.: Z20 W, 181st NY, NY

Title: Sample Custodian

Date Broken: 4/13/2025

Analytical Parameter/Fraction: MOCMS Group3

Military Time Seal Broken: 07:00:00

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q1073-01	SV1		
Q1073-02	SV2		
Q1073-03	SV3		
Q1073-04	IA1		
Q1073-05	IA2		
Q1073-06	IA3		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
11/3	1050	<div><div>Signature</div><div>Printed Name</div></div> <div>Garrett V.</div>	<div><div>Signature</div><div>Printed Name</div></div> <div>Sydney W.</div>	
		<div>Signature</div> <div>Printed Name</div>	<div>Signature</div> <div>Printed Name</div>	
		<div>Signature</div> <div>Printed Name</div>	<div>Signature</div> <div>Printed Name</div>	
		<div>Signature</div> <div>Printed Name</div>	<div>Signature</div> <div>Printed Name</div>	
		<div>Signature</div> <div>Printed Name</div>	<div>Signature</div> <div>Printed Name</div>	
		<div>Signature</div> <div>Printed Name</div>	<div>Signature</div> <div>Printed Name</div>	
		<div>Signature</div> <div>Printed Name</div>	<div>Signature</div> <div>Printed Name</div>	
		<div>Signature</div> <div>Printed Name</div>	<div>Signature</div> <div>Printed Name</div>	
		<div>Signature</div> <div>Printed Name</div>	<div>Signature</div> <div>Printed Name</div>	
		<div>Signature</div> <div>Printed Name</div>	<div>Signature</div> <div>Printed Name</div>	