

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MC0AD6

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
 Lab Code: ACE Case No.: 51953 MA No. : SDG No.: MC0AF9
 Matrix: Water Lab Sample ID: Q1087-22
 % Solids: Date Received: 01/15/2025
 Analytical Method: ICP_MS
 Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): ug/L

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7429-90-5	Aluminum	1200		02/04/2025	2022
7440-36-0	Antimony	580		02/04/2025	2022
7440-38-2	Arsenic	620		02/04/2025	2022
7440-39-3	Barium	1200		02/04/2025	2022
7440-41-7	Beryllium	140		02/04/2025	2022
7440-43-9	Cadmium	670		02/04/2025	2022
7440-70-2	Calcium	28	J	02/04/2025	2022
7440-47-3	Chromium	300		02/04/2025	2022
7440-48-4	Cobalt	240		02/04/2025	2022
7440-50-8	Copper	880		02/04/2025	2022
7439-89-6	Iron	2000		02/04/2025	2022
7439-92-1	Lead	690		02/04/2025	2022
7439-95-4	Magnesium	500	U	02/04/2025	2022
7439-96-5	Manganese	760		02/04/2025	2022
7440-02-0	Nickel	550		02/04/2025	2022
7440-09-7	Potassium	500	U	02/04/2025	2022
7782-49-2	Selenium	250		02/04/2025	2022
7440-22-4	Silver	740		02/04/2025	2022
7440-23-5	Sodium	500	U	02/04/2025	2022
7440-28-0	Thallium	700		02/04/2025	2022
7440-62-2	Vanadium	1700	D	02/04/2025	2031
7440-66-6	Zinc	1000		02/04/2025	2022

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MC0AE3

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
 Lab Code: ACE Case No.: 51953 MA No. : SDG No.: MC0AF9
 Matrix: Water Lab Sample ID: Q1087-16
 % Solids: Date Received: 01/17/2025
 Analytical Method: ICP_MS
 Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): ug/L

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7429-90-5	Aluminum	550		01/21/2025	1801
7440-36-0	Antimony	1.4	J	01/21/2025	1801
7440-38-2	Arsenic	2.8		01/21/2025	1801
7440-39-3	Barium	50		01/21/2025	1801
7440-41-7	Beryllium	1.0	U	01/21/2025	1801
7440-43-9	Cadmium	1.0	U	01/21/2025	1801
7440-70-2	Calcium	43000		01/21/2025	1801
7440-47-3	Chromium	4.0		01/21/2025	1801
7440-48-4	Cobalt	0.51	J	01/21/2025	1801
7440-50-8	Copper	320		01/21/2025	1801
7439-89-6	Iron	1200		01/21/2025	1801
7439-92-1	Lead	3.9		01/21/2025	1801
7439-95-4	Magnesium	8100		01/21/2025	1801
7439-96-5	Manganese	51		01/21/2025	1801
7440-02-0	Nickel	4.8		01/21/2025	1801
7440-09-7	Potassium	4100		01/21/2025	1801
7782-49-2	Selenium	5.0	U	01/21/2025	1801
7440-22-4	Silver	1.0	U	01/21/2025	1801
7440-23-5	Sodium	44000		01/21/2025	1801
7440-28-0	Thallium	1.0	U	01/21/2025	1801
7440-62-2	Vanadium	1.3	J	01/21/2025	1801
7440-66-6	Zinc	320		01/21/2025	1801

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MC0AE4

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51953 MA No. : SDG No.: MC0AF9

Matrix: Water Lab Sample ID: Q1087-17

% Solids: Date Received: 01/17/2025

Analytical Method: ICP_MS

Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): ug/L

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7429-90-5	Aluminum	390		01/21/2025	1804
7440-36-0	Antimony	0.20	J	01/21/2025	1804
7440-38-2	Arsenic	2.5		01/21/2025	1804
7440-39-3	Barium	77		01/21/2025	1804
7440-41-7	Beryllium	1.0	U	01/21/2025	1804
7440-43-9	Cadmium	1.0	U	01/21/2025	1804
7440-70-2	Calcium	76000		01/21/2025	1804
7440-47-3	Chromium	10		01/21/2025	1804
7440-48-4	Cobalt	0.22	J	01/21/2025	1804
7440-50-8	Copper	60		01/21/2025	1804
7439-89-6	Iron	930		01/21/2025	1804
7439-92-1	Lead	0.98	J	01/21/2025	1804
7439-95-4	Magnesium	11000		01/21/2025	1804
7439-96-5	Manganese	19		01/21/2025	1804
7440-02-0	Nickel	1.5		01/21/2025	1804
7440-09-7	Potassium	2200		01/21/2025	1804
7782-49-2	Selenium	5.0	U	01/21/2025	1804
7440-22-4	Silver	1.0	U	01/21/2025	1804
7440-23-5	Sodium	15000		01/21/2025	1804
7440-28-0	Thallium	1.0	U	01/21/2025	1804
7440-62-2	Vanadium	2.3	J	01/21/2025	1804
7440-66-6	Zinc	23		01/21/2025	1804

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MC0AE6

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51953 MA No. : SDG No.: MC0AF9

Matrix: Water Lab Sample ID: Q1087-10

% Solids: Date Received: 01/16/2025

Analytical Method: ICP_MS

Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): ug/L

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7429-90-5	Aluminum	1500		01/21/2025	1742
7440-36-0	Antimony	0.22	J	01/21/2025	1742
7440-38-2	Arsenic	5.7		01/21/2025	1742
7440-39-3	Barium	55		01/21/2025	1742
7440-41-7	Beryllium	1.0	U	01/21/2025	1742
7440-43-9	Cadmium	0.32	J	01/21/2025	1742
7440-70-2	Calcium	45000		01/21/2025	1742
7440-47-3	Chromium	1.2	J	01/21/2025	1742
7440-48-4	Cobalt	0.42	J	01/21/2025	1742
7440-50-8	Copper	23		01/21/2025	1742
7439-89-6	Iron	1400		01/21/2025	1742
7439-92-1	Lead	3.0		01/21/2025	1742
7439-95-4	Magnesium	9400		01/21/2025	1742
7439-96-5	Manganese	66		01/21/2025	1742
7440-02-0	Nickel	1.1		01/21/2025	1742
7440-09-7	Potassium	1800		01/21/2025	1742
7782-49-2	Selenium	5.0	U	01/21/2025	1742
7440-22-4	Silver	1.0	U	01/21/2025	1742
7440-23-5	Sodium	25000		01/21/2025	1742
7440-28-0	Thallium	1.0	U	01/21/2025	1742
7440-62-2	Vanadium	2.1	J	01/21/2025	1742
7440-66-6	Zinc	8.4		01/21/2025	1742

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MC0AE9

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
 Lab Code: ACE Case No.: 51953 MA No. : SDG No.: MC0AF9
 Matrix: Water Lab Sample ID: Q1087-07
 % Solids: Date Received: 01/16/2025
 Analytical Method: ICP_MS
 Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): ug/L

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7429-90-5	Aluminum	5200		01/21/2025	1733
7440-36-0	Antimony	0.32	J	01/21/2025	1733
7440-38-2	Arsenic	22		01/21/2025	1733
7440-39-3	Barium	4.5	J	01/21/2025	1733
7440-41-7	Beryllium	1.0	U	01/21/2025	1733
7440-43-9	Cadmium	1.0	U	01/21/2025	1733
7440-70-2	Calcium	7400		01/21/2025	1733
7440-47-3	Chromium	70		01/21/2025	1733
7440-48-4	Cobalt	0.22	J	01/21/2025	1733
7440-50-8	Copper	1.3	J	01/21/2025	1733
7439-89-6	Iron	370		01/21/2025	1733
7439-92-1	Lead	0.56	J	01/21/2025	1733
7439-95-4	Magnesium	280	J	01/21/2025	1733
7439-96-5	Manganese	16		01/21/2025	1733
7440-02-0	Nickel	0.99	J	01/21/2025	1733
7440-09-7	Potassium	910		01/21/2025	1733
7782-49-2	Selenium	1.6	J	01/21/2025	1733
7440-22-4	Silver	0.29	J	01/21/2025	1733
7440-23-5	Sodium	630000	D	01/21/2025	1839
7440-28-0	Thallium	1.0	U	01/21/2025	1733
7440-62-2	Vanadium	35		01/21/2025	1733
7440-66-6	Zinc	1.7	J	01/21/2025	1733

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MC0AF0

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
 Lab Code: ACE Case No.: 51953 MA No. : SDG No.: MC0AF9
 Matrix: Water Lab Sample ID: Q1087-11
 % Solids: Date Received: 01/16/2025
 Analytical Method: ICP_MS
 Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): ug/L

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7429-90-5	Aluminum	100		01/21/2025	1745
7440-36-0	Antimony	0.19	J	01/21/2025	1745
7440-38-2	Arsenic	13		01/21/2025	1745
7440-39-3	Barium	68		01/21/2025	1745
7440-41-7	Beryllium	1.0	U	01/21/2025	1745
7440-43-9	Cadmium	1.0	U	01/21/2025	1745
7440-70-2	Calcium	50000		01/21/2025	1745
7440-47-3	Chromium	3.2		01/21/2025	1745
7440-48-4	Cobalt	0.14	J	01/21/2025	1745
7440-50-8	Copper	1.7	J	01/21/2025	1745
7439-89-6	Iron	480		01/21/2025	1745
7439-92-1	Lead	0.16	J	01/21/2025	1745
7439-95-4	Magnesium	11000		01/21/2025	1745
7439-96-5	Manganese	54		01/21/2025	1745
7440-02-0	Nickel	0.43	J	01/21/2025	1745
7440-09-7	Potassium	1800		01/21/2025	1745
7782-49-2	Selenium	5.0	U	01/21/2025	1745
7440-22-4	Silver	1.0	U	01/21/2025	1745
7440-23-5	Sodium	40000		01/21/2025	1745
7440-28-0	Thallium	1.0	U	01/21/2025	1745
7440-62-2	Vanadium	4.3	J	01/21/2025	1745
7440-66-6	Zinc	2.7	J	01/21/2025	1745

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MC0AF3

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
 Lab Code: ACE Case No.: 51953 MA No. : SDG No.: MC0AF9
 Matrix: Water Lab Sample ID: Q1087-20
 % Solids: Date Received: 01/17/2025
 Analytical Method: ICP_MS
 Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): ug/L

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7429-90-5	Aluminum	650		01/21/2025	1814
7440-36-0	Antimony	15		01/21/2025	1814
7440-38-2	Arsenic	6.6		01/21/2025	1814
7440-39-3	Barium	48		01/21/2025	1814
7440-41-7	Beryllium	1.0	U	01/21/2025	1814
7440-43-9	Cadmium	1.0	U	01/21/2025	1814
7440-70-2	Calcium	39000		01/21/2025	1814
7440-47-3	Chromium	12		01/21/2025	1814
7440-48-4	Cobalt	0.49	J	01/21/2025	1814
7440-50-8	Copper	4.6		01/21/2025	1814
7439-89-6	Iron	1200		01/21/2025	1814
7439-92-1	Lead	1.1		01/21/2025	1814
7439-95-4	Magnesium	4900		01/21/2025	1814
7439-96-5	Manganese	58		01/21/2025	1814
7440-02-0	Nickel	1.8		01/21/2025	1814
7440-09-7	Potassium	4000		01/21/2025	1814
7782-49-2	Selenium	5.0	U	01/21/2025	1814
7440-22-4	Silver	1.0	U	01/21/2025	1814
7440-23-5	Sodium	36000		01/21/2025	1814
7440-28-0	Thallium	1.0	U	01/21/2025	1814
7440-62-2	Vanadium	8.6		01/21/2025	1814
7440-66-6	Zinc	28		01/21/2025	1814

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MC0AF5

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51953 MA No. : SDG No.: MC0AF9

Matrix: Water Lab Sample ID: Q1087-13

% Solids: Date Received: 01/16/2025

Analytical Method: ICP_MS

Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): ug/L

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7429-90-5	Aluminum	7000		01/21/2025	1752
7440-36-0	Antimony	0.55	J	01/21/2025	1752
7440-38-2	Arsenic	7.5		01/21/2025	1752
7440-39-3	Barium	230		01/21/2025	1752
7440-41-7	Beryllium	0.57	J	01/21/2025	1752
7440-43-9	Cadmium	1.0	U	01/21/2025	1752
7440-70-2	Calcium	200000		01/21/2025	1752
7440-47-3	Chromium	50		01/21/2025	1752
7440-48-4	Cobalt	6.3		01/21/2025	1752
7440-50-8	Copper	88		01/21/2025	1752
7439-89-6	Iron	17000		01/21/2025	1752
7439-92-1	Lead	4.3		01/21/2025	1752
7439-95-4	Magnesium	27000		01/21/2025	1752
7439-96-5	Manganese	620		01/21/2025	1752
7440-02-0	Nickel	17		01/21/2025	1752
7440-09-7	Potassium	13000		01/21/2025	1752
7782-49-2	Selenium	3.1	J	01/21/2025	1752
7440-22-4	Silver	1.0	U	01/21/2025	1752
7440-23-5	Sodium	620000	D	01/21/2025	1846
7440-28-0	Thallium	0.15	J	01/21/2025	1752
7440-62-2	Vanadium	27		01/21/2025	1752
7440-66-6	Zinc	51		01/21/2025	1752

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MC0AF6

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
 Lab Code: ACE Case No.: 51953 MA No. : SDG No.: MC0AF9
 Matrix: Water Lab Sample ID: Q1087-14
 % Solids: Date Received: 01/16/2025
 Analytical Method: ICP_MS
 Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): ug/L

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7429-90-5	Aluminum	16	J	01/21/2025	1755
7440-36-0	Antimony	1.1	J	01/21/2025	1755
7440-38-2	Arsenic	7.3		01/21/2025	1755
7440-39-3	Barium	26		01/21/2025	1755
7440-41-7	Beryllium	1.0	U	01/21/2025	1755
7440-43-9	Cadmium	1.0	U	01/21/2025	1755
7440-70-2	Calcium	47000		01/21/2025	1755
7440-47-3	Chromium	0.24	J	01/21/2025	1755
7440-48-4	Cobalt	0.070	J	01/21/2025	1755
7440-50-8	Copper	7.5		01/21/2025	1755
7439-89-6	Iron	370		01/21/2025	1755
7439-92-1	Lead	0.15	J	01/21/2025	1755
7439-95-4	Magnesium	8900		01/21/2025	1755
7439-96-5	Manganese	6.4		01/21/2025	1755
7440-02-0	Nickel	1.0	U	01/21/2025	1755
7440-09-7	Potassium	1700		01/21/2025	1755
7782-49-2	Selenium	5.0	U	01/21/2025	1755
7440-22-4	Silver	1.0	U	01/21/2025	1755
7440-23-5	Sodium	21000		01/21/2025	1755
7440-28-0	Thallium	0.080	J	01/21/2025	1755
7440-62-2	Vanadium	2.7	J	01/21/2025	1755
7440-66-6	Zinc	3.6	J	01/21/2025	1755

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MC0AF8

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51953 MA No. : SDG No.: MC0AF9

Matrix: Water Lab Sample ID: Q1087-04

% Solids: Date Received: 01/16/2025

Analytical Method: ICP_MS

Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): $\mu\text{g/L}$

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7429-90-5	Aluminum	320		01/21/2025	1720
7440-36-0	Antimony	15		01/21/2025	1720
7440-38-2	Arsenic	5.8		01/21/2025	1720
7440-39-3	Barium	38		01/21/2025	1720
7440-41-7	Beryllium	1.0	U	01/21/2025	1720
7440-43-9	Cadmium	0.17	J	01/21/2025	1720
7440-70-2	Calcium	49000		01/21/2025	1720
7440-47-3	Chromium	1.6	J	01/21/2025	1720
7440-48-4	Cobalt	0.39	J	01/21/2025	1720
7440-50-8	Copper	3.3		01/21/2025	1720
7439-89-6	Iron	830		01/21/2025	1720
7439-92-1	Lead	0.50	J	01/21/2025	1720
7439-95-4	Magnesium	10000		01/21/2025	1720
7439-96-5	Manganese	43		01/21/2025	1720
7440-02-0	Nickel	1.2		01/21/2025	1720
7440-09-7	Potassium	1800		01/21/2025	1720
7782-49-2	Selenium	5.0	U	01/21/2025	1720
7440-22-4	Silver	1.0	U	01/21/2025	1720
7440-23-5	Sodium	32000		01/21/2025	1720
7440-28-0	Thallium	1.0	U	01/21/2025	1720
7440-62-2	Vanadium	2.8	J	01/21/2025	1720
7440-66-6	Zinc	13		01/21/2025	1720

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN
INORGANIC ANALYSIS DATA SHEET

MC0AF9

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
 Lab Code: ACE Case No.: 51953 MA No. : SDG No.: MC0AF9
 Matrix: Water Lab Sample ID: Q1087-01
 % Solids: Date Received: 01/15/2025
 Analytical Method: ICP_MS
 Concentration Units ($\mu\text{g/L}$, mg/L , mg/kg dry weight, μg , or $\mu\text{g/cm}^2$): ug/L

CAS No.	Analyte	Concentration	Q	Date Analyzed	Time Analyzed
7429-90-5	Aluminum	96		01/21/2025	1711
7440-36-0	Antimony	2.0	U	01/21/2025	1711
7440-38-2	Arsenic	0.44	J	01/21/2025	1711
7440-39-3	Barium	24		01/21/2025	1711
7440-41-7	Beryllium	1.0	U	01/21/2025	1711
7440-43-9	Cadmium	1.0	U	01/21/2025	1711
7440-70-2	Calcium	22000		01/21/2025	1711
7440-47-3	Chromium	2.0	U	01/21/2025	1711
7440-48-4	Cobalt	0.13	J	01/21/2025	1711
7440-50-8	Copper	0.74	J	01/21/2025	1711
7439-89-6	Iron	280		01/21/2025	1711
7439-92-1	Lead	0.34	J	01/21/2025	1711
7439-95-4	Magnesium	7300		01/21/2025	1711
7439-96-5	Manganese	42		01/21/2025	1711
7440-02-0	Nickel	1.0	U	01/21/2025	1711
7440-09-7	Potassium	2100		01/21/2025	1711
7782-49-2	Selenium	5.0	U	01/21/2025	1711
7440-22-4	Silver	1.0	U	01/21/2025	1711
7440-23-5	Sodium	13000		01/21/2025	1711
7440-28-0	Thallium	1.0	U	01/21/2025	1711
7440-62-2	Vanadium	0.58	J	01/21/2025	1711
7440-66-6	Zinc	2.7	J	01/21/2025	1711

NOTE: Hardness (total) is reported in mg/L

Comments:

