

DATA PACKAGE

VOLATILE ORGANICS

PROJECT NAME : 71-02 MYRTLE AVE, GLENDALE NY

GFE LLC

58 Nokomis Ave

Lake Hiawatha, NJ - 07034

Phone No: 646-542-3465

ORDER ID : Q1090

ATTENTION : Frank Galdun



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) VOCMS Group2- Case Narrative	4
3) Qualifier Page	6
4) QA Checklist	7
5) VOCMS Group2 Data	8
6) Shipping Document	18
6.1) CHAIN OF CUSTODY	19
6.2) Lab Certificate	29
6.3) Internal COC	30

1
2
3
4
5
6

Cover Page

Order ID : Q1090

Project ID : 71-02 Myrtle Ave, Glendale NY

Client : GFE LLC

Lab Sample Number

Q1090-01
Q1090-02
Q1090-03
Q1090-04
Q1090-05

Client Sample Number

SV1
SV2
IA1
IA2
OA1

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 1/23/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

GFE LLC

Project Name: 71-02 Myrtle Ave, Glendale NY

Project # N/A

Chemtech Project # Q1090

Test Name: VOCMS Group2

A. Number of Samples and Date of Receipt:

5 Air samples were received on 01/15/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: VOCMS Group2. This data package contains results for VOCMS Group2.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_L were done using GC column RTX-1, which is 60 meters, 0.32 mm id, 1.0 um df, Restek Cat. #10157. The Trap was supplied by Entech, glass bead and Tenax , Entech 7100A Preconcentrator. The analysis of VOCMS Group2 was based on method TO-15.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The RPD for {Q1090-05DUP} with File ID: VL041927.D met criteria except for m/p-Xylene[200%] due to difference in results of original and DUP.

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .

The Tuning criteria met requirements.

Due to potential high concentration of target analytes, sample SV2 was initially diluted.

Sample IA2 was diluted due to high concentration.

E. Additional Comments:

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q1090

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 01/23/2025

Hit Summary Sheet
SW-846

SDG No.: Q1090
Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: SV1								
Q1090-01	SV1	Air	Heptane	2.42		0.45	2.05	ug/m3
Q1090-01	SV1	Air	Benzene	0.38	J	0.29	1.60	ug/m3
Q1090-01	SV1	Air	Toluene	6.41		0.41	1.88	ug/m3
Q1090-01	SV1	Air	Tetrachloroethene	5.56		0.14	0.20	ug/m3
Q1090-01	SV1	Air	Ethyl Benzene	0.52	J	0.52	2.17	ug/m3
Q1090-01	SV1	Air	m/p-Xylene	2.17	J	0.91	4.34	ug/m3
Q1090-01	SV1	Air	o-Xylene	1.04	J	0.52	2.17	ug/m3
Q1090-01	SV1	Air	1,3,5-Trimethylbenzene	0.54	J	0.54	2.46	ug/m3
Q1090-01	SV1	Air	1,2,4-Trimethylbenzene	1.47	J	0.39	2.46	ug/m3
Q1090-01	SV1	Air	Hexane	14.4		0.39	1.76	ug/m3
Total Voc :				35.0				
Total Concentration:				35.0				
Client ID: SV2								
Q1090-02	SV2	Air	Heptane	6.56		0.90	4.10	ug/m3
Q1090-02	SV2	Air	Benzene	1.98	J	0.54	3.19	ug/m3
Q1090-02	SV2	Air	Toluene	7.16		0.83	3.77	ug/m3
Q1090-02	SV2	Air	Tetrachloroethene	3.93		0.20	0.41	ug/m3
Q1090-02	SV2	Air	m/p-Xylene	2.35	J	1.82	8.69	ug/m3
Q1090-02	SV2	Air	o-Xylene	2.35	J	1.04	4.34	ug/m3
Q1090-02	SV2	Air	Hexane	44.0		0.78	3.52	ug/m3
Total Voc :				68.4				
Total Concentration:				68.4				
Client ID: IA1								
Q1090-03	IA1	Air	Heptane	1.76	J	0.45	2.05	ug/m3
Q1090-03	IA1	Air	2,2,4-Trimethylpentane	1.03	J	0.47	2.34	ug/m3
Q1090-03	IA1	Air	Benzene	1.53	J	0.29	1.60	ug/m3
Q1090-03	IA1	Air	Toluene	30.1		0.41	1.88	ug/m3
Q1090-03	IA1	Air	Ethyl Benzene	1.22	J	0.52	2.17	ug/m3
Q1090-03	IA1	Air	m/p-Xylene	4.78		0.91	4.34	ug/m3
Q1090-03	IA1	Air	o-Xylene	1.48	J	0.52	2.17	ug/m3
Q1090-03	IA1	Air	1,2,4-Trimethylbenzene	0.98	J	0.39	2.46	ug/m3
Q1090-03	IA1	Air	Hexane	31.0		0.39	1.76	ug/m3
Total Voc :				73.9				
Total Concentration:				73.9				
Client ID: IA2								
Q1090-04	IA2	Air	Heptane	3.03		0.45	2.05	ug/m3
Q1090-04	IA2	Air	Cyclohexane	0.76	J	0.76	1.72	ug/m3

Hit Summary Sheet SW-846

SDG No.: Q1090

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1090-04	IA2	Air	2,2,4-Trimethylpentane	1.59	J	0.47	2.34	ug/m3
Q1090-04	IA2	Air	Benzene	2.01		0.29	1.60	ug/m3
Q1090-04	IA2	Air	Toluene	50.1		0.41	1.88	ug/m3
Q1090-04	IA2	Air	Ethyl Benzene	2.04	J	0.52	2.17	ug/m3
Q1090-04	IA2	Air	m/p-Xylene	9.12		0.91	4.34	ug/m3
Q1090-04	IA2	Air	o-Xylene	2.61		0.52	2.17	ug/m3
Q1090-04	IA2	Air	1,2,4-Trimethylbenzene	1.67	J	0.39	2.46	ug/m3
Q1090-04	IA2	Air	Hexane	56.0	E	0.39	1.76	ug/m3
Total Voc :				129				
Total Concentration:				129				
Client ID:	IA2DL							
Q1090-04DL	IA2DL	Air	Heptane	2.87	JD	0.90	4.10	ug/m3
Q1090-04DL	IA2DL	Air	2,2,4-Trimethylpentane	1.59	JD	0.93	4.67	ug/m3
Q1090-04DL	IA2DL	Air	Benzene	2.11	JD	0.54	3.19	ug/m3
Q1090-04DL	IA2DL	Air	Toluene	44.1	D	0.83	3.77	ug/m3
Q1090-04DL	IA2DL	Air	Ethyl Benzene	1.87	JD	1.04	4.34	ug/m3
Q1090-04DL	IA2DL	Air	m/p-Xylene	6.95	JD	1.82	8.69	ug/m3
Q1090-04DL	IA2DL	Air	o-Xylene	2.22	JD	1.04	4.34	ug/m3
Q1090-04DL	IA2DL	Air	1,2,4-Trimethylbenzene	1.28	JD	0.79	4.92	ug/m3
Q1090-04DL	IA2DL	Air	Hexane	52.5	D	0.78	3.52	ug/m3
Total Voc :				115				
Total Concentration:				115				
Client ID:	OA1							
Q1090-05	OA1	Air	Benzene	0.58	J	0.29	1.60	ug/m3
Q1090-05	OA1	Air	Toluene	0.68	J	0.41	1.88	ug/m3
Total Voc :				1.26				
Total Concentration:				1.26				



SAMPLE DATA

Report of Analysis

Client:	GFE LLC	Date Collected:	01/14/25
Project:	71-02 Myrtle Ave, Glendale NY	Date Received:	01/15/25
Client Sample ID:	SV1	SDG No.:	Q1090
Lab Sample ID:	Q1090-01	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041930.D	1		01/20/25 21:28	VL012025

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
142-82-5	Heptane	0.59	2.42		0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.12	0.38	J	0.29	1.60	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
108-88-3	Toluene	1.70	6.41		0.41	1.88	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.82	5.56		0.14	0.20	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	J	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.50	2.17	J	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.24	1.04	J	0.52	2.17	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	J	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.30	1.47	J	0.39	2.46	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
110-54-3	Hexane	4.10	14.4		0.39	1.76	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.3			65 - 135	103%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	140000		2.78			
540-36-3	1,4-Difluorobenzene	381000		3.949			
3114-55-4	Chlorobenzene-d5	363000		8.872			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	01/14/25
Project:	71-02 Myrtle Ave, Glendale NY	Date Received:	01/15/25
Client Sample ID:	SV2	SDG No.:	Q1090
Lab Sample ID:	Q1090-02	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041931.D	2		01/20/25 21:59	VL012025

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.030	0.080	U	0.080	0.15	ug/m3
142-82-5	Heptane	1.60	6.56		0.90	4.10	ug/m3
75-35-4	1,1-Dichloroethene	0.28	1.11	U	1.11	3.96	ug/m3
110-82-7	Cyclohexane	0.44	1.51	U	1.51	3.44	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.18	0.71	U	0.71	3.96	ug/m3
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	0.11	0.33	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.20	0.93	U	0.93	4.67	ug/m3
71-43-2	Benzene	0.62	1.98	J	0.54	3.19	ug/m3
79-01-6	Trichloroethene	0.030	0.16	U	0.16	0.32	ug/m3
108-88-3	Toluene	1.90	7.16		0.83	3.77	ug/m3
106-93-4	1,2-Dibromoethane	0.14	1.08	U	1.08	1.54	ug/m3
127-18-4	Tetrachloroethene	0.58	3.93		0.20	0.41	ug/m3
100-41-4	Ethyl Benzene	0.24	1.04	U	1.04	4.34	ug/m3
179601-23-1	m/p-Xylene	0.54	2.35	J	1.82	8.69	ug/m3
95-47-6	o-Xylene	0.54	2.35	J	1.04	4.34	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.22	1.08	U	1.08	4.92	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.16	0.79	U	0.79	4.92	ug/m3
91-20-3	Naphthalene	0.15	0.79	U	0.79	1.05	ug/m3
110-54-3	Hexane	12.5	44.0		0.78	3.52	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.0			65 - 135	100%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	144000		2.777			
540-36-3	1,4-Difluorobenzene	409000		3.943			
3114-55-4	Chlorobenzene-d5	376000		8.865			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	01/14/25
Project:	71-02 Myrtle Ave, Glendale NY	Date Received:	01/15/25
Client Sample ID:	IA1	SDG No.:	Q1090
Lab Sample ID:	Q1090-03	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041938.D	1		01/21/25 08:17	VL012025

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
142-82-5	Heptane	0.43	1.76	J	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.22	1.03	J	0.47	2.34	ug/m3
71-43-2	Benzene	0.48	1.53	J	0.29	1.60	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
108-88-3	Toluene	8.00	30.1		0.41	1.88	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
100-41-4	Ethyl Benzene	0.28	1.22	J	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	1.10	4.78		0.91	4.34	ug/m3
95-47-6	o-Xylene	0.34	1.48	J	0.52	2.17	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.20	0.98	J	0.39	2.46	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
110-54-3	Hexane	8.80	31.0		0.39	1.76	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.5			65 - 135	104%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	137000		2.774			
540-36-3	1,4-Difluorobenzene	373000		3.939			
3114-55-4	Chlorobenzene-d5	322000		8.862			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	01/14/25
Project:	71-02 Myrtle Ave, Glendale NY	Date Received:	01/15/25
Client Sample ID:	IA2	SDG No.:	Q1090
Lab Sample ID:	Q1090-04	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041925.D	1		01/20/25 18:07	VL012025

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
142-82-5	Heptane	0.74	3.03		0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
110-82-7	Cyclohexane	0.22	0.76	J	0.76	1.72	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.34	1.59	J	0.47	2.34	ug/m3
71-43-2	Benzene	0.63	2.01		0.29	1.60	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
108-88-3	Toluene	13.3	50.1		0.41	1.88	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
100-41-4	Ethyl Benzene	0.47	2.04	J	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	2.10	9.12		0.91	4.34	ug/m3
95-47-6	o-Xylene	0.60	2.61		0.52	2.17	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.34	1.67	J	0.39	2.46	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
110-54-3	Hexane	15.9	56.0	E	0.39	1.76	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.5			65 - 135	104%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	136000			2.784		
540-36-3	1,4-Difluorobenzene	382000			3.952		
3114-55-4	Chlorobenzene-d5	332000			8.872		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	01/14/25
Project:	71-02 Myrtle Ave, Glendale NY	Date Received:	01/15/25
Client Sample ID:	IA2DL	SDG No.:	Q1090
Lab Sample ID:	Q1090-04DL	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041941.D	2		01/21/25 11:34	VL012025

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.030	0.080	UD	0.080	0.15	ug/m3
142-82-5	Heptane	0.70	2.87	JD	0.90	4.10	ug/m3
75-35-4	1,1-Dichloroethene	0.28	1.11	UD	1.11	3.96	ug/m3
110-82-7	Cyclohexane	0.44	1.51	UD	1.51	3.44	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.18	0.71	UD	0.71	3.96	ug/m3
71-55-6	1,1,1-Trichloroethane	0.020	0.11	UD	0.11	0.33	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.34	1.59	JD	0.93	4.67	ug/m3
71-43-2	Benzene	0.66	2.11	JD	0.54	3.19	ug/m3
79-01-6	Trichloroethene	0.030	0.16	UD	0.16	0.32	ug/m3
108-88-3	Toluene	11.7	44.1	D	0.83	3.77	ug/m3
106-93-4	1,2-Dibromoethane	0.14	1.08	UD	1.08	1.54	ug/m3
127-18-4	Tetrachloroethene	0.030	0.20	UD	0.20	0.41	ug/m3
100-41-4	Ethyl Benzene	0.43	1.87	JD	1.04	4.34	ug/m3
179601-23-1	m/p-Xylene	1.60	6.95	JD	1.82	8.69	ug/m3
95-47-6	o-Xylene	0.51	2.22	JD	1.04	4.34	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.22	1.08	UD	1.08	4.92	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.26	1.28	JD	0.79	4.92	ug/m3
91-20-3	Naphthalene	0.15	0.79	UD	0.79	1.05	ug/m3
110-54-3	Hexane	14.9	52.5	D	0.78	3.52	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.1			65 - 135	101%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	143000		2.774			
540-36-3	1,4-Difluorobenzene	386000		3.939			
3114-55-4	Chlorobenzene-d5	326000		8.862			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	01/14/25
Project:	71-02 Myrtle Ave, Glendale NY	Date Received:	01/15/25
Client Sample ID:	OA1	SDG No.:	Q1090
Lab Sample ID:	Q1090-05	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041926.D	1		01/20/25 18:42	VL012025

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
142-82-5	Heptane	0.11	0.45	U	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.18	0.58	J	0.29	1.60	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
108-88-3	Toluene	0.18	0.68	J	0.41	1.88	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.21	0.91	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	U	0.52	2.17	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.080	0.39	U	0.39	2.46	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
110-54-3	Hexane	0.11	0.39	U	0.39	1.76	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.0			65 - 135	100%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	137000		2.781			
540-36-3	1,4-Difluorobenzene	387000		3.949			
3114-55-4	Chlorobenzene-d5	335000		8.869			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements


LAB CHRONICLE

OrderID:	Q1090	OrderDate:	1/15/2025 1:12:00 PM
Client:	GFE LLC	Project:	71-02 Myrtle Ave, Glendale NY
Contact:	Frank Galdun	Location:	N41,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1090-01	SV1	Air	VOCMS Group2	TO-15	01/14/25		01/20/25	01/15/25
Q1090-02	SV2	Air	VOCMS Group2	TO-15	01/14/25		01/20/25	01/15/25
Q1090-03	IA1	Air	VOCMS Group2	TO-15	01/14/25		01/21/25	01/15/25
Q1090-04	IA2	Air	VOCMS Group2	TO-15	01/14/25		01/20/25	01/15/25
Q1090-04DL	IA2DL	Air	VOCMS Group2	TO-15	01/14/25		01/21/25	01/15/25
Q1090-05	OA1	Air	VOCMS Group2	TO-15	01/14/25		01/20/25	01/15/25



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2501005				Courier : F. GALDUN				1 of 5 COCs																	
Client ID : GFEL01				Project ID : 10-Woodbine CT, Floral Park NY				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix															
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 71-02 MYRTLE AVE. GLENDALE, NY																									
				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY																					
				Standard : 10 business days OR				EDD Type : PDF																					
Rush (Specify): 5 Days																													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
SVI	1/14/25	12:00	1:42	30	6	68	68	-30	-6.7	10550	10599	6 L	50	VL041612.D	1		1												
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: 00																													
Sampling site (State):																													
Quick Connector required : NO																													
Canisters Shipped by: Sam				Date/Time: 01/16/25				Canisters Received by: 				Date/Time:																	
Samples Relinquished by: Frank				Date/Time: 1/15/25				Received by: 				Date/Time: 1-15-25 1135																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

B2501005 - 10

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,2-DCE
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

Client Contact Information				Bottle Order ID : B2501005				Courier : <u>FGALDUN</u>				<u>2</u> of <u>5</u> COCs			
Client ID : GFEL01 Project ID : <u>10 Wapping CT, Flushing Park NY</u>				Sampler Name(s) : <u>FRANK GILDUN</u>				Analysis				Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : FRANK GILDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: <u>71-02 MYRTLE AVE</u> <u>GLENDALE, NY</u>											
				Analysis Turnaround Time <u>5 DAY</u>				Data Package Type : <u>RESULTS ONLY</u>							
				Standard : 10 business days OR				EDD Type : <u>PDF</u>							
Rush (Specify): <u>5</u> Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
<u>SV2</u>	<u>11/14/25</u>	<u>11:56</u>	<u>1:56</u>	<u>OVER 30</u>	<u>6</u>	<u>60</u>	<u>60</u>	<u>-30</u>	<u>-67</u>	<u>10707</u>	<u>10053</u>	<u>6 L</u>	<u>50</u>	<u>VL041691.D</u>	<u>1</u>		<u>1</u>

Temperature (Fahrenheit)						GC/MS Analyst Signature (TO-15) <u>[Signature]</u>	
	Ambient	Maximum	Minimum				
Start							
Stop							

Pressure (Inches of Hg)						** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST. Please follow the instructions on the back of this COC.	
	Ambient	Maximum	Minimum				
Start							
Stop							

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: 0.0

Sampling site (State):

Quick Connector required : NO

Canisters Shipped by: <u>[Signature]</u>	Date/Time: <u>01/10/25</u>	Canisters Received by: <u>[Signature]</u>	Date/Time: <u>1-15-25 1135</u>
Samples Relinquished by: <u>[Signature]</u>	Date/Time: <u>1/15/25</u>	Received by: <u>[Signature]</u>	Date/Time: <u>1-15-25 1135</u>
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2501005 - 1

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,2-DCE
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

Client Contact Information				Bottle Order ID : B2501005				Courier : FGALDUN				<u>3</u> of <u>5</u> COCs																	
Client ID : GFEL01 Project ID : 10 Woodbine CT, Forest Park NY				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix																	
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				Indoor/Ambient Air Soil Gas																	
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 7102 MYRTLE AVE GLENDALE, NY																									
Analysis Turnaround Time 5 DAY				Standard : 10 business days OR				Data Package Type : RESULTS ONLY																					
Rush (Specify): 5 Days				EDD Type : PDF																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15															
IA1	11/14/24	11:48	1:48	29	5	68	68	-30	-6.3	10226	10598	6 L	50	VL041612.D	1														
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) [Signature]							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				**Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u>																													
Sampling site (State):																													
Quick Connector required : <u>NO</u>																													
Canisters Shipped by: <u>Sam</u>				Date/Time: <u>01/16/25</u>				Canisters Received by: <u>[Signature]</u>				Date/Time:																	
Samples Relinquished by: <u>[Signature]</u>				Date/Time: <u>11/15/24</u>				Received by: <u>[Signature]</u>				Date/Time: <u>11-15-25 11:35</u>																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

B2501005 - 9

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,2-DCE
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

Client Contact Information				Bottle Order ID : B2501005				Courier : F GALDUN				1 of 1 COCs							
Client ID : GFELO1				Project ID : 10 Woodbine Ct Floral Park NY				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified											
				Phone Number : 646-542-3465															
				Fax Number : 973-334-1692															
				Site Details: 71-02 MYRTLE AVE GLENDALF, NY															
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : Results ONLY											
State : NJ				Standard : 10 business days OR															
Zip Code : 07034				Rush (Specify): 5 Days				EDD Type : PDF											
Country :																			
Sample Identification		Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas		
IAZ		1/14/25	11:49	1:49	50	6.5	68	68	-30	-6.3	10648	10297	6 L	50	VL041693.D	1	1		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 									
		Ambient		Maximum		Minimum													
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.									
		Ambient		Maximum		Minimum													
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u>																			
Sampling site (State):																			
Quick Connector required : <u>No</u>																			
Canisters Shipped by: <u>SAM</u>				Date/Time: <u>01/10/25</u>				Canisters Received by: 				Date/Time: <u>1-15-25 1135</u>				B2501005 - 4			
Samples Relinquished by: <u>FRANK</u>				Date/Time: <u>1/15/25</u>				Received by: 				Date/Time: <u>1-15-25 1135</u>							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,2-DCE
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

Client Contact Information				Bottle Order ID : B2501005				Courier : FGALDUN				<u>5</u> of <u>5</u> COCs																	
Client ID : GFEL01				Project ID : 10 Woodbine CT, Floral Park NY				Sampler Name(s) : FRANK GILDUN				Analysis		Matrix															
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : FRANK GILDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 71-02 MYRTLE AVE GLENDALE, NY																									
Analysis Turnaround Time 5 DAY				Standard : 10 business days OR				Data Package Type : RESULTS ONLY																					
Rush (Specify): 5 Days				EDD Type : PDE																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
OA1	1/14/25	12:49	2:47	30	4.5	/	/	-30	-3.9	10613	10154	6 L	50	VL041694.D	1	/													
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>30</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>32</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	30			Stop	32			GC/MS Analyst Signature (TO-15) [Signature]							
	Ambient	Maximum	Minimum																										
Start	30																												
Stop	32																												
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: 0.0																													
Sampling site (State):																													
Quick Connector required : NO																													
Canisters Shipped by: SAM				Date/Time: 01/10/25				Canisters Received by: [Signature]				Date/Time:																	
Samples Relinquished by: [Signature]				Date/Time: 1/15/25				Received by: [Signature]				Date/Time: 1-15-25 1139																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

B2501005 - 2

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,2-DCE
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

~~QA50:~~

Title: Sample Custodian

Field Sample Seal No.: Q1090



Date Broken: 1/15/2025

Military Time Seal Broken: 11:35:00

Case No.: 71-02 Myrtle Ave, Glendale

Analytical Parameter/Fraction: OCMS Group2

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q1090-01	SV1		
Q1090-02	SV2		
Q1090-03	IA1		
Q1090-04	IA2		
Q1090-05	OA1		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
1-15-25	1346	Signature: 	Signature: 	
		Printed Name: <u>Tahmir Davis</u>	Printed Name: <u>Sample Custodian</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy