

Hit Summary Sheet
SW-846

SDG No.: Q1090
Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	SV1							
Q1090-01	SV1	Air	Heptane	2.42		0.45	2.05	ug/m3
Q1090-01	SV1	Air	Benzene	0.38	J	0.29	1.60	ug/m3
Q1090-01	SV1	Air	Toluene	6.41		0.41	1.88	ug/m3
Q1090-01	SV1	Air	Tetrachloroethene	5.56		0.14	0.20	ug/m3
Q1090-01	SV1	Air	Ethyl Benzene	0.52	J	0.52	2.17	ug/m3
Q1090-01	SV1	Air	m/p-Xylene	2.17	J	0.91	4.34	ug/m3
Q1090-01	SV1	Air	o-Xylene	1.04	J	0.52	2.17	ug/m3
Q1090-01	SV1	Air	1,3,5-Trimethylbenzene	0.54	J	0.54	2.46	ug/m3
Q1090-01	SV1	Air	1,2,4-Trimethylbenzene	1.47	J	0.39	2.46	ug/m3
Q1090-01	SV1	Air	Hexane	14.4		0.39	1.76	ug/m3
Total Voc :				35.0				
Total Concentration:				35.0				
Client ID:	SV2							
Q1090-02	SV2	Air	Heptane	6.56		0.90	4.10	ug/m3
Q1090-02	SV2	Air	Benzene	1.98	J	0.54	3.19	ug/m3
Q1090-02	SV2	Air	Toluene	7.16		0.83	3.77	ug/m3
Q1090-02	SV2	Air	Tetrachloroethene	3.93		0.20	0.41	ug/m3
Q1090-02	SV2	Air	m/p-Xylene	2.35	J	1.82	8.69	ug/m3
Q1090-02	SV2	Air	o-Xylene	2.35	J	1.04	4.34	ug/m3
Q1090-02	SV2	Air	Hexane	44.0		0.78	3.52	ug/m3
Total Voc :				68.4				
Total Concentration:				68.4				
Client ID:	IA1							
Q1090-03	IA1	Air	Heptane	1.76	J	0.45	2.05	ug/m3
Q1090-03	IA1	Air	2,2,4-Trimethylpentane	1.03	J	0.47	2.34	ug/m3
Q1090-03	IA1	Air	Benzene	1.53	J	0.29	1.60	ug/m3
Q1090-03	IA1	Air	Toluene	30.1		0.41	1.88	ug/m3
Q1090-03	IA1	Air	Ethyl Benzene	1.22	J	0.52	2.17	ug/m3
Q1090-03	IA1	Air	m/p-Xylene	4.78		0.91	4.34	ug/m3
Q1090-03	IA1	Air	o-Xylene	1.48	J	0.52	2.17	ug/m3
Q1090-03	IA1	Air	1,2,4-Trimethylbenzene	0.98	J	0.39	2.46	ug/m3
Q1090-03	IA1	Air	Hexane	31.0		0.39	1.76	ug/m3
Total Voc :				73.9				
Total Concentration:				73.9				
Client ID:	IA2							
Q1090-04	IA2	Air	Heptane	3.03		0.45	2.05	ug/m3
Q1090-04	IA2	Air	Cyclohexane	0.76	J	0.76	1.72	ug/m3

A
B
C
D

Hit Summary Sheet SW-846

SDG No.: Q1090

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1090-04	IA2	Air	2,2,4-Trimethylpentane	1.59	J	0.47	2.34	ug/m3
Q1090-04	IA2	Air	Benzene	2.01		0.29	1.60	ug/m3
Q1090-04	IA2	Air	Toluene	50.1		0.41	1.88	ug/m3
Q1090-04	IA2	Air	Ethyl Benzene	2.04	J	0.52	2.17	ug/m3
Q1090-04	IA2	Air	m/p-Xylene	9.12		0.91	4.34	ug/m3
Q1090-04	IA2	Air	o-Xylene	2.61		0.52	2.17	ug/m3
Q1090-04	IA2	Air	1,2,4-Trimethylbenzene	1.67	J	0.39	2.46	ug/m3
Q1090-04	IA2	Air	Hexane	56.0	E	0.39	1.76	ug/m3
Total Voc :				129				
Total Concentration:				129				
Client ID:	IA2DL							
Q1090-04DL	IA2DL	Air	Heptane	2.87	JD	0.90	4.10	ug/m3
Q1090-04DL	IA2DL	Air	2,2,4-Trimethylpentane	1.59	JD	0.93	4.67	ug/m3
Q1090-04DL	IA2DL	Air	Benzene	2.11	JD	0.54	3.19	ug/m3
Q1090-04DL	IA2DL	Air	Toluene	44.1	D	0.83	3.77	ug/m3
Q1090-04DL	IA2DL	Air	Ethyl Benzene	1.87	JD	1.04	4.34	ug/m3
Q1090-04DL	IA2DL	Air	m/p-Xylene	6.95	JD	1.82	8.69	ug/m3
Q1090-04DL	IA2DL	Air	o-Xylene	2.22	JD	1.04	4.34	ug/m3
Q1090-04DL	IA2DL	Air	1,2,4-Trimethylbenzene	1.28	JD	0.79	4.92	ug/m3
Q1090-04DL	IA2DL	Air	Hexane	52.5	D	0.78	3.52	ug/m3
Total Voc :				115				
Total Concentration:				115				
Client ID:	OA1							
Q1090-05	OA1	Air	Benzene	0.58	J	0.29	1.60	ug/m3
Q1090-05	OA1	Air	Toluene	0.68	J	0.41	1.88	ug/m3
Total Voc :				1.26				
Total Concentration:				1.26				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	GFE LLC	Date Collected:	01/14/25
Project:	71-02 Myrtle Ave, Glendale NY	Date Received:	01/15/25
Client Sample ID:	SV1	SDG No.:	Q1090
Lab Sample ID:	Q1090-01	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041930.D	1		01/20/25 21:28	VL012025

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
142-82-5	Heptane	0.59	2.42		0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.12	0.38	J	0.29	1.60	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
108-88-3	Toluene	1.70	6.41		0.41	1.88	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.82	5.56		0.14	0.20	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	J	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.50	2.17	J	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.24	1.04	J	0.52	2.17	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	J	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.30	1.47	J	0.39	2.46	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
110-54-3	Hexane	4.10	14.4		0.39	1.76	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.3			65 - 135	103%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	140000		2.78			
540-36-3	1,4-Difluorobenzene	381000		3.949			
3114-55-4	Chlorobenzene-d5	363000		8.872			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	01/14/25
Project:	71-02 Myrtle Ave, Glendale NY	Date Received:	01/15/25
Client Sample ID:	SV2	SDG No.:	Q1090
Lab Sample ID:	Q1090-02	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041931.D	2		01/20/25 21:59	VL012025

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.030	0.080	U	0.080	0.15	ug/m3
142-82-5	Heptane	1.60	6.56		0.90	4.10	ug/m3
75-35-4	1,1-Dichloroethene	0.28	1.11	U	1.11	3.96	ug/m3
110-82-7	Cyclohexane	0.44	1.51	U	1.51	3.44	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.18	0.71	U	0.71	3.96	ug/m3
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	0.11	0.33	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.20	0.93	U	0.93	4.67	ug/m3
71-43-2	Benzene	0.62	1.98	J	0.54	3.19	ug/m3
79-01-6	Trichloroethene	0.030	0.16	U	0.16	0.32	ug/m3
108-88-3	Toluene	1.90	7.16		0.83	3.77	ug/m3
106-93-4	1,2-Dibromoethane	0.14	1.08	U	1.08	1.54	ug/m3
127-18-4	Tetrachloroethene	0.58	3.93		0.20	0.41	ug/m3
100-41-4	Ethyl Benzene	0.24	1.04	U	1.04	4.34	ug/m3
179601-23-1	m/p-Xylene	0.54	2.35	J	1.82	8.69	ug/m3
95-47-6	o-Xylene	0.54	2.35	J	1.04	4.34	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.22	1.08	U	1.08	4.92	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.16	0.79	U	0.79	4.92	ug/m3
91-20-3	Naphthalene	0.15	0.79	U	0.79	1.05	ug/m3
110-54-3	Hexane	12.5	44.0		0.78	3.52	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.0			65 - 135	100%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	144000		2.777			
540-36-3	1,4-Difluorobenzene	409000		3.943			
3114-55-4	Chlorobenzene-d5	376000		8.865			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	01/14/25
Project:	71-02 Myrtle Ave, Glendale NY	Date Received:	01/15/25
Client Sample ID:	IA1	SDG No.:	Q1090
Lab Sample ID:	Q1090-03	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041938.D	1		01/21/25 08:17	VL012025

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
142-82-5	Heptane	0.43	1.76	J	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.22	1.03	J	0.47	2.34	ug/m3
71-43-2	Benzene	0.48	1.53	J	0.29	1.60	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
108-88-3	Toluene	8.00	30.1		0.41	1.88	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
100-41-4	Ethyl Benzene	0.28	1.22	J	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	1.10	4.78		0.91	4.34	ug/m3
95-47-6	o-Xylene	0.34	1.48	J	0.52	2.17	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.20	0.98	J	0.39	2.46	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
110-54-3	Hexane	8.80	31.0		0.39	1.76	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.5			65 - 135	104%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	137000			2.774		
540-36-3	1,4-Difluorobenzene	373000			3.939		
3114-55-4	Chlorobenzene-d5	322000			8.862		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	01/14/25
Project:	71-02 Myrtle Ave, Glendale NY	Date Received:	01/15/25
Client Sample ID:	IA2	SDG No.:	Q1090
Lab Sample ID:	Q1090-04	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041925.D	1		01/20/25 18:07	VL012025

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
142-82-5	Heptane	0.74	3.03		0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
110-82-7	Cyclohexane	0.22	0.76	J	0.76	1.72	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.34	1.59	J	0.47	2.34	ug/m3
71-43-2	Benzene	0.63	2.01		0.29	1.60	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
108-88-3	Toluene	13.3	50.1		0.41	1.88	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
100-41-4	Ethyl Benzene	0.47	2.04	J	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	2.10	9.12		0.91	4.34	ug/m3
95-47-6	o-Xylene	0.60	2.61		0.52	2.17	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.34	1.67	J	0.39	2.46	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
110-54-3	Hexane	15.9	56.0	E	0.39	1.76	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.5			65 - 135	104%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	136000			2.784		
540-36-3	1,4-Difluorobenzene	382000			3.952		
3114-55-4	Chlorobenzene-d5	332000			8.872		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	01/14/25
Project:	71-02 Myrtle Ave, Glendale NY	Date Received:	01/15/25
Client Sample ID:	IA2DL	SDG No.:	Q1090
Lab Sample ID:	Q1090-04DL	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041941.D	2		01/21/25 11:34	VL012025

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.030	0.080	UD	0.080	0.15	ug/m3
142-82-5	Heptane	0.70	2.87	JD	0.90	4.10	ug/m3
75-35-4	1,1-Dichloroethene	0.28	1.11	UD	1.11	3.96	ug/m3
110-82-7	Cyclohexane	0.44	1.51	UD	1.51	3.44	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.18	0.71	UD	0.71	3.96	ug/m3
71-55-6	1,1,1-Trichloroethane	0.020	0.11	UD	0.11	0.33	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.34	1.59	JD	0.93	4.67	ug/m3
71-43-2	Benzene	0.66	2.11	JD	0.54	3.19	ug/m3
79-01-6	Trichloroethene	0.030	0.16	UD	0.16	0.32	ug/m3
108-88-3	Toluene	11.7	44.1	D	0.83	3.77	ug/m3
106-93-4	1,2-Dibromoethane	0.14	1.08	UD	1.08	1.54	ug/m3
127-18-4	Tetrachloroethene	0.030	0.20	UD	0.20	0.41	ug/m3
100-41-4	Ethyl Benzene	0.43	1.87	JD	1.04	4.34	ug/m3
179601-23-1	m/p-Xylene	1.60	6.95	JD	1.82	8.69	ug/m3
95-47-6	o-Xylene	0.51	2.22	JD	1.04	4.34	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.22	1.08	UD	1.08	4.92	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.26	1.28	JD	0.79	4.92	ug/m3
91-20-3	Naphthalene	0.15	0.79	UD	0.79	1.05	ug/m3
110-54-3	Hexane	14.9	52.5	D	0.78	3.52	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.1			65 - 135	101%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	143000		2.774			
540-36-3	1,4-Difluorobenzene	386000		3.939			
3114-55-4	Chlorobenzene-d5	326000		8.862			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	01/14/25
Project:	71-02 Myrtle Ave, Glendale NY	Date Received:	01/15/25
Client Sample ID:	OA1	SDG No.:	Q1090
Lab Sample ID:	Q1090-05	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041926.D	1		01/20/25 18:42	VL012025

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
142-82-5	Heptane	0.11	0.45	U	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.18	0.58	J	0.29	1.60	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
108-88-3	Toluene	0.18	0.68	J	0.41	1.88	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.21	0.91	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	U	0.52	2.17	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.080	0.39	U	0.39	2.46	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
110-54-3	Hexane	0.11	0.39	U	0.39	1.76	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.0			65 - 135	100%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	137000		2.781			
540-36-3	1,4-Difluorobenzene	387000		3.949			
3114-55-4	Chlorobenzene-d5	335000		8.869			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

LAB CHRONICLE

OrderID:	Q1090	OrderDate:	1/15/2025 1:12:00 PM
Client:	GFE LLC	Project:	71-02 Myrtle Ave, Glendale NY
Contact:	Frank Galdun	Location:	N41,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1090-01	SV1	Air	VOCMS Group2	TO-15	01/14/25		01/20/25	01/15/25
Q1090-02	SV2	Air	VOCMS Group2	TO-15	01/14/25		01/20/25	01/15/25
Q1090-03	IA1	Air	VOCMS Group2	TO-15	01/14/25		01/21/25	01/15/25
Q1090-04	IA2	Air	VOCMS Group2	TO-15	01/14/25		01/20/25	01/15/25
Q1090-04DL	IA2DL	Air	VOCMS Group2	TO-15	01/14/25		01/21/25	01/15/25
Q1090-05	OA1	Air	VOCMS Group2	TO-15	01/14/25		01/20/25	01/15/25