

rteres

Instrument :

FID\_B

ClientSampleId :

BSF0117W2

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 01/21/2025

Supervised By :Ankita Jodhani 01/21/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB01172  
Data File : FB031316.D  
Signal(s) : FID2B.CH  
Acq On : 17 Jan 2025 10:28  
Sample : BSF0117W2  
Misc :  
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB011525.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.718       | 4.559        | 4.943      | BV       | 13451          | 1020307      | 85.55%         | 14.800%       |
| 2         | 7.421       | 7.167        | 7.635      | PV       | 12851          | 1142437      | 95.79%         | 16.572%       |
| 3         | 7.752       | 7.635        | 7.821      | VV       | 6565           | 371932       | 31.19%         | 5.395%        |
| 4         | 7.891       | 7.821        | 8.094      | VV       | 7767           | 427129       | 35.81%         | 6.196%        |
| 5         | 8.791       | 8.619        | 8.957      | PV       | 6843           | 390870       | 32.77%         | 5.670%        |
| 6         | 10.619      | 10.482       | 10.943     | VV       | 22851          | 1192662      | 100.00%        | 17.300%       |
| 7         | 13.055      | 12.829       | 13.116     | BV       | 7380           | 345118       | 28.94%         | 5.006%        |
| 8         | 13.189      | 13.116       | 13.433     | VV       | 14526          | 745466       | 62.50%         | 10.813%       |
| 9         | 13.916      | 13.589       | 14.063     | BV       | 13973          | 697426       | 58.48%         | 10.117%       |
| 10        | 16.193      | 16.016       | 16.401     | BBA      | 12717          | 560594       | 47.00%         | 8.132%        |

Sum of corrected areas: 6893942

FB011525.M Sat Jan 18 02:01:38 2025