



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

A
B
C
D

Hit Summary Sheet SW-846

SDG No.: Q1109
Client: Weston Solutions

Sample ID	Client ID	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : TAPIAL1-MW04S-011525-00-T2								
Q1109-02	TAPIAL1-MW04S-01152 WATER	Caprolactam	2.200	J	1.7	8.2	10.2	ug/L
		Total Svoc :			2.20			
Q1109-02	TAPIAL1-MW04S-01152 WATER	2-Pentanone, 4-hydroxy-4-methyl *	5.000	AB	0		0	ug/L
Q1109-02	TAPIAL1-MW04S-01152 WATER	n-Hexadecanoic acid *	4.300	J	0		0	ug/L
		Total Tics :			9.30			
		Total Concentration:			11.50			



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Weston Solutions	Date Collected:	01/15/25
Project:	Ft Meade Tipton Airfield Parcel RI - PO 0111169	Date Received:	01/16/25
Client Sample ID:	TAPIAL1-MW04S-011525-00-T2	SDG No.:	Q1109
Lab Sample ID:	Q1109-02	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141220.D	1	01/17/25 11:40	01/20/25 14:13	PB166117

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.20	U	4.10	8.20	10.2	ug/L
108-95-2	Phenol	4.10	U	0.95	4.10	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.10	U	1.20	4.10	5.10	ug/L
95-57-8	2-Chlorophenol	4.10	U	0.72	4.10	5.10	ug/L
95-48-7	2-Methylphenol	4.10	U	1.20	4.10	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.10	U	1.40	4.10	5.10	ug/L
98-86-2	Acetophenone	4.10	U	1.10	4.10	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.20	U	1.20	8.20	10.2	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.60	U	1.50	2.60	2.60	ug/L
67-72-1	Hexachloroethane	4.10	U	1.00	4.10	5.10	ug/L
98-95-3	Nitrobenzene	4.10	U	1.30	4.10	5.10	ug/L
78-59-1	Isophorone	4.10	U	1.20	4.10	5.10	ug/L
88-75-5	2-Nitrophenol	4.10	U	2.00	4.10	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.10	U	1.50	4.10	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.10	U	1.00	4.10	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.10	U	0.90	4.10	5.10	ug/L
91-20-3	Naphthalene	4.10	U	1.00	4.10	5.10	ug/L
106-47-8	4-Chloroaniline	4.10	U	1.30	4.10	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.10	U	1.30	4.10	5.10	ug/L
105-60-2	Caprolactam	2.20	J	1.70	8.20	10.2	ug/L
59-50-7	4-Chloro-3-methylphenol	4.10	U	0.86	4.10	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.10	U	1.20	4.10	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.20	UQ	5.10	8.20	10.2	ug/L
88-06-2	2,4,6-Trichlorophenol	4.10	U	0.91	4.10	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.10	U	1.00	4.10	5.10	ug/L
92-52-4	1,1-Biphenyl	4.10	U	0.93	4.10	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.10	U	0.99	4.10	5.10	ug/L
88-74-4	2-Nitroaniline	4.10	U	1.40	4.10	5.10	ug/L
131-11-3	Dimethylphthalate	4.10	U	0.95	4.10	5.10	ug/L

Report of Analysis

Client:	Weston Solutions	Date Collected:	01/15/25
Project:	Ft Meade Tipton Airfield Parcel RI - PO 0111169	Date Received:	01/16/25
Client Sample ID:	TAPIAL1-MW04S-011525-00-T2	SDG No.:	Q1109
Lab Sample ID:	Q1109-02	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141220.D	1	01/17/25 11:40	01/20/25 14:13	PB166117

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.10	U	1.10	4.10	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.10	U	1.30	4.10	5.10	ug/L
99-09-2	3-Nitroaniline	4.10	U	1.40	4.10	5.10	ug/L
83-32-9	Acenaphthene	4.10	U	0.83	4.10	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.20	U	6.60	8.20	10.2	ug/L
100-02-7	4-Nitrophenol	8.20	U	2.00	8.20	10.2	ug/L
132-64-9	Dibenzofuran	4.10	U	0.95	4.10	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.10	U	1.60	4.10	5.10	ug/L
84-66-2	Diethylphthalate	4.10	U	1.10	4.10	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.10	U	1.00	4.10	5.10	ug/L
86-73-7	Fluorene	4.10	U	0.98	4.10	5.10	ug/L
100-01-6	4-Nitroaniline	4.10	U	2.10	4.10	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.20	U	3.10	8.20	10.2	ug/L
86-30-6	n-Nitrosodiphenylamine	4.10	U	0.91	4.10	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.10	U	0.97	4.10	5.10	ug/L
118-74-1	Hexachlorobenzene	4.10	U	1.20	4.10	5.10	ug/L
1912-24-9	Atrazine	4.10	U	1.30	4.10	5.10	ug/L
87-86-5	Pentachlorophenol	8.20	U	1.90	8.20	10.2	ug/L
85-01-8	Phenanthrene	4.10	U	0.91	4.10	5.10	ug/L
120-12-7	Anthracene	4.10	U	1.10	4.10	5.10	ug/L
86-74-8	Carbazole	4.10	U	1.20	4.10	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.10	U	1.50	4.10	5.10	ug/L
206-44-0	Fluoranthene	4.10	U	1.30	4.10	5.10	ug/L
129-00-0	Pyrene	4.10	U	1.10	4.10	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.10	U	2.10	4.10	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.20	U	1.30	8.20	10.2	ug/L
56-55-3	Benzo(a)anthracene	4.10	U	0.96	4.10	5.10	ug/L
218-01-9	Chrysene	4.10	U	0.88	4.10	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.10	U	1.90	4.10	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.20	U	2.60	8.20	10.2	ug/L
205-99-2	Benzo(b)fluoranthene	4.10	U	1.20	4.10	5.10	ug/L

Report of Analysis

Client:	Weston Solutions	Date Collected:	01/15/25
Project:	Ft Meade Tipton Airfield Parcel RI - PO 0111169	Date Received:	01/16/25
Client Sample ID:	TAPIAL1-MW04S-011525-00-T2	SDG No.:	Q1109
Lab Sample ID:	Q1109-02	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141220.D	1	01/17/25 11:40	01/20/25 14:13	PB166117

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.10	U	1.20	4.10	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.10	U	1.70	4.10	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.10	U	1.00	4.10	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.10	U	1.20	4.10	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.10	U	1.20	4.10	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.10	U	1.10	4.10	5.10	ug/L
123-91-1	1,4-Dioxane	4.10	U	1.30	4.10	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.10	U	0.81	4.10	5.10	ug/L

SURROGATES

367-12-4	2-Fluorophenol	74.5		19 - 119		50%	SPK: 150
13127-88-3	Phenol-d6	46.5		10 - 130		31%	SPK: 150
4165-60-0	Nitrobenzene-d5	106		44 - 120		106%	SPK: 100
321-60-8	2-Fluorobiphenyl	99.8		44 - 119		100%	SPK: 100
118-79-6	2,4,6-Tribromophenol	176		43 - 140		118%	SPK: 150
1718-51-0	Terphenyl-d14	93.0		50 - 134		93%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	169000	6.81
1146-65-2	Naphthalene-d8	674000	8.092
15067-26-2	Acenaphthene-d10	367000	9.845
1517-22-2	Phenanthrene-d10	632000	11.328
1719-03-5	Chrysene-d12	449000	13.969
1520-96-3	Perylene-d12	365000	15.427

TENTATIVE IDENTIFIED COMPOUNDS

000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	5.00	AB		5.02	ug/L
000057-10-3	n-Hexadecanoic acid	4.30	J		11.9	ug/L

Report of Analysis

Client:	Weston Solutions	Date Collected:	01/15/25
Project:	Ft Meade Tipton Airfield Parcel RI - PO 0111169	Date Received:	01/16/25
Client Sample ID:	TAPIAL1-MW04S-011525-00-T2	SDG No.:	Q1109
Lab Sample ID:	Q1109-02	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141220.D	1	01/17/25 11:40	01/20/25 14:13	PB166117

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



LAB CHRONICLE

OrderID:	Q1109	OrderDate:	1/16/2025 11:32:00 AM
Client:	Weston Solutions	Project:	Ft Meade Tipton Airfield Parcel RI - PO 0111169
Contact:	Nathan Fretz	Location:	M11,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1109-02	TAPIAL1-MW04S-011 525-00-T2	Water	SVOC-TCL BNA -20	8270E	01/15/25	01/17/25	01/20/25	01/16/25