

## **DATA PACKAGE**

VOLATILE ORGANICS  
GENERAL CHEMISTRY  
METALS  
SEMI-VOLATILE ORGANICS

**PROJECT NAME : MONTHLY 2025**

**ARAMARK UNIFORMS**

**740 Frelinghuysen Ave.**

**Newark, NJ - 07114-**

**Phone No: 973-824-1101**

**ORDER ID : Q1119**

**ATTENTION : Jose Liceaga**



**Laboratory Certification ID # 20012**



<b>1) Signature Page</b>	<b>3</b>
<b>2) Case Narrative</b>	<b>4</b>
<b>2.1) TCLP VOA- Case Narrative</b>	<b>4</b>
<b>2.2) TCLP BNA Group1- Case Narrative</b>	<b>6</b>
<b>2.3) Metals-TCLP- Case Narrative</b>	<b>8</b>
<b>2.4) Genchem- Case Narrative</b>	<b>9</b>
<b>3) Qualifier Page</b>	<b>10</b>
<b>4) QA Checklist</b>	<b>12</b>
<b>5) TCLP VOA Data</b>	<b>13</b>
<b>6) TCLP BNA Group1 Data</b>	<b>17</b>
<b>7) Metals-TCLP Data</b>	<b>26</b>
<b>8) Genchem Data</b>	<b>30</b>
<b>9) Shipping Document</b>	<b>33</b>
<b>9.1) CHAIN OF CUSTODY</b>	<b>34</b>
<b>9.2) Lab Certificate</b>	<b>36</b>

1
2
3
4
5
6
7
8
9

## Cover Page

**Order ID :** Q1119

**Project ID :** Monthly 2025

**Client :** Aramark Uniforms

**Lab Sample Number**

Q1119-01

**Client Sample Number**

FILTER CAKE

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_

Date: 1/27/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

## **CASE NARRATIVE**

### **Aramark Uniforms**

**Project Name: Monthly 2025**

**Project # N/A**

**Chemtech Project # Q1119**

**Test Name: TCLP VOA**

#### **A. Number of Samples and Date of Receipt:**

1 Solid sample was received on 01/16/2025.

#### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: Corrosivity, Flash Point, Ignitability, Reactive Cyanide, Reactive Sulfide, REACTIVITY, TCLP BNA Group1, TCLP Extraction, TCLP Mercury, TCLP VOA, TCLP VOA Group1, TCLP ZHE Extraction and TCLP Metals Group1. This data package contains results for TCLP VOA.

#### **C. Analytical Techniques:**

The analysis performed on instrument MSVOA\_N were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868. The analysis of TCLP VOA was based on method 8260D and TCLP extraction method was 1311.

#### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank Spike Duplicate met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .

The Tuning criteria met requirements.

#### **E. Additional Comments:**

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

**F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

## **CASE NARRATIVE**

### **Aramark Uniforms**

**Project Name: Monthly 2025**

**Project # N/A**

**Chemtech Project # Q1119**

**Test Name: TCLP BNA Group1**

### **A. Number of Samples and Date of Receipt:**

1 Solid sample was received on 01/16/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: Corrosivity, Flash Point, Ignitability, Reactive Cyanide, Reactive Sulfide, REACTIVITY, TCLP BNA Group1, TCLP Extraction, TCLP Mercury, TCLP VOA, TCLP VOA Group1, TCLP ZHE Extraction and TCLP Metals Group1. This data package contains results for TCLP BNA Group1.

### **C. Analytical Techniques:**

The samples were analyzed on instrument BNA\_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um df. The analysis of TCLP BNA Group1 was based on method 8270E and extraction was done based on method 3510 and TCLP extraction method was 1311.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria except for FILTER CAKE [Terphenyl-d14 - 43%] as per method one surrogate is allowed to failed, therefore no corrective action was taken.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds .

The MSD recoveries met the acceptable requirements.

The RPD met criteria .

The Blank Spike for {PB166115} with File ID: BF141214.D met requirements for all samples except for Hexachlorobenzene [107%] but no positive hit in associated sample therefore no corrective action taken.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .

The Tuning criteria met requirements.

Sample FILTER CAKE was diluted due to high concentration.

**E. Additional Comments:**

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

**F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

### **Aramark Uniforms**

**Project Name: Monthly 2025**

**Project # N/A**

**Chemtech Project # Q1119**

**Test Name: TCLPMetals Group1, TCLP Mercury**

### **A. Number of Samples and Date of Receipt:**

1 Solid sample was received on 01/16/2025.

### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: Corrosivity, Flash Point, Ignitability, Reactive Cyanide, Reactive Sulfide, REACTIVITY, TCLP BNA Group1, TCLP Extraction, TCLP Mercury, TCLP VOA, TCLP VOA Group1, TCLP ZHE Extraction and TCLPMetals Group1. This data package contains results for TCLPMetals Group1, TCLP Mercury.

### **C. Analytical Techniques:**

The analysis of TCLPMetals Group1 was based on method 6010D, digestion based on method 3010 (waters). The analysis and digestion of TCLP Mercury was based on method 7470A and TCLP extraction method was 1311.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

### **E. Additional Comments:**

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_





284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

### **Aramark Uniforms**

**Project Name: Monthly 2025**

**Project # N/A**

**Chemtech Project # Q1119**

**Test Name: Corrosivity, Ignitability, Reactive Cyanide, Reactive Sulfide**

### **A. Number of Samples and Date of Receipt:**

1 Solid sample was received on 01/16/2025.

### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: Corrosivity, Flash Point, Ignitability, Reactive Cyanide, Reactive Sulfide, REACTIVITY, TCLP BNA Group1, TCLP Extraction, TCLP Mercury, TCLP VOA, TCLP VOA Group1, TCLP ZHE Extraction and TCLP Metals Group1. This data package contains results for Corrosivity, Ignitability, Reactive Cyanide, Reactive Sulfide.

### **C. Analytical Techniques:**

The analysis of Ignitability was based on method 1030, The analysis of Reactive Cyanide was based on method 9012B, The analysis of Reactive Sulfide was based on method 9034 and The analysis of Corrosivity was based on method 9045D.

### **D. QA/ QC Samples:**

The Holding Times were met for all samples except for FILTER CAKE of Corrosivity as sample Receive out of holding time.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

### **E. Additional Comments:**

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

## DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

<b>J</b>	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
<b>U</b>	Indicates the analyte was analyzed for, but not detected.
<b>ND</b>	Indicates the analyte was analyzed for, but not detected
<b>E</b>	Indicates the reported value is estimated because of the presence of interference
<b>M</b>	Indicates Duplicate injection precision not met.
<b>N</b>	Indicates the spiked sample recovery is not within control limits.
<b>S</b>	Indicates the reported value was determined by the Method of Standard Addition (MSA).
<b>*</b>	Indicates that the duplicate analysis is not within control limits.
<b>+</b>	Indicates the correlation coefficient for the MSA is less than 0.995.
<b>D</b>	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
<b>M</b>	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
<b>OR</b>	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
<b>Q</b>	Indicates the LCS did not meet the control limits requirements
<b>H</b>	Sample Analysis Out Of Hold Time

## DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
<b>U</b>	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
<b>ND</b>	Indicates the analyte was analyzed for, but not detected
<b>J</b>	Indicates an estimated value. This flag is used: <ol style="list-style-type: none"> <li>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)</li> <li>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.</li> </ol>
<b>B</b>	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
<b>E</b>	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
<b>D</b>	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
<b>P</b>	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
<b>N</b>	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
<b>A</b>	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
<b>Q</b>	Indicates the LCS did not meet the control limits requirements

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: Q1119

Completed

For thorough review, the report must have the following:

#### GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

#### COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

#### CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

#### ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 01/27/2025

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** Q1119  
**Client:** Aramark Uniforms

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
<b>Client ID:</b>	<b>FILTER CAKE</b>							
Q1119-01	FILTER CAKE	TCLP	2-Butanone	39.9		1.30	25.0	ug/L
Q1119-01	FILTER CAKE	TCLP	Chloroform	3.20	J	0.26	5.00	ug/L
			<b>Total Voc :</b>	<b>43.1</b>				
			<b>Total Concentration:</b>	<b>43.1</b>				

A

B

C

D



# SAMPLE DATA

## Report of Analysis

Client:	Aramark Uniforms			Date Collected:	01/16/25	
Project:	Monthly 2025			Date Received:	01/16/25	
Client Sample ID:	FILTER CAKE			SDG No.:	Q1119	
Lab Sample ID:	Q1119-01			Matrix:	TCLP	
Analytical Method:	SW8260			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:			uL	Test:	TCLP VOA	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :	SW5035					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085499.D	1		01/17/25 17:12	VN011725

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
78-93-3	2-Butanone	39.9		1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
67-66-3	Chloroform	3.20	J	0.26	5.00	ug/L
71-43-2	Benzene	0.16	U	0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	54.6		74 - 125	109%	SPK: 50
1868-53-7	Dibromofluoromethane	49.2		75 - 124	98%	SPK: 50
2037-26-5	Toluene-d8	51.8		86 - 113	104%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.1		77 - 121	104%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	186000	8.224			
540-36-3	1,4-Difluorobenzene	350000	9.1			
3114-55-4	Chlorobenzene-d5	319000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	154000	13.788			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q1119	OrderDate:	1/16/2025 3:44:00 PM
Client:	Aramark Uniforms	Project:	Monthly 2025
Contact:	Jose Liceaga	Location:	M11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1119-01	FILTER CAKE	TCLP	TCLP VOA	8260D	01/16/25		01/17/25	01/16/25





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** Q1119  
**Client:** Aramark Uniforms

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
<b>Client ID : FILTER CAKE</b>								
Q1119-01	FILTER CAKE	TCLP	3+4-Methylphenols	0.910	E	0.012	0.10	mg/L
			<b>Total Svoc :</b>			<b>0.91</b>		
			<b>Total Concentration:</b>			<b>0.91</b>		
<b>Client ID : FILTER CAKEDL</b>								
Q1119-01DL	FILTER CAKEDL	TCLP	3+4-Methylphenols	1.000	D	0.023	0.20	mg/L
			<b>Total Svoc :</b>			<b>1.00</b>		
			<b>Total Concentration:</b>			<b>1.00</b>		



# SAMPLE DATA

## Report of Analysis

Client:	Aramark Uniforms	Date Collected:	01/17/25
Project:	Monthly 2025	Date Received:	01/17/25
Client Sample ID:	PB166067TB	SDG No.:	Q1119
Lab Sample ID:	PB166067TB	Matrix:	TCLP
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	100 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141215.D	1	01/17/25 12:00	01/20/25 11:56	PB166115

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
110-86-1	Pyridine	0.016	U	0.016	0.050	mg/L
106-46-7	1,4-Dichlorobenzene	0.0084	U	0.0084	0.050	mg/L
95-48-7	2-Methylphenol	0.011	U	0.011	0.050	mg/L
65794-96-9	3+4-Methylphenols	0.012	U	0.012	0.10	mg/L
67-72-1	Hexachloroethane	0.010	U	0.010	0.050	mg/L
98-95-3	Nitrobenzene	0.013	U	0.013	0.050	mg/L
88-06-2	2,4,6-Trichlorophenol	0.0089	U	0.0089	0.050	mg/L
95-95-4	2,4,5-Trichlorophenol	0.010	U	0.010	0.050	mg/L
121-14-2	2,4-Dinitrotoluene	0.015	U	0.015	0.050	mg/L
118-74-1	Hexachlorobenzene	0.011	UQ	0.011	0.050	mg/L
87-86-5	Pentachlorophenol	0.019	U	0.019	0.10	mg/L
<b>SURROGATES</b>						
367-12-4	2-Fluorophenol	129		10 - 139	86%	SPK: 150
13127-88-3	Phenol-d6	127		10 - 134	85%	SPK: 150
4165-60-0	Nitrobenzene-d5	88.3		49 - 133	88%	SPK: 100
321-60-8	2-Fluorobiphenyl	88.1		52 - 132	88%	SPK: 100
118-79-6	2,4,6-Tribromophenol	142		44 - 137	95%	SPK: 150
1718-51-0	Terphenyl-d14	83.5		48 - 125	83%	SPK: 100
<b>INTERNAL STANDARDS</b>						
3855-82-1	1,4-Dichlorobenzene-d4	175000	6.81			
1146-65-2	Naphthalene-d8	707000	8.092			
15067-26-2	Acenaphthene-d10	385000	9.845			
1517-22-2	Phenanthrene-d10	662000	11.328			
1719-03-5	Chrysene-d12	471000	13.969			
1520-96-3	Perylene-d12	372000	15.433			

## Report of Analysis

Client:	Aramark Uniforms		Date Collected:	01/17/25
Project:	Monthly 2025		Date Received:	01/17/25
Client Sample ID:	PB166067TB		SDG No.:	Q1119
Lab Sample ID:	PB166067TB		Matrix:	TCLP
Analytical Method:	SW8270		% Solid:	0
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA Group1
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141215.D	1	01/17/25 12:00	01/20/25 11:56	PB166115

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products

## Report of Analysis

Client:	Aramark Uniforms	Date Collected:	01/16/25
Project:	Monthly 2025	Date Received:	01/16/25
Client Sample ID:	FILTER CAKE	SDG No.:	Q1119
Lab Sample ID:	Q1119-01	Matrix:	TCLP
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	100 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141203.D	1	01/17/25 12:00	01/17/25 19:52	PB166115

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
110-86-1	Pyridine	0.016	U	0.016	0.050	mg/L
106-46-7	1,4-Dichlorobenzene	0.0084	U	0.0084	0.050	mg/L
95-48-7	2-Methylphenol	0.011	U	0.011	0.050	mg/L
65794-96-9	3+4-Methylphenols	0.91	E	0.012	0.10	mg/L
67-72-1	Hexachloroethane	0.010	U	0.010	0.050	mg/L
98-95-3	Nitrobenzene	0.013	U	0.013	0.050	mg/L
88-06-2	2,4,6-Trichlorophenol	0.0089	U	0.0089	0.050	mg/L
95-95-4	2,4,5-Trichlorophenol	0.010	U	0.010	0.050	mg/L
121-14-2	2,4-Dinitrotoluene	0.015	U	0.015	0.050	mg/L
118-74-1	Hexachlorobenzene	0.011	UQ	0.011	0.050	mg/L
87-86-5	Pentachlorophenol	0.019	U	0.019	0.10	mg/L
<b>SURROGATES</b>						
367-12-4	2-Fluorophenol	112		10 - 139	74%	SPK: 150
13127-88-3	Phenol-d6	110		10 - 134	74%	SPK: 150
4165-60-0	Nitrobenzene-d5	77.2		49 - 133	77%	SPK: 100
321-60-8	2-Fluorobiphenyl	71.2		52 - 132	71%	SPK: 100
118-79-6	2,4,6-Tribromophenol	122		44 - 137	81%	SPK: 150
1718-51-0	Terphenyl-d14	43.3	*	48 - 125	43%	SPK: 100
<b>INTERNAL STANDARDS</b>						
3855-82-1	1,4-Dichlorobenzene-d4	183000		6.816		
1146-65-2	Naphthalene-d8	728000		8.092		
15067-26-2	Acenaphthene-d10	370000		9.845		
1517-22-2	Phenanthrene-d10	526000		11.327		
1719-03-5	Chrysene-d12	373000		13.974		
1520-96-3	Perylene-d12	384000		15.433		

## Report of Analysis

Client:	Aramark Uniforms		Date Collected:	01/16/25
Project:	Monthly 2025		Date Received:	01/16/25
Client Sample ID:	FILTER CAKE		SDG No.:	Q1119
Lab Sample ID:	Q1119-01		Matrix:	TCLP
Analytical Method:	SW8270		% Solid:	0
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA Group1
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141203.D	1	01/17/25 12:00	01/17/25 19:52	PB166115

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products

## Report of Analysis

Client:	Aramark Uniforms	Date Collected:	01/16/25
Project:	Monthly 2025	Date Received:	01/16/25
Client Sample ID:	FILTER CAKEDL	SDG No.:	Q1119
Lab Sample ID:	Q1119-01DL	Matrix:	TCLP
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	100 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141222.D	2	01/17/25 12:00	01/20/25 15:05	PB166115

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
110-86-1	Pyridine	0.031	UD	0.031	0.10	mg/L
106-46-7	1,4-Dichlorobenzene	0.017	UD	0.017	0.10	mg/L
95-48-7	2-Methylphenol	0.023	UD	0.023	0.10	mg/L
65794-96-9	3+4-Methylphenols	1.00	D	0.023	0.20	mg/L
67-72-1	Hexachloroethane	0.020	UD	0.020	0.10	mg/L
98-95-3	Nitrobenzene	0.025	UD	0.025	0.10	mg/L
88-06-2	2,4,6-Trichlorophenol	0.018	UD	0.018	0.10	mg/L
95-95-4	2,4,5-Trichlorophenol	0.020	UD	0.020	0.10	mg/L
121-14-2	2,4-Dinitrotoluene	0.030	UD	0.030	0.10	mg/L
118-74-1	Hexachlorobenzene	0.023	UDQ	0.023	0.10	mg/L
87-86-5	Pentachlorophenol	0.037	UD	0.037	0.20	mg/L
<b>SURROGATES</b>						
367-12-4	2-Fluorophenol	127		10 - 139	85%	SPK: 150
13127-88-3	Phenol-d6	125		10 - 134	83%	SPK: 150
4165-60-0	Nitrobenzene-d5	87.4		49 - 133	87%	SPK: 100
321-60-8	2-Fluorobiphenyl	83.2		52 - 132	83%	SPK: 100
118-79-6	2,4,6-Tribromophenol	146		44 - 137	97%	SPK: 150
1718-51-0	Terphenyl-d14	54.8		48 - 125	55%	SPK: 100
<b>INTERNAL STANDARDS</b>						
3855-82-1	1,4-Dichlorobenzene-d4	189000	6.81			
1146-65-2	Naphthalene-d8	752000	8.092			
15067-26-2	Acenaphthene-d10	394000	9.845			
1517-22-2	Phenanthrene-d10	605000	11.328			
1719-03-5	Chrysene-d12	365000	13.974			
1520-96-3	Perylene-d12	399000	15.433			

## Report of Analysis

Client:	Aramark Uniforms		Date Collected:	01/16/25
Project:	Monthly 2025		Date Received:	01/16/25
Client Sample ID:	FILTER CAKEDL		SDG No.:	Q1119
Lab Sample ID:	Q1119-01DL		Matrix:	TCLP
Analytical Method:	SW8270		% Solid:	0
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA Group1
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF141222.D	2	01/17/25 12:00	01/20/25 15:05	PB166115

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products



## LAB CHRONICLE

<b>OrderID:</b>	Q1119	<b>OrderDate:</b>	1/16/2025 3:44:00 PM
<b>Client:</b>	Aramark Uniforms	<b>Project:</b>	Monthly 2025
<b>Contact:</b>	Jose Liceaga	<b>Location:</b>	M11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
<b>Q1119-01</b>	<b>FILTER CAKE</b>	<b>TCLP</b>	TCLP BNA Group1	8270E	<b>01/16/25</b>	01/17/25	01/17/25	<b>01/16/25</b>
<b>Q1119-01DL</b>	<b>FILTER CAKEDL</b>	<b>TCLP</b>	TCLP BNA Group1	8270E	<b>01/16/25</b>	01/17/25	01/20/25	<b>01/16/25</b>

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** Q1119  
**Client:** Aramark Uniforms

**Order ID:** Q1119  
**Project ID:** Monthly 2025

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
<b>Client ID : FILTER CAKE</b>								
Q1119-01	FILTER CAKE	TCLP	Barium	259		6.28	50.0	ug/L
Q1119-01	FILTER CAKE	TCLP	Cadmium	0.23	J	0.094	3.00	ug/L
Q1119-01	FILTER CAKE	TCLP	Lead	56.2		3.51	6.00	ug/L
Q1119-01	FILTER CAKE	TCLP	Silver	0.69	J	0.58	5.00	ug/L



# SAMPLE DATA

## Report of Analysis

Client:	Aramark Uniforms	Date Collected:	01/16/25
Project:	Monthly 2025	Date Received:	01/16/25
Client Sample ID:	FILTER CAKE	SDG No.:	Q1119
Lab Sample ID:	Q1119-01	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	01/17/25 12:30	01/20/25 13:08	SW6010	SW3050
7440-39-3	Barium	259		1	6.28	50.0	ug/L	01/17/25 12:30	01/20/25 13:08	SW6010	SW3050
7440-43-9	Cadmium	0.23	J	1	0.094	3.00	ug/L	01/17/25 12:30	01/20/25 13:08	SW6010	SW3050
7440-47-3	Chromium	0.66	U	1	0.66	5.00	ug/L	01/17/25 12:30	01/20/25 13:08	SW6010	SW3050
7439-92-1	Lead	56.2		1	3.51	6.00	ug/L	01/17/25 12:30	01/20/25 13:08	SW6010	SW3050
7439-97-6	Mercury	0.81	U	1	0.81	2.00	ug/L	01/17/25 14:18	01/20/25 11:45	SW7470A	
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	01/17/25 12:30	01/20/25 13:08	SW6010	SW3050
7440-22-4	Silver	0.69	J	1	0.58	5.00	ug/L	01/17/25 12:30	01/20/25 13:08	SW6010	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP Mercury			

U = Not Detected  
LOQ = Limit of Quantitation  
MDL = Method Detection Limit  
LOD = Limit of Detection  
D = Dilution  
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
B = Analyte Found in Associated Method Blank  
\* = indicates the duplicate analysis is not within control limits.  
E = Indicates the reported value is estimated because of the presence of interference.  
OR = Over Range  
N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q1119	OrderDate:	1/16/2025 3:44:00 PM
Client:	Aramark Uniforms	Project:	Monthly 2025
Contact:	Jose Liceaga	Location:	M11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1119-01	FILTER CAKE	TCLP			01/16/25			01/16/25
			TCLP Mercury	7470A		01/17/25	01/20/25	
			TCLPMetals Group1	6010D		01/17/25	01/20/25	



# SAMPLE DATA

## Report of Analysis

Client:	Aramark Uniforms	Date Collected:	01/16/25 13:38
Project:	Monthly 2025	Date Received:	01/16/25
Client Sample ID:	FILTER CAKE	SDG No.:	Q1119
Lab Sample ID:	Q1119-01	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	5.56	H	1	0	0	pH		01/16/25 19:00	9045D
Ignitability	NO		1	0	0	oC		01/23/25 10:58	1030
Reactive Cyanide	0.0087	U	1	0.0087	0.050	mg/Kg	01/17/25 10:15	01/17/25 13:39	9012B
Reactive Sulfide	1.58	J	1	0.19	10.0	mg/Kg	01/17/25 08:15	01/17/25 12:36	9034

Comments: pH result reported at temperature 20.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q1119	OrderDate:	1/16/2025 3:44:00 PM
Client:	Aramark Uniforms	Project:	Monthly 2025
Contact:	Jose Liceaga	Location:	M11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1119-01	FILTER CAKE	SOIL			01/16/25 13:38			01/16/25
			Corrosivity	9045D			01/16/25 19:00	
			Ignitability	1030			01/23/25 10:58	
			Reactive Cyanide	9012B		01/17/25	01/17/25 13:39	
			Reactive Sulfide	9034		01/17/25	01/17/25 12:36	





# SHIPPING DOCUMENTS

# CHEMTECH

## CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092  
(908) 789-8900 • Fax (908) 789-8922  
www.chemtech.net

CHEMTECH PROJECT NO. **Q1119**  
QUOTE NO.  
COC Number **2041666**

9  
9.1

### CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: **Aramark uniforms**  
ADDRESS: **740 Frelinghuysen Ave**  
CITY: **Newark** STATE: **NJ** ZIP: **07114**  
ATTENTION: **Jarrod Mills**  
PHONE: **973-824-1101** FAX:

### CLIENT PROJECT INFORMATION

PROJECT NAME: **monthly**  
PROJECT NO.: LOCATION:  
PROJECT MANAGER:  
e-mail:  
PHONE: FAX:

### CLIENT BILLING INFORMATION

BILL TO: PO#:  
ADDRESS:  
CITY STATE: ZIP:  
ATTENTION: PHONE:

### ANALYSIS

### DATA TURNAROUND INFORMATION

FAX (RUSH) DAYS\*  
HARDCOPY (DATA PACKAGE): **Standard** DAYS\*  
EDD: DAYS\*  
\*TO BE APPROVED BY CHEMTECH  
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS

### DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)  
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP  
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B  
+ Raw Data ☐ Other  
☐ EDD FORMAT

Full waste class  
ICAP

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	<del>Filter cake</del> <b>Filter cake</b>	<b>S</b>		<input checked="" type="checkbox"/>	<b>1-16-25</b>	<b>1338</b>	<b>5</b>	<input checked="" type="checkbox"/>									
2.																	
3.																	
4.																	
5.																	
6.																	
7.																	
8.																	
9.																	
10.																	

### SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. <b>Joe Phuc</b>	DATE/TIME: <b>1-16-25</b>	RECEIVED BY: 1. <b>[Signature]</b>	DATE/TIME: <b>1-16-25</b>	Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP <b>3.0</b> °C
RELINQUISHED BY SAMPLER: 2. <b>[Signature]</b>	DATE/TIME:	RECEIVED BY: 2. <b>[Signature]</b>	DATE/TIME:	Comments:
RELINQUISHED BY SAMPLER: 3. <b>[Signature]</b>	DATE/TIME: <b>1-16-25</b>	RECEIVED BY: 3. <b>[Signature]</b>	DATE/TIME:	

Page \_\_\_\_ of \_\_\_\_

CLIENT: ☐ Hand Delivered ☐ Other  
CHEMTECH: ☐ Picked Up ☐ Field Sampling


Shipment Complete  
☐ YES ☐ NO

# TCLP TESTING REQUIREMENTS

VOLATILES	
BENZENE	
CARBON TETRACHLORIDE	
CHLOROFORM	
1,2-DICHLOROETHANE	
1,1-DICHLOROETHYLENE	
METHYL ETHYL KETONE	
TETRACHLOROETHYLENE	
TRICHLOROETHYLENE	
VINYL CHLORIDE	
SEMI-VOLATILES	
O-CRESOL	2 methyl phenol
M-CRESOL	3+4 methyl phenol
P-CRESOL	3+4 Methyl phenol
CRESOL	
PENTACHLOROPHENOL	
2,4,5-TRICHLOROPHENOL	
2,4,6-TRICHLOROPHENOL	
1,4-DICHLOROENZENE	
2,4-DINITROTOLUENE	
HEXACHLOROENZENE	
HEXACHLOROETHANE	
NITROBENZENE	
PYRIDINE	
METALS	
ARSENIC	
BARIUM	
CADMIUM	
CHROMIUM	
LEAD	
MERCURY	
SELENIUM	
SILVER	

\*\* Lab must also test/report the following:

Corrosivity  
Reactivity  
Flashpoint



**Laboratory Certification**

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488